

SANLO PRODUCTS CO -- CUTTING FLUID, VV-C-846 -- 9150-00-261-8144

=====
Product Identification
=====

Product ID:CUTTING FLUID, VV-C-846

MSDS Date:10/04/1986

FSC:9150

NIIN:00-261-8144

MSDS Number: BRQNF

=== Responsible Party ===

Company Name:SANLO PRODUCTS CO

Address:100 ,MANHATTAN AVE SUITE 103

City:UNION CITY

State:NJ

ZIP:07087

Country:US

Info Phone Num:804-279-4371 (DGSC-SSH)

Emergency Phone Num

:OUT OF BUSINESS

Preparer's Name:DGSC-SSH

CAGE:0K5U0

=== Contractor Identification ===

Company Name:SANLO PRODUCTS CO

Address:100 ,MANHATTAN AVE SUITE 103

City:UNION CITY

State:NJ

ZIP:07087

Country:US

Phone:201-348-1684/800-424-9300(CHEMTREC)

CAGE:0K5U0

=====
Composition/Information on Ingredients
=====

Ingred Name:OR 64742-54-7, LUBRICATING OIL BASE STOCK (PURCHASED FROM
EXXON CO, USA, HOUSTON, TX. 713-656-6449)

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 93%

Other

REC Limits:5 MG/M3 OIL MIST
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:PROPRIETARY ADDITIVES
Fraction by Wt: 7%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-INGESTION:LOW TOXICITY. MAY
CAUSE GI TRACT IRRITATION. INHALATION:INHALATION OF
MIST/VAPORS/FUMES MAY CAUSE RESPIRATORY TRACT I
RRITATION. SMALL
AMOUNT ASPIRATED INTO LUNGS MAY CAUSE CHEMICAL PNE UMONITIS.
EYE:IRRITATION. SKIN:REPEATEDCONTACT MAY CAUSE IRRITATION.
CHRONIC:DERMATITIS, OIL ACNE OR FOLLICULITIS.
Effects of Overexposure:IRRITATION OF EYES, SKIN, COUGHING, NAUSEA,
DIARRHEA, VOMITING.
Medical Cond Aggravated by Exposure:SKIN ALLERGIES.

=====
===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER.
GET MEDICAL ATT
ENTION IF IRRITATION PERSISTS. INHALATION:REMOVE TO
FRESH AIR & RESTORE BREATHING IF NECESSARY. GET MEDICAL ATTENTION.
EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING
EYELIDS OPEN. GET MEDICAL ATTENTION. INGESTION:GET IMMEDIATE
MEDICAL ATTENTION. DO NOT INDUCE VOMITING. KEEP HEAD DOWN DURING
VOMITING.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:375F,191C
Autoignition Temp:Autoignition Temp Text:500F
Lower Limits:0.9%
Upper Limits:7%
Extinguishing Media:FOAM, DRY CHEMICALS, CARBON DIOXIDE, WATER
SPARY(FOG). WATER STREAM MAY NOT BE EFFECTIVE.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR PROTECTIVE CLOTHING
AND SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: WIPE UP WITH R

AGS OR ABSORB WITH
INERT MEDIA. LARGE SPILLS: EVACUATE AREA. WEAR PROTECTIVE
EQUIPMENT. VENTILATE AREA. DIKE TO RETAIN FLUID. PUMP UP FREE
LIQUID. WASH RESIDUE WITH SOAP AND WATER. DO NOT FLUSH TO SEWER OR
WATERWAYS.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORAGE-STORE IN A DRY AREA AWAY FROM
OXIDIZERS AND OPEN FLAMES.

Other Precautions:DO NOT CREATE OR INHALE MIST. AVOID OVEREXPOSURE.

EMPTY CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE, CUT, WELD OR
EXPOSE TO HEAT, FLAME, STATIC ELECTRICITY, OR OTHER SOURCES OF
IGNITION; THEY MAY EXP LODE AND CAUSE INJURY.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH APPROVED
SELF-CONTAINED BREATHING APPARATUS IF TLV IS EXCEEDED OR WHEN
SPRAYING/MISTING OR USING IN CONFINED SPACES.

Ventilation:GENERAL

Protective Gloves:PVC

Eye Protection:GOGGLES

Other Protective Equipment:WORKCLOTHES, BOOTS, EYEWASH.

Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE WHILE WORKING WITH
THIS PRODUCT.

Supplemental Safety and Health

MFR IS OUT OF BUSINESS AND IS UNLISTED. OIL BASE STOCK USED IN THIS
PRODUCT WAS PURCHASED BY SANLO FROM EXXON CO, USA. INFORMATION
PRESENTED HEREIN IS ACCURATE AND RELIABLE TO THE BEST OF OUR
KNOWLEDG E AND BELIEF BUT IS NOT GUARANTEED TO BE SO. IT IS THE
USER'S RESPONSIBILITY TO TAKE ALL SAFETY PRECAUTIONS.

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:NOT LISTED

Spec Gravity: 0.85

Evaporation Rate & Reference:>1 (BU ACETATE=1)

Solubility in Water:NEGIGIBLE

Appearance and Odor:OILY LIQUID, BLAND ODOR.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS.

Stability Condition to Avoid:OPEN FLAMES, SOURCES OF IGNITION.

Hazardous Decomposition Products:FUMES, SMOKE, CARB

ON MONOXIDE,
ALDEHYDES AND OTHER DECOMPOSITION PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate
and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.