

CHEMICAL PACKAGING CORP -- DE AQUA LUBE 210 -- 6850-01-061-5494

=====
Product Identification
=====

Product ID:DE AQUA LUBE 210

MSDS Date:05/01/1992

FSC:6850

NIIN:01-061-5494

MSDS Number: BRQRM

=== Responsible Party ===

Company Name:CHEMICAL PACKAGING CORP

Address:2700 SW 14 ST

City:POMPANO BEACH

State:FL

ZIP:33069-4322

Country:US

Info Phone Num:305-974-5440

Emergency Phone Num:305-974-5440

CAGE:5

7040

=== Contractor Identification ===

Company Name:CHEMICAL PACKAGING CORP

Address:2700 SW 14 ST

Box:City:POMPANO BEACH

State:FL

ZIP:33069-4322

Country:US

Phone:305-974-5440

CAGE:57040

Company Name:EMULTEC INC

Address:1150 HAYDEN DR SUITE 100

Box:City:CARROLLTON

State:TX

ZIP:75006

Country:US

Phone:972-417-1288

CAGE:0HD15

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by

Wt: 73%
Other REC Limits:NONE SPECIFIED
OSHA PEL:350 PPM/450 STEL
ACGIH TLV:350 PPM/450STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

Ingred Name:2-BUTOXYETHANOL
CAS:111-76-2
RTECS #:KJ8575000
Fraction by Wt: 2.0%
Other REC Limits:NONE SPECIFIED
OSHA PEL:S, 50 PPM
ACGIH TLV:S, 25 PPM; 9293

Ingred Name:MINERAL OIL
CAS:64742-65-0
RTECS #:PY8038500
Other REC Limits:NONE SPECIFIED

Ingred Name:CARBON DIOXIDE
CAS:124-38-9
RTECS #:FF6400000
Other REC Limits:NONE SPECIFIED
OSHA PEL:5000 PPM
ACGIH TLV:5000PPM/30000STEL;93

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION-CHRONIC OVER EXPOSURE MAY CAUSE LIVER, KIDNEY OR LUNG DISEASE, ANEMIA, CORONARY DISEASE OR RHYTHM DISORDERS OF THE HEART. SKIN-PROLONGED OR REPEATED CONTACT CAN CAUSE MODERATE IRRITATION, D EFATTING AND DERMATITIS.

Explanation of Carcinogenicity:THE PRODUCT CONTAINS NO INGREDIENT THAT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:INHALATION-EXCESSIVE INHALATION OF VAPORS CAN CAUSE RESPIRATORY IRRITATION, DIZZINESS, NAUSEA, UNCONSCIOUSNESS AND POSSIBLE DEATH. EYES-CAN CAUSE SEVERE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA, ASPIRATION OR MATERIAL INTOLUNGS CAN CAUSE CHEMICAL PNEUMONITIS.

Medical Cond Aggravated by Exposure:NONE GIVEN BY MA

NUMACTURER.

=====
===== First Aid Measures =====

First Aid:EYE & SKIN: FLUSH EYES WITH WATER, LIFTING UPPER & LOWER LIDS. GET MEDICAL ATTENTION. WASH EXPOSED AREAS WITH SOAP & WATER. INHALATION: REMOVE TO FRESH AIR, IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN, IF BREATHING STOPS GIVE ARTIFICIAL RESPIRATION, GET MEDICAL ATTENTION. INGESTED: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION, ASPIRATION OF MATERIAL INTO LUNG CAN CAUSE CHEMICAL PNEUMONITIS.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:NON-FLAMMABLE
Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE.
Fire Fighting Procedures:KEEP CONTAINER COOL. USE EQUIPMENT ON SHIELDING, REQUIRED TO PROTECT PERSONNEL AGAINST BURSTING, RUPTURE OR VENTING CONTAINERS.
Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (ABOVE 120 DEG F) CONTAINERS MAY VENT RUPTURE OR BURST.

=====
===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP ARE BY MOPPING OR WITH ABSORBENT MATERIAL AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL. CONTACT FEDERAL, STATE OR LOCAL AUTHORITIES FOR APPROVED DISPOSAL PROCEDURES.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE AT TEMPERATURES ABOVE 120F.
Other Precautions:PLEASE READ AND FOLLOW THE DIRECTIONS ON THE PRODUCT LABEL. THEY ARE YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST EFFECTIVE WAY, AND THEY ALSO GIVE THE NECESSARY SAFETY PRECAUTIONS TO PROTECT YOUR HEALTH.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE VAPOR CONCENTRATIONS IS