View NSN Online: https://aerobasegroup.ae/nsn/2540-01-214-9357

LOCTITE CORPORATION -- 10220 NAPA REARVIEW MIRROR (6ML KIT)

MSDS Safety Information

FSC: 2540

NIIN: 01-214-9357 MSDS Date: 01/03/1995 MSDS Num: BRTCR

Product ID: 10220 NAPA REARVIEW MIRROR (6ML KIT)

MFN: 01

Responsible Party Cage: 05972

Name: LOCTITE CORPORATION

Address: 1001 TROUT BROOK CROSSING

City:

ROCKY HILL (FORMALLY IN NEWINGTON) CT 06067 Info Phone Number: 203-571-5100/FAX 203-571-5465

Emergency Phone Number: 203-571-5100 Preparer's Name: STEPHEN REPETTO

Review Ind: Y Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: 05972

Name: LOCTITE CORPORATION

Address: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT 06067-3910

Contractor Summary

Cage: 70842

Name: BALKAMP INC

Address: 2601 S HOLT ROAD City: INDIANAPOLIS IN 46241

Phone: 317-244-7241

Cage: 08028

Name: LOCTITE CORP AUTOMOTIVE AND CONSUMER GROUP

Address: 4450 CRANWOOD COURT City: CLEVELAND OH 44128-4004

Phone: 216-663-3011

Cage: 05972

Name: LOCTITE CORPORATION

Address: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT 06067-3910

Phone: 860-571-5100

Cage: 050Q3

Name: NAPA, A DIVISION OF LIN

COLN AUTOMOTIVE

Address: ONE LINCOLN WAY City: ST. LOUIS MO 63120-1578

Phone: 414-255-5520

Item Description Information

Item Manager: S9C

Item Name: ADHESIVE MOUNT, MIRROR

Specification Number: UNKNOWN

Unit of Issue: EA UI Container Qty: 1

Type of Container: UNKNOWN

Ingredients

===

Name: POLYURETHANE METHACRYLATE RESIN (CAS # PROPRIETARY)

% Wt: 50-55

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Cas: 27813-02-1

Name: HYDROXYPROPYL METHACRYLATE

% Wt: 35-40

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Cas: 79-10-7

RTECS #: AS4375000

Name: ACRYLIC ACID (SARA 313) (CERCLA)

% Wt: 5-10

Other REC Limits: NONE RECOMMENDED

OSHA PEL: S EE 1910.1045

ACGIH TLV: S, 2 PPM; 9596 EPA Rpt Qty: 5000 LBS DOT Rpt Qty: 5000 LBS

Cas: 80-15-9

RTECS #: MX2450000

Name: 1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE) (SARA 313)

(CERCLA) % Wt: 1-3

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

EPA Rpt Qty: 10 LBS DOT Rpt Qty: 10 LBS

Cas: 2530-85-0

RTECS #: UC0230000 Name: 2-PROPENOIC ACID

% Wt: 0.1-1

Other REC Limits: NONE RECOM

MENDED

OSHA PEL: NOT ESTABLISHED. ACGIH TLV: NOT ESTABLISHED.

Cas: 102-82-9

RTECS #: YA0350000 Name: TRIBUTYLAMINE

% Wt: 0.1-1

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

RTECS #: 9999999VC

Name: VOLITILE ORGANIC CONTENT AS LISTED ON MSDS., 49.0%, 529.2 G/L, EPA METHOD

24.

% Wt: NA

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

Health Hazards Data

LD50 LC50 Mixture: ORAL LD50 >1000 MG/KG.

Route Of Entry Inds - Inhalation: NO

Skin: NO Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: LIQUID IS EYE IRRITANT. VAPORS MAY IRRITATE

EYE/NOSE/THROAT.

Explanation Of Carcinogenicity: PER MSDS:CARCINOGEN:NTP/IARC/

OSHA:NO.

Signs And Symptions Of Overexposure: IRRITATION OF EYES, SKIN, NOSE, THROAT.

Μ

AY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.

Medical Cond Aggravated By Exposure: ACRYLIC ACID:UPPER RESPIRATORY & DISEASES, DERMATITIS. TARGET ORGANS:RESPIRATORY, NERVOUS SYTES, LUNG, HEART.

First Aid: INGEST:DO NOT INDUCE VOMITING.KEEP INDIVIDUAL CALM.OBTAIN MED ATTN. INHAL:REMOVE TO FRESH AIR.IF SYMPTOMS PERSIST OBTAIN MED ATTN. SKIN:WASH W/SOAP/WATER. EYE:FLUSH W/WATER AT LEAST 15MINS.OBTAIN MED ATTN.

==

Handling and Disposal

Spill Release Procedures: SOAK UP IN INERT ABSORBENT.STORE IN PARTLY FILLED,

CLOSED CONTAINER UNTIL DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE FOLLOWING EPA & DISPOSAL REGULATIONS. COMPONENT LISTED AS SARA SEC 313 TOXIC CHEM: ACRYLIC ACID, CUMENE

HYDROPEROXIDE.

Handling And Storage Precautions: STORE BELOW 100F. AVOID PROLONGED SKIN

CONTACT.KEEP AWAY FROM

EYES.AVOID PROLONGED BREATHING OF VAPORS.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

Fire and Explosion Hazard Information

Flash Point Method: TCC

Flash Point Text: >200F,>93C Lower Limits: SUPPLEMENTAL Upper Limits: SUPPLEMENTAL

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL. Fire Fighting Procedures: NONE SPECIFIED BY MANUFACTURER.

Unusual Fire/Explosion Haza

rd: NONE.

Control Measures

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.

Ventilation: SUFFICIENT TO MAINTAIN VAPOR CONCENTRATIONS BELOW TLV.

Protective Gloves: RUBBER OR PLASTIC GLOVES. Eye Protection: SAFETY GLASSES OR GOGGLES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: EXPLO LIMITS:LOW 2% ACRYLIC

ACID,0.8%TRIALKYLAMINE;UPPER 8.0% ACRYLIC,6.4%TRIALKYLAMINE.

Physical/Chemical Properties

HCC: N1

B.P. Text: 300F,149C Vapor Pres: <10 @80F

Vapor Density: NA

Spec Gravity: 1.08 @80F

PH: NA

Evaporation Rate & Reference: NOT AVAILABLE.

Solubility in Water: SLIGHT.

Appearance and Odor: YELLOWISH LIQUID, SHARP, IRRIT ODOR.

_____ Reactivity Data _____ Stability Indicator: YES Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER. Materials To Avoid: NONE. Hazardous Decomposition Products: IRRITATING ORGANIC VAPORS. Hazardous Polymerization Indicator: NO -----**Toxicological Information** ______ _____ ======= **Ecological Information** ______ _____ MSDS Transport Information _____ _____ Regulatory Information _____ _____ Other Information _____ _____ Transportation Information -----Responsible Party Cage: 05972 Trans ID NO: 115764 Product ID: 10220 NAPA REARVIEW MIRROR (6ML KIT) MSDS Prepared Date: 01/03/1995 Review Date: 04/28/1997 MFN: 1 Net Unit Weight: UNKNOWN Multiple KIT Number: 0 Review IND: Y Container QTY: 1 Type Of Container: UNKNOWN

Unit Of Issue: EA

Additional Data: PER MSDS:SHIPPING REGS DOT/IATA:UNRESTRICTED.

Detail DOT Information

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IA

TA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

=========

Product ID: 10220 NAPA REARVIEW MIRROR (6ML KIT)

Cage: 05972

Company Name: LOCTITE CORPORATION Street: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT Zipcode: 06067-3910

Health Emergency Phone: 203-571-5100

Label Required IND: Y

Date Of Label Review: 04/28/1997

Status Code: C

Label Date: 04/28/1997
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: None
Reactivity Hazard: None

Hazard And

Precautions: LIQUID IS EYE IRRITANT.VAPORS MAY IRRITATE
EYE/NOSE/THROAT. STORE BELOW 100F. AVOID PROLONGED SKIN CONTACT.KEEP AWAY
FROM EYES.AVOID PROLONGED BREATHING OF VAPORS. FIRST AID: INGEST:DO NOT
INDUCE VOMI TING.KEEP INDIVIDUAL CALM.OBTAIN MED ATTN. INHAL:REMOVE TO FRESH
AIR.IF SYMPTOMS PERSIST OBTAIN MED ATTN. SKIN:WASH W/SOAP/WATER. EYE:FLUSH
W/WATER AT LEAST 15MINS.OBTAIN MED ATTN.TARGET ORGANS:LUNG,H EART,RESP
TRACT,CNS. FIRE:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL. SPILLS
:SOAK UP IN

INERT ABSORBENT.STORE IN PARTLY FILLED CLSD CNTNR TIL DISPO.DISPO:INCINERATE FOLLOWING EPA & DC REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability

by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity

to a corresponding Department of Defense or other government situation.