

ALLIED ENTERPRISES, INC. -- IMPACT ORGANIC SOLVENT CLEANER -- 6850-01-380-4053

=====  
Product Identification  
=====

Product ID:IMPACT ORGANIC SOLVENT CLEANER

MSDS Date:02/01/1989

FSC:6850

NIIN:01-380-4053

MSDS Number: BSDDJ

=== Responsible Party ===

Company Name:ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159

City:NORFOLK

State:VA

ZIP:23508-2008

Country:US

Info Phone Num:804-489-8282/8

00-535-5053

Emergency Phone Num:804-489-8282/800-535-5053

CAGE:58396

=== Contractor Identification ===

Company Name:ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159

City:NORFOLK

State:VA

ZIP:23508-2008

Country:US

Phone:757-489-8282

CAGE:58396

=====  
Composition/Information on Ingredients  
=====

Ingred Name:D-LIMONENE

CAS:5989-27-5

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES

Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:IRRITATION TO SKIN/EYES/RESPIRATORY TRACT. CAUSES VAUSEA/VOMITING/DIARRHEA IF SWALLOWED. OVEREXPOSURE BY INHALATION MAY CAUSE DIZZINESS/HEADACHE/NAUSEA/LOSS OF CONSCIOUSNESS.

Effects of Overexposure:OVEREXPOSURE BY INHALATION MAY CAUSE DIZZINESS/HEADACHE/NAUSEA/LOSS OF CONSCIOUSNESS.

Medical Cond Aggravated by Exposure:NONE GIVEN BY MFG'S MSDS.

=====

First Aid Measures =====

First Aid:INHA:MOVE TO FRESH AIR. ADMINISTER ARTIFICAIL RESPIRATION IF NOT BREATHING. CALL DOCTOR. ING:DO NOT INDUCE VOMITING. CALL DOCTOR. EYE:FLUSH W/LG AMT OF WATER FOR 15MINS LIFTING EYELIDS. REMOVE CONTACT LENSES. SKIN:REMOVE CONTAMINATED CLOTHING WHILE FLUSHING W/WATER. WASH W/LOTS OF SOAP & WATER FOR AT LEAST 15MINS.

===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:144F,6

2C

Extinguishing Media:WATER, FOG, CO2, DRY CHEMICAL

Fire Fighting Procedures:WEAR SELF-CONTAINED FULL-FACE BRETHING APPARATUS. DRUMS MAY BUILD PRESSURE & RUPTURE UNDER EXTREME HEAT.

Unusual Fire/Explosion Hazard:CONCENTRATED VAPOS CAN BE IGNITED BY EXTREME HEAT OR ANY IGNITION SOURCE. DO NOT CUT OR WELD NEAR DRUM.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN LG SPILLS AND PUMP TO RECOVER. MOP UP SMALL SPILLS. DO NOT USE CLAY-TYPE ABSORBENT MATERIALS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. DO NOT MIX CHEMICALS UNLESS SPECIFICALLY DIRECTED TO.

Other Precautions:WASH HANDS AFTER USING PRODUCT. DO NOT CONSUME FOOD OR BEVERAGE OR SMOKE WHILE USING PRODUCT. READ AND FOLLOW ALL LABEL DIRECTIONS AND ANY OTHER SAFETY INFORMATION PROVIDED BEFORE USING PRODUCT.

===== Expo

sure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WITH ADEQUATE VENTILATION.

Ventilation:USE ADEQUATE VENTILATION.

Protective Gloves:RECOMMENDED.

Eye Protection:RECOMMENDED.

Other Protective Equipment:APRON.

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER EACH USE & PRIOR TO  
EATING/DRINKING/SMOKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres:1

.0

Vapor Density:4.7

Spec Gravity:0.86

Evaporation Rate & Reference: