

CRC CHEMICALS U.S.A./CRC INDUSTRIES, INC. -- 2016 CO CONTACT CLEANER AEROSOL --  
6850-01-095-6065

=====  
Product Identification  
=====

Product ID:2016 CO CONTACT CLEANER AEROSOL  
MSDS Date:08/12/1992  
FSC:6850  
NIIN:01-095-6065  
MSDS Number: BSFRV  
=== Responsible Party ===  
Company Name:CRC CHEMICALS U.S.A./CRC INDUSTRIES, INC.  
Address:885 LOUIS DRIVE  
City:WARMINSTER  
State:PA  
ZIP:18974-2820  
Country:US  
Inf  
o Phone Num:215-674-4300  
Emergency Phone Num:215-674-4300  
Preparer's Name:JON BROWN  
CAGE:10136  
=== Contractor Identification ===  
Company Name:CRC INDUSTRIES, INC.  
Address:885 LOUIS DRIVE  
Box:City:WARMINSTER  
State:PA  
ZIP:18974-2820  
Country:US  
Phone:215-674-4300/800-424-9300  
CAGE:10136

=====  
Composition/Information on Ingredients  
=====

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA  
313)  
CAS:76-13-1  
RTECS #:KJ4000000  
Fraction by Wt: 75%  
Other REC Limits:

NONE RECOMMENDED  
OSHA PEL:1000 PPM  
ACGIH TLV:1000PPM/1250STEL9495  
Ozone Depleting Chemical:1

Ingrid Name:CHLORODIFLUOROMETHANE (SARA 313) (CERCLA)  
CAS:75-45-6  
RTECS #:PA6390000  
Fraction by Wt: 25%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1000 PPM  
ACGIH TLV:1000 PPM; 9495  
Ozone Depleting Chemical:2

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: SKIN-DEFATTING ACTION, MAY CAUSE DERMATITIS. EYES-MAY IRRITATE EYES. CHRONIC: MAY CAUSE SKIN IRRITATION WITH REPEATED SKIN CONTACT.  
Explanation of Carcinogenicity:NOT CARCINOGENIC.  
Effects of Overexposure:INHALATION-DROWSINESS, LIGHTEADEDNESS, POSSIBLE CARDIAC ARRHYTHMIAS AT HIGH CONCENTRATIONS.  
Medical Cond Aggravated by Exposure:IMPAIRED CARDIOVASCULAR FUNCTION SUCH AS CARDIAC ARRHYTHMIAS MIGHT BE SENSITIZED BY INHALATION.

=====  
===== First Aid Measures =====

First Aid:INHALATION-REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESPIRATION IF NECESSARY. EYES-FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. SKIN-WASH SKIN WITH SOAP AND WATER. INGESTION-INDUCE VOMITING ON THE ADVICE OF A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:NONE  
Autoignition Temp:Autoignition Temp Text:NONE  
Lower Limits:NONE  
Upper Limits:NONE  
Extinguishing Media:NOT

NEEDED. DLA-HMIS: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER. DLA-HMIS: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:AEROSOL CONTAINERS MAY EXPLODE IF HEATED ABOVE 130F.

===== Accidental Release Measures =====

Spill Release Procedures:DUE TO HIGH VOLATILITY MATERIAL EVAPORATES QUICKLY. VENTILATE ARE A, EVACUATE PERSONNEL UNTIL CONCENTRATION IS BELOW TLV OR USE BREATHING APPARATUS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AREA. Other Precautions:AEROSOL CONTAINERS MAY EXPLODE IF EXPOSED TO TEMPERATURES OVER 130F. VAPORS ARE VERY HEAVY AND WILL COLLECT IN LOW AREAS. OXYGEN WOULD BE DISPLACED ASPHYXIATION COULD RESULT. GOOD VENTILATION IS A MUS T FOR LOW AREAS AND CONFINED SPACES.

===== E xposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS ABOVE TLV. Ventilation:MAINTAIN CONCENTRATIONS BELOW TLV. Protective Gloves:NEOPRENE. Eye Protection:SAFETY GOGGLES. Other Protective Equipment:PROTECTIVE CLOTHING ONLY IF THERE IS REPEATED CONTACT. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE.

===== Physical/Chemical Properties =====

HCC:V2 Boiling Pt:=47.

8C, 118.F

Melt/Freeze Pt:=-37.8C, -36.F

Vapor Pres:285

Vapor Density:6.5

Spec Gravity:1.57

Evaporation Rate & Reference:0.3 (CARBON TET=1)

Solubility in Water:SLIGHTLY SOLUBLE

Appearance and Odor:COLORLESS LIQUID. (WITHOUT PROPELLANT)

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

POWDERED METALS SUCH AS ALUMINUM, MAGNESIUM, CALCIUM, ZINC.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:HALOGEN, HALOGEN ACIDS, POSSIBILITY OF PHOSGENE (THERMAL).

===== Disposal Considerations =====

Waste Disposal Methods:ALL USED AND UNUSED PRODUCT SHOULD BE DISPOSED OF IN CONFORMANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.