View NSN Online: https://aerobasegroup.ae/nsn/4235-01-381-8035

Product ID:RUBBERIZER BOOMS, PILLOWS, PARTICULATE MSDS Date:07/01/1990 FSC:9330 NIIN:01-381-8035 Kit Part:Y **MSDS Number: BSJBQ** === Responsible Party === Company Name: HAZ-MAT RESPONSE TECHNOLOGIES Address:5841 BOX CANYON ROAD City:LA JOLLA State:CA ZIP:92037 Country:US Info Phone Num:619-459-3383 Emergency Phone Num:619-459-3383 Preparer's Name: PHILLIP W. STAGG CAGE:0GFG5 === Contractor Identification === Company Name: HAZ-MAT RESPONSE TECHNOLOGIES Address:5841 BOX CANYON RD Box:City:LA JOLLA State:CA ZIP:92037 Country:US Phone:619-459-3383 CAGE:0GFG5

Ingred Name:THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE PRESENT IN THIS PRODUCT. Fraction by Wt: 100% Other REC Limits:NONE RECO

## MMENDED

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: EXPOSURE MAY CAUSE EYE, SKIN & RESPIRATORY TRACT IRRITATION. CHRONIC: NONE STATED. Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure:INHALED: COUGHING, SNEEZ

ING, WHEEZING,

SHORTNESS OF BREATH. EYES: REDNESS, TEARING, DISCOMFORT. SKIN: REDNESS, DISCOMFORT.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALED: REMOVE TO FRESH AIR. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES, HOLD LIDS OPEN. SEE DOCTOR IF SYMPTOMS PERSIST. SKIN: REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP AND WATER. INGESTED: NONE STATED.

\_\_\_\_\_

Flash Point Method:COC

Flash Point:325F,163C

Extinguishing Media:CARBON DIOXIDE, LOW PRESSURE WATER, OR DRY CHEMICAL Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. USE LOW PRESSURE WATER; HIGH PRESSURE MAY CAUSE DUST TO BECOME AIRBORN-CAUSING A DUST EXPLOSION.

Unusual Fire/Explosion Hazard:DUST AND AIR MIXTURES MAY BE EXPLOSIVE IN THE PRESENCE OF SPRAKS OR ANY IGNITION SOURCE. SIMILAR AHZARD AS FOUND WITH ORGANIC

DUST/AIR MIXTURES.

Spill Release Procedures: SWEEP UP AND PLACE IN A CONTAINER FOR LATER DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE AWAY FROM SOURCES OF IGNITION AND STRONG OXIDIZING AGENTS. STORE UNDER 125F. Other Precautions:NONE

======= Exposure Controls/Personal

Protection ========

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR WITH DUST CARTRIDGE OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134. Ventilation: SUFFICIENT LOCAL EXHAUST TO AMINTAIN EXPOSURE BELOW **REGULATORY LIMITS.** Protective Gloves: RUBBER Eye Protection:GOGGLES Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE E ATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health HCC:N1 Spec Gravity:0.89 (WATER=1) Evaporation Rate & amp; Reference: N/K (N-BUTYL ACETATE=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE GRAINY MATERIAL; MILD, SWEET ODOR Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS St ability Condition to Avoid: IGNITION SOURCES, EXCESSIVE HEAT, CONTACT WITH STRONG OXIDIZING AGENTS. Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE Waste Disposal Methods: INCINERATE OR LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This i nformation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.