

PRATTVILLE BUILDERS INC -- COATING, ALIPH. POLYUR. 1 COMP, BLACK 37030 ID 705215 --
8010-01-229-7540

===== Product Identification =====

Product ID:COATING, ALIPH. POLYUR. 1 COMP, BLACK 37030 ID 705215

MSDS Date:11/01/1993

FSC:8010

NIIN:01-229-7540

MSDS Number: BSSLC

=== Responsible Party ===

Company Name:PRATTVILLE BUILDERS INC

Address:474 E MAIN ST

Box:2153

City:PRATTVILLE

State:AL

ZIP:36067

Cou

ntry:US

Info Phone Num:205-365-2396/2145/312-455-2662NIGHT

Emergency Phone Num:205-365-2396/2145/312-455-2662NIGHT

Preparer's Name:W A ELLISON

CAGE:0EAH4

=== Contractor Identification ===

Company Name:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

Company Name:PRATTVILLE BUILDERS INC

Address:474 E MAIN ST

Box:2153

City:PRATTVILLE

State:AL

ZIP:36067

Country:US

Phone:205-365-2396/2145/312-455-2662NIGHT

CAGE:0EAH4

===== Compo

sition/Information on Ingredients =====

Ingred Name:METHYL ISOBUTYL KETONE (SOLVENT) (SARA III) (VAPOR PRESSURE 16 MM HG @ 20C) (LFL 1.0; UFL 8.0)

CAS:108-10-1

RTECS #:SA9275000

Fraction by Wt: 5%

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM; STEL 75 PPM

ACGIH TLV:50 PPM; STEL 75 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:XYLENE (SOLVENT) (SARA III) (VAPOR PRESSURE 5 MM HG @ 20C) (LFL 1.0; UFL 7.0)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 10%

Other R

EC Limits:NONE SPECIFIED

OSHA PEL:100 PPM;STEL 150 PPM

ACGIH TLV:100 PPM;STEL 150 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:N-BUTYL ACETATE (SOLVENT) (VAPOR PRESSURE 10 MM HG @ 20C) (LFL 1.7; UFL 7.6)

CAS:123-86-4

RTECS #:AF7350000

Fraction by Wt: 10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:150 PPM;STEL 200 PPM

ACGIH TLV:150 PPM;STEL 200 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SOLVENT) (SARA III) (VAPOR PRESSURE 22 MM HG @ 20C) (SKIN) (LFL 1

.7; UFL 7.1)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 5%

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM;STEL 150 PPM

ACGIH TLV:50 PPM; 147 MG/M3

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:SILICA, CRYSTALLINE - CRISTOBALITE (PIGMENT)

CAS:14464-46-1

RTECS #:VV7325000

Fraction by Wt: 10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:0.0500 MG/M3

ACGIH TLV:0.0500 MG/M3

Ingred Name:SILICA, AMORPHOUS - DIATOMACEOUS EARTH (PIGMENT)

CAS:68855-54-9

Fraction by Wt: 5%

SPECIFIED

OSHA PEL:6 MG/M3; 20 MPPCF

ACGIH TLV:10 MG/M3

Ingred Name:SILICA, CRYSTALLINE - QUARTZ

CAS:14808-60-7

RTECS #:VV7330000

Fraction by Wt: