View NSN Online: https://aerobasegroup.ae/nsn/6550-01-343-8114

Product ID:838 9777 EKTACHEM CALIBRATOR 4 DILUENT

MSDS Date:02/23/1994

FSC:6550

NIIN:01-343-8114

MSDS Number: BSYPY === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US

Info Phone Num:716-722-5151

Emerge

ncy Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

====== Composition/Information on Ingredients ========

Ingred Name:WATER CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 100% %

Other REC Limits: NONE RECOMMENDED

=========== Hazards Identification ==============

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:LOW INHALATION HAZARD FOR RECOMMENDED HANDLING. LOW SKIN/EYE CONTACT HAZARD FOR RECOMMENDED HANDLING. LOW INGESTION HAZARD. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. **Effects of Overexpos** ure: NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:NONE SHOULD BE NEEDED. ============ Fire Fighting Measures ========================= Flash Point: NONFLAMMABLE Lower Limits: NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media: NONFLAMMABLE. USE MEDIA SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures: NONFLAMMABLE. USE PROCEDURES SUITABLE FOR SURROUNDING FIRE. Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER. ========= Accidental Release Measures =============== Spill Release Procedures: WIPE UP OR ABSORB SPILL. THIS MATERIAL RELEASED DIRECTLY OR INDIRECTLY INTO THE ENVIRONMENT IS NOT EXPECTED TO HAVE A SIGNIFICANT IMPACT. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ========== Handling and Storage ============== Handling and Storage Precautions: KEEP CONTAINER CLOSED. ST ORE AT OR BELOW OF. Other Precautions: NONE SPECIFIED BY MANUFACTURER. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE SHOULD BE NEEDED. Ventilation: NORMAL GOOD GENERAL ROOM VENTILATION. Protective Gloves: NONE SHOULD BE NEEDED Eye Protection: SAFETY GLASSES Other Protective Equipment: EYE BATH, WASHING FACILITIES, SAFETY SHOWER. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

============ Physical/Chemical Properties ==============
HCC:N1 Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Vapor Pres:18 @20C Vapor Density:0.6 Spec Gravity:1.0 pH:7.0 Evaporation Rate & mp; Reference:NOT GIVEN Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID, NO ODOR Percent Volatiles by Volume:100 %
========= Stability and Reactivity Data ============
Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFAC TURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.
======== Disposal Considerations ============
Waste Disposal Methods:FLUSH TO SEWER.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informatio n to be accurate and
disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.