

DAVIS HOWLAND OIL CORP. BOUGHT BY SUPERIOR -- VV-L-826A TYP II (CALVIS 300) --
9150-00-292-9657

===== Product Identification =====

Product ID:VV-L-826A TYP II (CALVIS 300)

MSDS Date:04/06/1995

FSC:9150

NIIN:00-292-9657

MSDS Number: BSYYG

=== Responsible Party ===

Company Name:DAVIS HOWLAND OIL CORP. BOUGHT BY SUPERIOR

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Info Pho

ne Num:716-473-6650/FAX -5928

Emergency Phone Num:716-473-6650

Preparer's Name:DOD/HMIS (DGSC-SSH)

CAGE:5A565

=== Contractor Identification ===

Company Name:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Phone:716-473-6650

CAGE:5A565

Company Name:SUPERIOR LUBRICANT (906-225-1105)

CAGE:0LJD6

===== Composition/Information on Ingredients =====

Ingred Name:DISTILLATES, CLAY-TREATED HEAVY NAPHTHENIC PETROLEUM

CAS:64742-44-5

RTECS #:S

E7449700
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:300 PPM
ACGIH TLV:300 PPM

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL, RAT BELIEVED TO BE >5G/KG.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:BELIEVED TO BE MINIMALLY
IRRITATING. SKIN:BELIEVED TO BE MINIMALLY IRRITATING. RESPIRATORY
SYS:BELIEVED TO BE MIN IRRI
T IF NOT IN EXCESS OF PERMISSIBLE
CONCENTRATIONS. CHRONIC:NOT DETERMINED.
Effects of Overexposure:NONE EXPECTED OTHER THAN POSSIBLE MINIMAL
IRRITATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES:AS W/MOST FOREIGN MATERIALS SHOULD EYE CONTACT OCCUR
FLUSH W/PLENTY OF WATER. SKIN:NONE CONSIDERED NECESSARY.
INGEST:NONE CONSIDERED NECESSARY. INHAL:NONE CONSIDERED NECESSARY.

OTHER INSTRUCTIONS :NONE.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:355F,179C
Extinguishing Media:ACCORDING TO NAT FIRE PROT ASSOC GUIDE USE
WATERSPRAY, DRY CHEM, FOAM, CARBON DIOXIDE.
Fire Fighting Procedures:WATER/FOAM MAY CAUSE FROTHING.USE WATER TO
COOL FIRE-EXPO CNTNRS.LEAK/SPILL HAS NOT IGNITED USE WATERSPRAY TO
DISPERSE VAP/PROT PERSONS ATTEMPTING TO STOP LEAK.
Unusual Fire/Explosion Hazard:NONE.

=====

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB
ONS Uitable MATERIAL & SHOVEL UP. TRASP SPILLS CALL
800-424-9300(CHEMTREC).

===== Handling and Storage =====

Handling and Storage Precautions:MIN FEASIBLE HANDLING TEMPS SHOULD BE
MAINTAINED. PERIODS OF EXPO TO HIGH TEMP SHOULD BE MIN. WATER
CONTAMINATION SHOULD BE AVOIDED.

Other Precautions:CAUTION:MISUSE OF EMPTY CNTN
RS CAN BE DANGEROUS.EMPTY
CNTNRS CAN BE HAZ IF USED TO STORE TOXIC/FLAMM/REACTIVE
MATLS.CUTTING/WELDING OF EMPTY CNTNRS MIGHT CASUE FIRE/EXPLO/TOXIC
FUMES FROM RESIDUES.DO NOT PRESSURIZE/EXPO TO OPN FLAME/(SUPPL)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF EXPOSURES ARE WITHIN
PERMISSIBLE CONCENTRATIONS.

Ventilation:NORMAL.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:CHEMICAL TYP GOGGLES OR FA
CESHIELD OPT

Other Protective Equipment:WORKERS SHOULD EXERCISE REASONABLE PERSONAL
CLEANLINESS-WASH EXPO SKIN SEVERAL TIMES DAILY W/SOAP/WATER/WASH
WORK CLOTH.

Work Hygienic Practices:WASH HANDS AFT HANDLING.

Supplemental Safety and Health

OTHER PRECAUT:HEAT.KEEP CNTNR CLSD,DRUM BUNGS IN PLACE.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.9100

Viscosity:64.5CST @40C

Appearance and Odor:PALE LIQUID.

===== Stability and Reactiv

ity Data =====

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
ALDEHYDES, KETONES, COMBUSTION PRODUCTS OF NITROGEN & SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:UNDER RCRA RESPONSIBILITY OF USER OF PROD TO
DETERMINE @TIME OF DISPOSAL WHETHER PROD MEETS RCRA CRITERIA FOR
HAZ WASTE BECAUSE PRODUCT
USERS

/TRANSFORMATIONS/MIXTURE/PROCESSES/ETC MAY RENDER RESULTING
MATL HAZ.PROD DOES NOT MEET HAZ WASTE CRIT AS IS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professio
nal advice to verify and
assume responsibility for the suitability of this information to their
particular situation.