**Product ID:AIR CURRENT TUBES** 

MSDS Date:09/01/1992

FSC:6640

NIIN:01-272-4529

MSDS Number: BTCJY === Responsible Party ===

Company Name: NATIONAL DRAEGER INC

Address:101 TECHNOLOGY DR

City:PITTSBURGH

State:PA ZIP:15275 Country:US

Info Phone Num:412-787-8389/412-787-2207 FAX

Emergency Phone Num:412-787-838

9

CAGE:53833

=== Contractor Identification ===

Company Name: NATIONAL DRAEGER INC

Address:101 TECHNOLOGY DRIVE

Box:City:PITTSBURGH

State:PA ZIP:15372 Country:US

Phone:412-787-8383 OR 412-787-8389

CAGE:53833

======= Composition/Information on Ingredients ========

Ingred Name: SULFURIC ACID, FUMING (OLEUM)

CAS:8014-95-7

RTECS #:WS5605000 Fraction by Wt: 65% OSHA PEL:1 MG/CUM ACGIH TLV:1 MG/CUM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

======== Hazards Identification ==

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: IRRITATING TO THROAT & MUCOUS MEMBRANES. SKIN: IRRITATNT, CORROSIVE. EYES: IRRITANT, CORROSIVE. INGESTION: CORROSIVE. Explanation of Carcinogenicity:NONE
======================================
First Aid:INHALATION: REMOVE FROM EXPOSURE AREA TO FRESH AIR. SKIN: REMOVE CONTAMINATED CLOTHING IMMEDIATELY AND WASH AFFECTED AREA W/SOAP/DETERGENT & LARGE AMOUNTS OF WATER. EYES: WASH IMMEDIATELY W/PLENTY OF WATER OR NORMAL-SALINE SOLUTION. INGESTION: GET MEDICAL ATTENTION IMMEDIATELY. TREATMENT SHOULD BE PERFORMED BY QUALIFIED MEDIAL PERSONNEL. OBTAIN MEDICAL ATTENTION IN ALL CASES.
============= Fire Fighting Measures ============
Flash Point:NON-COMBUSTIBLE Extinguishing Media:EXTINGUISHER WHICH IS APPROPRIATE FOR SURROUNDING FIRE. Fi re Fighting Procedures:WEAR SCBA & PROTECTIVE CLOTHING TO PREVENT CONTACT W/SKIN & EYES. Unusual Fire/Explosion Hazard:NEGLIGIBLE FIRE HAZARD WHEN EXPOSED TO HEAT/FLAME.
======== Accidental Release Measures ==========
Spill Release Procedures:DON'T TOUCH SPILLED MATERIAL. COVER W/AN INERT ABSORBENT, COLLECT W/ABSORBENT MATERIAL & CONTAIN FOR WASTE DISPOSAL. DILUTE TUBE CONTENTS W/WATER/BAKING SODA.
======================================
Handling and Storage Precautions:CONTENTS ARE CORROSIVE. DON'T ALLOW THE TUBES TO FALL INTO HANDS OF CHILDREN.  Other Precautions:DRAEGER AIR CURRENT TUBES ARE NOT RECOMMENED FOR QUALITATIVE MASK-FIT TESTING. OPENTUBES SHOULD BE CAPPED & STORED IN A WELL V ENTILATED AREA UNTIL THEY ARE DISPOSED OF OR COMPLETELY USED.
======= Exposure Controls/Personal Protection =========

Ventilation:PROVEDE GENERAL VENTILATION. Protective Gloves:RECOMMENDED

Eye Protection:

Waste Disposal Methods:DILUTE CONTENTS W/WATER. ADDITION OF BAKING SODA WILL NEUTRALIZE CHEMICALS.

======= Disposal Considerations ===========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all li ability for its use. Any person utilizing this

dicator/Materials to Avoid:YES

ability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.