

MINNESOTA MINING, SURGICAL DIV -- ATTEST BIOLOGICAL INDICATORS 1276 (FLASH) --
6530-01-366-7504

===== Product Identification =====

Product ID:ATTEST BIOLOGICAL INDICATORS 1276 (FLASH)

MSDS Date:07/15/1993

FSC:6530

NIIN:01-366-7504

MSDS Number: BTCKR

=== Responsible Party ===

Company Name:MINNESOTA MINING, SURGICAL DIV

Address:3M CTR BLDG 275-4E-01

City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

In

fo Phone Num:612-733-1341

Emergency Phone Num:612-733-1341

CAGE:0TS02

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO SURGICAL DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:612-733-1341

CAGE:0TS02

===== Composition/Information on Ingredients =====

Ingred Name:PLASTIC CAP

Ingred Name:PLASTIC VIAL

Ingred Name:GLASS AMPULE

Ingred Name:SPORE STRIP B STEAROTHERMOPHILIS

Ingred Name:GROWTH MEDIA (CONTAINS CARBOHYDRATES

,PEPTONE,AMINO
ACIDS,DYE(BROMCRESOL PURPLE))

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Explanation of Carcinogenicity:NONE

=====
First Aid Measures
=====

First Aid:EYES: FLUSH W/PLENTY OF WATER. SKIN: WASH W/SOAP & WATER.
INHALATION/INGESTION: NO NEED FOR FIRST AID IS ANTICIPATED. OBTAIN
MEDICAL ATTENTION IN ALL
CASES.

=====
Accidental Release Measures
=====

Spill Release Procedures:CLEAN & DISINFECT EXPOSED SURFACE.

=====
Handling and Storage
=====

Handling and Storage Precautions:ALLOW TO COOL 10 MINS BEFORE
ACTIVATION. USE CRUSHER TO ACTIVATE UNIT. STORE AWAY FROM AREAS
WHERE IT MAY COME INTO CONTACT W/FOOD/PHARMACEUTICALS.
Other Precautions:AVOID EYE CONTACT. DON'T INGEST.

=====
Exposure Controls/Personal Protection
=====

Work Hygienic Practices:WASH HANDS AFTER HANDLING & BEFORE EATING.
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text: 100C
Spec Gravity: 1
pH: 7.5
Solubility in Water:COMPLETE
Appearance and Odor:TEST STRIPS IN A COVERED PLASTIC VIAL
Percent Volatiles by Volume: 0

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

=====
Disposal
=====

Considerations =====

Waste Disposal Methods:AUTOCLAVE AT 120C FOR AT LEAST 15 MINS & DISPOSE
W/MICROBIOLOGICAL WASTE IN ACCORDANCE W/FEDERAL, STATE & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability f

or its use. Any person utilizing this

document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.