View NSN Online: https://aerobasegroup.com/nsn/8010-01-360-8067

NILES CHEMICAL PAINT CO -- N-5349S GL, WH, SI, ALKYD (17875) -- 8010-01-360-8067

Product ID:N-5349S GL, WH, SI, ALKYD (17875) MSDS Date:11/23/1993 FSC:8010 NIIN:01-360-8067 **MSDS Number: BTCPS** === Responsible Party === Company Name: NILES CHEMICAL PAINT CO Address:225 FORT STREET Box:307 City:NILES State:MI ZIP:49120 Country:US Info Phone Num:616-683-3377 Emergenc y Phone Num:219-236-5856 Preparer's Name: MICHAEL LICHATOWICH CAGE:02388 === Contractor Identification === Company Name: NILES CHEMICAL PAINT Address:225 FORT STREET Box:307 City:NILES State:MI ZIP:49120 Country:US Phone:616-683-3377/219-236-5856 CAGE:02388

Ingred Name:HIGH SOLIDS SILICONE (VAPOR PRESSURE 1.5 MM HG @ 20C) Fraction by Wt: 29% Other REC Limits:NONE RECOMMENDED

Ingred Name:GROUND LIMESTONE CAS:1317-65-3 RTECS #:E V9580000 Fraction by Wt: 28% Other REC Limits:NONE RECOMMENDED

ACGIH TLV:350 PPM

Ingred Name:MINERAL SPIRITS (VAPOR PRESSURE 0 MM HG @ 20C) CAS:8052-41-3 RTECS #:WJ8925000 Fraction by Wt: 16% Other REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM ACGIH TLV:100 PPM Ingred Name:VM&P NAPHTHA HI FLASH (VAPOR PRESSURE 15 MM HG @ 37.7C) Fraction by Wt: 7% Other REC Limits:NONE RECOMMENDED OSHA PEL:500 PPM

Ingred Name:COBALT COMPOUNDS (AS CO) (SARA III) CAS:7440-48-4 RTECS #:GF8750000 Fraction by Wt: A IR Spec Gravity:1.365 Viscosity:100 KU MAX Evaporation Rate & amp; Reference:SLOWER THAN ETHER Solubility in Water:SLIGHT Appearance and Odor:LIQUID, ODOR OF SOLVENTS Percent Volatiles by Volume:41.78 Corrosion Rate:MINIMAL

Stability Indicator/Materials to Avoid:YES STRONG ACIDS, STRONG OXIDIZERS Hazardous Decomposition Products:CAN PRODUCE CARBON MONOXIDE AND CARBON DIOXIDE Conditions to Avoid Polymerization:HIGH TEMPERATU RES, SHOCK FROM DROPPING

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE, AND FEDERAL REGULATIONS. EPA HAZARDOUS WASTE CODE: D001, IGNITABLE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.