View NSN Online: https://aerobasegroup.ae/nsn/6810-00-822-7637

Product ID: ISOPROPYL ALCOHOL 99% ANHYDROUS MSDS Date:01/04/1990 FSC:6810 NIIN:00-822-7637 MSDS Number: BTHVK === Responsible Party === Company Name: CROWN CHEMICAL CORP Address:1888 NIRVANA AVE **City:CHULA VISTA** State:CA ZIP:92011-6118 Country:US Info Phone Num:619-421-6601 **Emergency Phone N** um:619-421-6601 CAGE:1194X === Contractor Identification === Company Name: CROWN CHEMICAL CORP Address:1888 NIRVANA AVE Box:City:CHULA VISTA State:CA ZIP:92011-6118 Country:US CAGE:1194X

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Other REC Limits:NONE RECOMMENDED OSHA PEL:400 PPM ACGIH TLV:400 PPM/500STEL;9394

LD50 LC50 Mixture:

ORAL LD50 (RAT) = 5840 MG/KG
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic: EYE-LIQUID IS IRRITATING TO EYES.
SKIN-LIQUID IS MILDLY IRRITATING TO THE SKIN. INHALATION-VAPORS MAY
BE IRRITATING TO THE NOSE, THROAT & RESPIRATORY TRACT. HIGH VAPOR
CONCENTRATIONS MAY CAUSE CNS DEP RESSION. INGESTION-EARLY TO
MODERATE CNSDEPRESSION.
Explanation of Carcinogenicity:THIS CHEMICAL IS NOT LISTED AS
HAVING
ANY EVIDENCE OF BEING CARCINOGENIC.
Effects of Overexposure: EYE-MAY CAUSE PAIN, TEARING, AND INFLAMMATION.
SKIN-SKIN IRRITATION & DERMATITIS. INGESTION-GIDDINESS, HEADACHE,
NAUSEA AND DIZZINESS; IN EXTREME CASES UNCONSCIOUSNESS AND DEATH
MAY OCCUR. ASPIRATION PNEUMONITIS MAY EVIDENCED BY COUGHING,
LABORED BREATHING AND CYANOSIS, IN SEVERE CASES DEATH.
Medical Cond Aggravated by Exposure: PREEXISTING EYE, AND RESPIRATORY
DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO
THIS PRODUCT.
======================================

First Aid:EYE-HOLD EYELIDS OPEN & FLUSH WITH PLENTY OF WATER FOR 15 MIN. GET MEDICAL ATTENTION. SKIN-REMOVE CLOTHIN/SHOES. FLUSH SKIN WITH WATER. THEN WASH WITH SOAP/WATER. IF IRRITATION OCCURS, CONTACT PHYSICI AN. INHALATION-REMOVE VICTIM TO FRESH AIR, IF BREATHING IS HARD, PROVIDE OXYGEN; IF NOT BREATHING GIVE CPR. GET MEDICAL ATTENTION. INGESTION-DO NOT INDCUE VOMITING. GET MEDICAL ATT

ENTION.

Flash Point:=11.7C, 53.F

Lower Limits:2

Upper Limits:12

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. DO NOT USE DIRECT WATER STREAM. PRODUCT WILL FLOAT & REIGNITE.

Fire Fighting Procedures:WEAR FULL BUNKER GEAR, INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:CONTAINERS EXPOSED TO I

NTENSE HEAT FROM FIRES SHOULD BE COOLED WITH WATER TO PREVENT VAPOR BUILDUP WHICH COULD RESULT IN CONTAINER RUPTURE.

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. HANDLING EQUIPMENT MUST BE GROUNDED TO PREVENT SPARKING. SOAK UP WITH ABSORBENT MATERIAL AND PLACE IN NON-LEAKING CONTAINER. SEAL TIGHTLY AND IDENTIFY FOR PROPER DIS POSAL. Neutralizing Agent:NONE

====== Handling and

Handling and Storage Precautions:STOW CONTAINERS IN A SAFE NON-TRAFFIC AREA. KEEP CONTAINER TIGHTLY CLOSED & WELL IDENTIFIED.
Other Precautions:DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION.

Respiratory Protection: USE A NIOSH APPROVED RESPIRATOR O AVOID OVER EXPOSURE, WHEN

ANTICIPATED EXPOSURE EXCEEDS OCCUPATIONAL EXPOSURE LIMITS. USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURYFYING RESPIRATOR FOR ORGANIC VAPORS.

Ventilation: USE EXPLOSION-PROOF VENTILATION AS REQUIRED TO CONTROL VAPOR CONCENTRATIONS.

Protective Gloves:WEAR CHEMICAL RESISTANT GLOVES.

Eye Protection: WEAR SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:WERA CHEMICAL RESIATNT CLOTHES AS REQUIRED. Work Hygienic Practices:AIR DRY CONTAMINATED CLOTHING IN A WELL

VENTI

LATED AREA. LAUNDER BEFORE REUSE.

Supplemental Safety and Health

AVOID PROLONGED OR REPEATED CONTACT WITH THE SKIN.

HCC:F2 Boiling Pt:=82.2C, 180.F Melt/Freeze Pt: