Product ID:TIN-SILVER ALLOYS MSDS Date:02/01/1994 FSC:3439 NIIN:01-068-9239 MSDS Number: BTHWQ === Responsible Party === Company Name: GARDINER METAL CO Address:4820 S CAMPBELL AVE City:CHICAGO State:IL ZIP:60632-1494 Country:US Info Phone Num:312-847-0100 Emergency Phone Num:312-847-0100*800-424-9300(CHEM TREC) CAGE:73766 === Contractor Identification === Company Name: GARDINER METAL CO Address:4820 SOUTH CAMPBELL AVENUE City:CHICAGO State:IL ZIP:60632 Country:US Phone:312-847-0100, 800-424-9300 CAGE:73766 Company Name: GARDINER SOLDER COMPANY DIV GARDINER METAL CO Address:4820 S CAMPBELL AVE Box:City:CHICAGO State:IL ZIP:60632-1494 Country:US Phone:312-847-0100 CHEMTREC AFTER HOURS CAGE:84311

Ingred Name:TIN CAS:7440-31-5 RTE CS #:XP7320000 Fraction by Wt: 93 - 99% Other REC Limits:NONE SPECIFIED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9192

Ingred Name:SILVER (SARA III) CAS:7440-22-4 RTECS #:VW3500000 Fraction by Wt: 1 - 7% Other REC Limits:NONE SPECIFIED OSHA PEL:0.01 MG/M3 ACGIH TLV:0.1 MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Ha

zards Acute and Chronic:ACUTE & CHRONIC:INHALATION OF DUST MAY CAUSE IRRITATION. PROLONGED EXPOSURE CAN CAUSE PERMANENT RESPIRATORY DAMAGE. HEALTH STUDIES HAVE SHOWN THAT POTENTIAL HEALTH RISKS MAY VARY BY INDIVIDUAL. ALWAYS MINIMIZE EXPOSURE AS A PRECAUTION.

Explanation of Carcinogenicity:MANUFACTURER GAVE NO COMMENTS OTHER THAN THE ABOVE REFERENCES TO THE THREE LISTINGS.

Effects of Overexposure:METALLIC TASTE IN THE MOUTH. IRRITATION OF THE RESPIRATORY TRACT.

Medical C

ond Aggravated by Exposure:RESPIRATORY/LUNG CONDITIONS

First Aid:SEEK MEDICAL ATTENTION. EYES:FLUSH WITH WATER FOR 15 MINUTES. SKIN:FLUSH WITH WATER IMMEDIATELY.TREAT FOR BURNS. INHALATION:REMOVE TO FRESH AIR.SUPPORT RESPIRATION IF REQUIRED. INGESTION: DRINK LARGE AMOUNT OF WATER.NEVER GIVE LIQUIDS TO AN UNCONSCIOUS PERSON.

Flash Point:NON

-FLAMMABLE Extinguishing Media:DRY CHEMICAL. DO NOT USE WATER. Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:IF GENERATED, DUST IS EXPLOSIVE ABOVE 1100 F.
======================================
Spill Release Procedures:COLLECT AND USE. IF CONTAMINATED OR IN SMALL PARTICLES,VACUUM OR COLLECT MATERIAL. NEVER USE METHODS WHICH GENERATE DUST.
======================================
Handling and Storage Precautions:STORE AWAY FROM OXIDIZING MATERIALS. Other Precautions:AVOID CONTACT WITH FUMES AND DUST.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection: ABOVE TLV, NIOSH APPROVED RESPIRATORS - SEE 29 CFR 1910.134.
Ventilation:LOCAL EXHAUST PREFERRED. MECHANICAL EXHAUST IS OK. Protective Gloves:HEAT RESISTANT DURING SOLDERING
Eye Protection: GOGGLES/FACE SHIELD DURING SOLDERING
Other Protective Equipment: AS REQUIRED TO AVOID CON
TACT. Work Hygienic Practices:WASH AFTER USE. FOLLOW GOOD INDUSTRIAL HYGIENIC PRACTICE.
Supplemental Safety and Health NONE
======================================
HCC:N1 NRC/State Lic Num:NONE

NRC/State Lic Num:NONE Boiling Pt:B.P. Text:4010F,2210C Melt/Freeze Pt:M.P/F.P Text:486F,252C Vapor Pres: