View NSN Online: https://aerobasegroup.ae/nsn/6550-00-139-1321

Product ID:FORMALDEHYDE SOLUTION MSDS Date:05/25/1994 FSC:6550 NIIN:00-139-1321 MSDS Number: BTJBS === Responsible Party === Company Name: WHITEWORTH INC (OUT OF BUSINESS) Address:422 W. ALONDRA BLVD City:GARDENA State:CA ZIP:90248-2425 Country:US Preparer's Name: HMIS STAFF CAGE:KO199 == = Contractor Identification === Company Name: WHITEWORTH INC (OUT OF BUSINESS) Address:422 W. ALONDRA BLVD Box:City:GARDENA State:CA ZIP:90248-2425 Country:US CAGE:KO199 Company Name:WHITEWORTH INC. Box:City:GARDENA State:CA Country:US Phone:CO. OUT OF BUSINESS CAGE:58615

======= Composition/Information on Ingredients ==========

Ingred Name:FORMALDEHYDE (SARA III) [% PER DLSC-TIR] CAS:50-00-0 RTECS #:LP8925000 Fraction by Wt: >10% Other REC Limits:NONE RECOMMENDED OSHA PEL:SEE 1910. 1048 ACGIH TLV:C 0.3 PPM; A2; 9394 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III) [% IS PER DLSC-TIR] CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 10-15% Other REC Limits:NONE RECOMMENDED OSHA PEL:S, 200 PPM ACGIH TLV:S,200PPM/250STEL; 94 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

LD50 LC50 Mixture:ORAL RAT LD50 = 800 MG/KG (FORMALDEHYDE) Routes of Entry: Inhalation:YES Skin:YES I ngestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION: MAY CAUSE TISSUE DAMAGE AND SERIOUS RESPIRATORY TRACT INJURY. SKIN: MAY CAUSE BURNS. EYES: MAY CAUSE PROFUSE LACRIMATION AND OCULAR DAMAGE. INGESTION: MAY CAUSE BURNING IN THE MOUTH AND ESOPHAGUS. MAY CAUSE LIVER AND KIDNEY DAMAGE. MAY CAUSE DEATH FROM CIRCULATORY FAILURE. CHRONIC: AS THOSE OF ACUTE.

Explanation of Carcinogenicity:STUDIES SHOW THAT REPEAT

ED EXPOSURE TO

LEVELS UP TO 14.3 PPM INDUCED NASAL CAVITY SQUAMOUS CELL CARCINOMA IN RATS.

Effects of Overexposure:INHALATION: MAY CAUSE EYE, NOSE & THROAT IRRITATION. MAY CAUSE DIFFICULTY IN BREATHING, BURNING OF THE NOSE & THROAT; OR EVEN PULMONARY EDEMA AND PNEUMONITIS. SKIN & EYES: IRRITATION, SENSITIZATION DE RMATITIS, LOSS OF VISION. INGESTION: JAUNDICE, ALBUMINURIA, HEMATURIA, ANURIA AND ACIDOSIS. MAY CAUSE DEATH.

Medical Cond Aggravated by Exposure: PERSONS WIT

H A HISTORY OF SKIN OR

EYE DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE. PERSONS WITH LIVER, KIDNEY AND RESPIRATORY DISORDERS MAY ALSO BE AT INCREASED RISK.

First Aid:INHALATION: REMOVE TO FRESH AIR IMMEDIATELY. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. GET IMMEDIATE MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING & SHOES. WASH AFFECTED AREA WITH SOAP & WATER. GET MEDICAL ATTENTION. EYE WASHEYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures:TAKE UP WITH SAND OR OTHER ABSORBENT MATERIAL. APPLY UNIVERSAL GELLING AGENT TO IMMOBILIZE SPILL AS REQUIRED. VENTILATE AND EVACUATE AREA. ELIMINATE ALL SOURCES OF IGNITION. NEUTRALIZE & WASH RESIDUE WITH WATER. PLACE INTO DISPOSAL CONTAINER. Neutralizing Agent:CEMENT POWDER OR FLY ASH

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM IGNITION SOURCES. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT AGAINST PHYSICAL DAMAGE.

Other Precautions: MAY BE IGNITED BY HEAT, SPARKS OR FLAMES. CONTAINER MAY EXPLODE IN HEAT OF FIRE. VAPOR EXPLOSION HAZARD INDOORS, OUTDOORS OR IN SEWERS. RUN-OFF TO SEWER MAY CREATE FIRE OR EXPLOSION HAZARD.

======

===== Exposure Controls/Personal Protection =========

Respiratory Protection: SELECT NIOSH/MSHA APPROVED RESPIRATOR BASED ON CONTAMINATION LEVELS FOUND IN THE WORK PLACE USING NIOSH POCKET GUIDE TO CHEMICAL HAZARDS. SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED FOR MOST CAS ES.

Ventilation:PROVIDE LOCAL EXHAUST OR PROCESS ENCLOSURE VENTILATION TO MEET THE PUBLISHED EXPOSURE LIMITS. USE EXPLOSION-PROOF EQUIP. Protective Gloves:BUTYL OR NITRILE RUBBER. Eye Protection:SPL ASH PROOF SAFETY GOGGLES/FACESHIELD. Other Protective Equipment: PROTECTIVE CLOTHING AND EQUIPMENT TO PREVENT ANY POSSIBILITY OF SKIN CONTACT. EYE WASH STATION & SAFETY SHOWER. Work Hygienic Practices: WASH THOROUGHLY AFTER USE AND BEFORE EATING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health MSDS GENERATED FOR TECHNICAL SUPPORT BY DLA-HMIS STAFF. COMPANY IN OUT OF BUSINESS AND MSDS UNAVAILABLE. MSDS IS WRITTEN/GENERATED FOR "PURE" FORMALDEHYD E; PRODUCT IS ACTUALLY A SOLUTION OF FORMALDEHY DE. PSN AND HCC ARE BEST GUESS-FORMALDEHYDE AND METHANOL ARE BOTH INGREDIENTS-FLAMMABILITY IS ASSUMED. HCC:V4 Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid: HIGH HEAT, OPEN FLAMES AND OTHER SOURCES **OF IGNITION** Hazardous Decomposition Products: THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE UNBURNED FORMALDEHYDE, UNBURNED METHYL ALCOHOL, AND OXIDES OF CARBON. Conditions to Avoid Polymerization: MAY UNDERGO A NON-HAZARDOUS SELF-POLYMERIZATION TO FORM PARAFORMALDEHYDE WHICH PRECIPITATES OUT OF SOLUTION.

Waste Disposal Methods:DISPOSE I/A/W ALL APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS. INCINERATION RECOMMENDED.

Disclaimer (provided with this information b

y the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.