View NSN Online: https://aerobasegroup.com/nsn/6685-00-239-4937 PSG INDUSTRIES INC -- MERCURY -- 6685-00-239-4937 Product ID:MERCURY MSDS Date:07/31/1989 FSC:6685 NIIN:00-239-4937 MSDS Number: BTJMG === Responsible Party === Company Name: PSG INDUSTRIES INC Address:1225 TUNNEL RD City:PERKASIE State:PA ZIP:18944-2131 Country:US Info Phone Num:215-257-3621 Emergency Phone Num:215-257-3621 CAGE:18509 === Contractor Identificati on === Company Name: PSG INDUSTRIES INC Address:1225 TUNNEL RD Box:City:PERKASIE State:PA ZIP:18944-2131 Country:US Phone:215-257-3621 CAGE:18509 ======= Composition/Information on Ingredients ======== Ingred Name: MERCURY (SARA III) CAS:7439-97-6 RTECS #: OV4550000 Fraction by Wt: 100% Other REC Limits: NONE RECOMMENDED

OSHA PEL:C, 0.1 MG/M3; Z-2 ACGIH TLV:S, 0.05 MG/M3; 9394

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

========= Hazards Identification ===============

Rou

tes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: SKIN:IRRITATION. ABSORBED
THROUGH SKIN CAUSING ANURIA. EYE:IRRITATION, CORNEAL INJURY OR
BURNS. INGESTION:IMMEDIATE NECROSIS IN MOUTH, THROAT, ESOPHAGUS &
STOMACH. DEATH MAY OCCURE. INHALATION: DYSPNEA, COUGH, FEVER,

NAUSEA & VOMITING, DIARRHEA, STOMATITIS, SALIVATION & METALLIC

**Explanation of Carc** 

inogenicity:MERCURY IS NOT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

TASTE. CHRONIC: CNS DISTURBANCES.

Effects of Overexposure:TREMORS, CONVULSIONS & OTHER CNS DISTURBANCES, PNEUMONITIS, CHEST PAINS, DYSPNEA, COUGHING, STOMATITIS, GINGIVITIS AND LOOSENING OF TEETH, SALIVATION, LOSS OF MEMORY, METALLIC TASTE, DIZZINESS, CLUMSI NESS, SLURRED SPEECH, DIARRHEA, PAIN & NUMBNESS IN EXTREMITIES, NEPHRITIS, ANXIETY, HEADACHE, WEIGHT LOSS, AND INSOMNIA.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTOR Y OF

ALCOHOLISM, CHRONIC KIDNEY DISEASE OR KNOWN ALLERGY TO MERCURY MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING GIVE CPR/OXYGEN. GET MEDICAL ATTENTION. EYE: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH PLENTY OF SOAP & WATER. INGESTION: G

ET IMMEDIATE MEDICAL ATTENTION.

A 5% SOLUTION OF SODIUM FORMALDEHYDE SULFOXYLATE MAY BE USED TO INDUCE VOMITING.

 Fire	Fighting	Measures	

Extinguishing Media: NONE SPECIFIED BY MANUFACTURER. HMIS-USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:HMIS-WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Ex

