

METAL LBRICANTS CO, GRAFO COLLOIDS DIV -- GRAFO MIL-L-3572, GRADE C -- 9150-00-235-5587  
===== Product Identification =====

Product ID:GRAFO MIL-L-3572, GRADE C

MSDS Date:01/21/1994

FSC:9150

NIIN:00-235-5587

MSDS Number: BTKQB

=== Responsible Party ===

Company Name:METAL LBRICANTS CO, GRAFO COLLOIDS DIV

Address:105 8TH ST

City:EMLENTON

State:PA

ZIP:16373

Country:US

Info Phone Num:412-867-5000

Emerg

ency Phone Num:412-867-5000, 800-255-3924

Preparer's Name:ANAND KAKAR

CAGE:KO752

=== Contractor Identification ===

Company Name:METAL LBRICANTS CO, GRAFO COLLOIDS DIV

Address:105 8TH ST

Box:City:EMLENTON

State:PA

ZIP:16373

Country:US

Phone:412-867-5000

CAGE:KO752

Company Name:METAL LUBRICANTS CO GRAFO COLLOIDS DIV

Address:105 8TH

Box:City:EMLENTON

State:PA

ZIP:16373

Country:US

Phone:412-867-5000

CAGE:4M367

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US  
Phone:504-366-4542  
CAGE:0T5C6

===== Composition/Information on Ingredients =====

Ingred Name:GRAPHITE, NATURAL  
CAS:7782-42-5  
RTECS #:MD9659600  
Fraction by Wt: 10.0%  
Other REC Limits:NONE SPECIFIED BY M.  
OSHA PEL:15 MPPCF; Z-3  
ACGIH TLV:2 MG/M3 RDUST; 9394

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:A  
CUTE- MAY CAUSE IRRITATION TO THE  
EYES AND SKIN. INHALATION OF DUST MAY CAUSE PULMONARY TRACT  
IRRITATION. CHRONIC-NOT GIVEN.  
Effects of Overexposure:EYES:IRRITATION, REDNESS, PAIN.  
SKIN:IRRITATION.  
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR, PROVIDE CPR/OXYGEN IF NEEDED.  
EYE CONTACT:FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL HELP. SKIN  
CONTACT:WASH WITH SOAP  
AND WATER. GET MED ATTENTION IF SYMPTOMS  
PERSIS T. INGESTION:DO NOT INDUCE VOMITING, DRINK 1-2 GLASSES OF  
WATER. GET MEDICAL HELP IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:350F,177C  
Lower Limits:1%  
Upper Limits:6%  
Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR FOG.  
Fire Fighting Procedures:USE AIR-SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED  
AREA. COOL HEAT EXPOSD CONTAINERS WITH WATER.  
Unusual Fire/E

xplosion Hazard:DO NOT STORE OR MIX WITH STRONG OXIDANTS.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK.  
EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL:ABSORB W. INERT  
ABSORBENT. PLACE IN CLOSED CONTAINER. LG SPILL: DIKE AHEAD, RECOVER  
BY VACUUMING. NOTIFY AUTHORITIE S. KEEP OUT OF WATERWAYS&STREAMS  
Neutralizing Agent:NONE

===== Handling and Storage =====

Handlin  
g and Storage Precautions:STORE AWAY FROM HEAT & OPEN FLAMES.  
KEEP COVERED WHEN NOT IN USE  
Other Precautions:MAY CAUSE BLACK STAINS ON FABRICS WHICH ARE DIFFICULT  
TO REMOVE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR-SUPPLIED EQUIPMENT IF EXPOSED TO HOT FUMES.  
Ventilation:LOCAL EXHAUST IF NEEDED TO REMOVE HOT FUMES.  
Protective Gloves:OIL-RESISTANT GLOVES  
Eye Protection:SAFETY GOGGLES  
Other Protective Equipment:OIL-RESISTANT APRON/COAT  
FOR PROTECTION OF  
PERSONAL CLOTHING  
Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE WHILE WORKING WITH  
THIS PRODUCT.  
Supplemental Safety and Health  
AVOID CONTACT.

===== Physical/Chemical Properties =====

HCC:V6  
Vapor Pres:UNK  
Vapor Density:UNK  
Spec Gravity:0.95  
Evaporation Rate & Reference:1 (BUT ACETATE=1)  
Solubility in Water:IMMISCIBLE  
Appearance and Odor:BLACK LIQUID WITH PETROLEUM OIL ODOR.  
Percent Volatiles by Volume:UNK

===== Stab

ility and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDANTS (OXYGEN, CHLORINE)

Hazardous Decomposition Products: OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE IN APPROVED INCINERATOR OR DISPOSE OF  
IN APPROVED CHEMICAL DUMP IN ACCORDANCE WITH LOCAL, STATE & FEDERAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is

formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.