View NSN Online: https://aerobasegroup.ae/nsn/8040-01-304-1481

FRANKLIN INTERNATIONAL -- TITEBOND WOOD GLUE, 5066

MSDS Safety Information

_____ FSC: 8040 NIIN: 01-304-1481 MSDS Date: 10/15/1992 MSDS Num: BTNBF Product ID: TITEBOND WOOD GLUE, 5066 MFN: 01 **Responsible Party** Cage: FO059 Name: FRANKLIN INTERNATIONAL Address: 2020 BRUCK ST City: COLUMBUS OH 43207 In fo Phone Number: 800-347-4583 Emergency Phone Number: 614-445-1441 Proprietary Ind: Y Published: Y ______ Contractor Summary _____ Cage: 25589 Name: FRANKLIN INTERNATIONAL Address: 2020 BRUCK STREET City: COLUMBUS OH 43207 Phone: 800-877-4583/614-445-1493 Cage: FO059 Name: FRANKLIN INTERNATIONAL Address: 2020 BRUCK ST City: COLUMBUS OH 43207 Phone: 800-877-4583 _____ _____ Item Description Information _____ Item Name: ADHESIVE Type of Container: CAN _____ Ingredients ______ Name: *** PROPRIETARY *** _____ ______ Health Hazards Data _____ LD50 LC50 Mixture: NONE SPECIFIED BY

MANUFACTURER. Route Of Entry Inds - Inhalation: YES Skin: NO Ingestion: NO Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: SKIN: WILL NOT BE ABSORBED THROUGH SKIN. IN RARE CASES MAY CAUSE A SKIN IRRITATION. EYE: IRRITATION. INHAL: WHEN THIS PRODUCT IS WARMED. INHALATION OF VAPORS CAN CAUSE IRRITATION OF THE UPPER RESPIRAT ORY TRACT AND EYES. OVEREXPOSURE MAY CAUSE IRRITATION OR DIZZINESS. INGEST: EFFECTS NOT DETERMINED. (EFTS OF OVEREXP) **Explanation Of Carcinogenic** ity: NOT RELEVANT Signs And Symptions Of Overexposure: HLTH HAZ: NOTE: TWO YEAR ANIMAL TEST (INHALATION) AT 50, 200 AND 600 PPM OF VINYL ACETATE MONOMER HAVE SHOWN THAT SOME ANIMALS IN THE 600 PPM GROUP DEVELOPED TUMORS. THERE WAS NO TUMOR RESPONSE AT THE 50 AND 200 PPM GROUPS. THERE IS NO EVIDENCE OF HUMAN CARCINOGENICITY. Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid: SKIN: WASH WITH SOAP AND WATER. EYES: RINSE WITH RUNNING WATER FOR AT LEAST 15 MIN. INGEST: DO NOT INDUCE VOMITING. INHAL: REMOVE PATIENT TO FRESH AIR. _____ Handling and Disposal _____ Spill Release Procedures: CLEAN UP WITH SUITABLE ABSORBENT AND PLACE IN AN APPROVED CONTAINER. IF PRODUCT HAS DRIED. SCRAPE UP AND PLACE IN AN APPROVED CONTAINER. Neutralizing Agent: ONE SPECIFIED BY MANUFACTURER. Waste Disposal Methods: DISPOSAL OF PRODUCT & amp; CONTAINER SHOULD COMPLY WIT Н ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS. Handling And Storage Precautions: NONE. Other Precautions: KEEP FROM FREEZING. PRODUCT IS FREEZE/THAW STABLE FOR FIVE CYCLES. _____ Fire and Explosion Hazard Information Flash Point Method: SCC Flash Point Text: >200F,>93C

Extinguishing Media: WATER FOR DRIED ADHESIVE.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AN

D FULL PROTECTIVE

EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: NONE.

Control Measures

_____ Respiratory Protection: WEAR SUITABLE NIOSH/MSHA APPROVED RESPIRATOR WHERE EXPOSURE LIMITS ARE EXCEEDED. Ventilation: AT POINT WHERE PRODUCT IS DRIED. STANDARD PLANT VENTILATION OTHERWISE. Protective Gloves: IMPERVIOUS GLOVES. Eve Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N). Other P rotective Equipment: NONE. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER. _____ **Physical/Chemical Properties** _____ B.P. Text: 212F,100C Vapor Density: < 1 Spec Gravity: 1.09 (H*2O=1) PH: 4.5 Evaporation Rate & amp; Reference: 1 (H*2O=1) Solubility in Water: MISCIBLE Appearance and Odor: LIGHT YELLOW OPAQUE LIQUID. FAINT C HARACTERISTIC ODOR. Percent Volatiles by Volume: 54 _____ **Reactivity Data** _____ Stability Indicator: YES Stability Condition To Avoid: NONE Materials To Avoid: STRONG ACIDS AND STONG BASES. Hazardous Decomposition Products: OXIDES OF CARBON AND MONOMER WHEN BURNED. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NOT RELEVANT ______ **Toxicological Information** _____ _____ **Ecological Information** _____ _____ **MSDS** Transport Information Regulatory Information _____

=====

Other Information
Transportation Information
Responsible Party Cage: FO059 Trans ID NO: 123708 Product ID: TITEBOND WOOD GLUE, 5066 MSDS Prepared Date: 10/15/1992 Review Date: 06/26/1994 MFN: 1 Multiple KIT Number: 0 Review IND: Y Type Of Container: CAN ====================================
Detail DOT Information
DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail IMO Information
IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
Detail IATA Information
IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail AFI Information
AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
HAZCOM Label

_____ Product ID: TITEBOND WOOD GLUE, 5066 Cage: FO059 Assigned IND: Y Company Name: FRANKLIN INTERNATIONAL Street: 2020 BRUCK ST City: COLUMBUS OH Zipcode: 43207 Health Emergency Phone: 614-445-1441 Label Required IND: Y Date Of Label Review: 12/13/1993 Status Code: C Label Date: 12/13/1993 Origination Code: G Eve Protection IND: YES Skin Protection IND: YES Signal Word: CAUTION **Respiratory Protection IND: YES** Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Slight Reactivity Hazard: None Hazard And Precautions: COMBUSTIBLE. ACUTE: EYE IRRITATION. INHAL: VAPORS MAY IRRITATE UPPER RESPIRATORY TRACT & amp; EYES. CHRONIC: NONE SPECIFIED BY MANUFACTURER. _____

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends s

aid information to have any application, use or

viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this informati on to their

particular situation regardless of similarity to a corresponding Department of Defense or other government situation.