

XEROX ENGINEERING SYSTEMS -- 8836 FUSER OIL, PARTNO:8R79 -- 6850-00-297-3885

=====
Product Identification
=====

Product ID:8836 FUSER OIL, PARTNO:8R79
MSDS Date:03/10/1993
FSC:6850
NIIN:00-297-3885
MSDS Number: BTSFV
=== Responsible Party ===
Company Name:XEROX ENGINEERING SYSTEMS
Address:5853 RUE FERRARI AVENUE
City:SAN JOSE
State:CA
ZIP:95138
Country:US
Info Phone Num:800-828-3571/716-422-2177
E
mergency Phone Num:716-422-2177/800-828-6571
CAGE:3T895
=== Contractor Identification ===
Company Name:XEROX ENGINEERING SYSTEMS
Address:5853 RUE FERRARI AVENUE
Box:City:SAN JOSE
State:CA
ZIP:95138
Country:US
Phone:800-828-3571/716-422-2177
CAGE:3T895

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYDIMETHYL SILOXANE
CAS:9016-00-6
RTECS #:TQ2690000
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

=====

LD50 LC50 Mixture:LD50(ORAL,RATS)=35G/KG,PRACTICA NONTOXIC

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE MINIMAL IRRITATION OF

RESPIRATORY PASSAGES ON CONTINUOUS EXPOSURE TO HIGH CONCENTRATIONS.

Explanation of Carcinogenicity:PER MSDS NONE PRESENT.

Effects of Overexposure:MAY CASUE MINIMAL IRRITATION OF RESPIRATORY
PASSAGES ON CONTINUOUS EXPOSURE TO HIGH CONCENTRATIONS.

Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCRIBED BY
PRODUCT LITERATURE.

===== First Aid Measures =====

First Aid:EYE:FLUSH THOROUGHLY W/WATER. SKIN:WASH W/SOAP & WATER.
INHAL:REMOVE FROM EXPOSURE. INGEST:DILUTE STOMACH CONTENTS
W/SEVERAL GLASSES OF WATER.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>500F,>260C

Extinguishing Media:FOAM, CARBON DIOXIDE, WATER SPRAY.

Fir

e Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH AN ASBSORBENT MATERIAL SUCH AS
VERMICULITE OR OTHER ABSORBENT MATERIAL. CLEAN UYP SPILLS
COMPLETELY AS RESIDUE IS SLIPPERY.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and

Storage Precautions:USE REASONABLE CARE AND CAUTION.

Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX PRODUCTS.

Ventilation:NONE REQUIRED WHEN USED AS INTENDED IN XEROX PRODUCTS.

Protective Gloves:PVC OR PLASTIC GLOVES RECOMMENDED.

Eye Protection:NONE REQUIRED WHEN USED AS INTENDED

Other Protective Equipment:NONE REQUIRED WHEN USED AS INTENDED IN XEROX PRODUCTS.

Work Hygienic

Practices:WASH HANDS AFTER HANDLING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:300F,149C

Vapor Pres: