View NSN Online: https://aerobasegroup.ae/nsn/5330-00-599-3261

KLINGER RICHARD INC -- KLINGER UNIVERSAL -- 5330-00-599-3261

============= Product Identification ==============

Product ID:KLINGER UNIVERSAL

MSDS Date:02/28/1992

FSC:5330

NIIN:00-599-3261

MSDS Number: BTSPK === Responsible Party ===

Company Name: KLINGER RICHARD INC

Address:2350 CAMPBELL RD

City:SIDNEY State:OH

ZIP:45365-9501 Country:US

Info Phone Num:513-498-1181

Emergency Phone Num:513-498-1181

CAGE:9U500

=== Co

ntractor Identification ===

Company Name: ACE RUBBER PRODUCTS INC

Address:832 N DICK PRICE ROAD

Box:City:KENNEDALE

State:TX ZIP:76060 Country:US

Phone:817-572-1011

CAGE:0HCJ7

Company Name: KLINGER RICHARD INC

Address:2350 CAMPBELL RD

Box:City:SIDNEY

State:OH

ZIP:45365-9501 Country:US

Phone:937-498-1181

CAGE:9U500

======= Composition/Information on Ingredients ========

Ingred Name: ACRYLONITRILE BUTADIENE POLYMER

CAS:9003-18-3

Other REC Limits: NONE RECOMMENDED

Ingred Name:BARIUM SULF

ATE

CAS:7727-43-7

RTECS #:CR0600000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9394

Ingred Name: ASBESTOS, CHRYSOTILE (SARA III)

CAS:12001-29-5 RTECS #:CI6478500 Fraction by Wt: > 65%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBERS/CC; A1;9394

Ingred Name: CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9394

======= Hazards Identification

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Health Hazards Acute and Chronic:PRODUCT IS NOT A HEALTH HAZARD UNDER ORDINARY CONDITIONS OF USE. DUST FROM ABRASIVE ACTIONS (CUTTING, MACHINING, FILING, DRILLING, ETC.) MAY CONTAIN ASBESTOS FIBERS.

CHRONIC OVEREXPOSURE TO AIRBORNE F IBERS MAY LEAD TO

ASBESTOSIS, LUNG CANCER, MESOTHELIOMA. SMOKING

WITH FIBER INHALATION


GREATLY INCREASES LUNG CANCER RISK.

Explanation of Carcinogenicity: THIS PRODUCT CONTAINS ASBESTOS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN.

Effects of Overexposure: EYES: IRRITATION FROM AIRBORNE DUST. SKIN:

MECHANICAL IRRITATION FROM DUST. INHALATION: INHALATION OF AIRBORNE DUST CONTAINING ASBESTOS FIBERS ON REPEATED EXPOSURE MAY CAUSE OR LEAD TO ASBESTOSIS, LUN G CANCER, MESOTHELIOMA. INGESTION:

FREEASBESTOS FIBERS MAY BE A FACTO




Handling and Storage Precautions: STORE IN CLEAN DRY PLACE AWAY FROM

RETENTION OF AIRBORNE DUST.

INCOMPATIBLE MATERIAL. HANDLE IN A MANNER TO MINIMIZE FORMATION OR

Other Precautions: AS MANUFACTURED, LOCKED-IN ASBESTOS DOES NOT PRESENT A HAZARD. ONLY WHEN THE ITEM IS SUBJECTED TO ABRASIVE ACTIONS AND



Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DUST SHOULD BE HANDLED AS A HAZA

RDOUS AIR

POLLUTANT I/A/W 40CFR61 SUBPART "M" PERTAINING TO ASBESTOS. USE LANDFILLS APPROVED F OR ASBESTOS DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.