

FARWEST PAINT MFG CO -- X-5898 TT-P-1952B WHITE LATEX TRAFFIC LINE PAINT --
8010-01-017-1512

=====
===== Product Identification =====

Product ID:X-5898 TT-P-1952B WHITE LATEX TRAFFIC LINE PAINT

MSDS Date:03/01/1992

FSC:8010

NIIN:01-017-1512

MSDS Number: BTRSG

=== Responsible Party ===

Company Name:FARWEST PAINT MFG CO

Address:4522 S 133 ST

Box:68726

City:SEATTLE

State:WA

ZIP:98168-3251

Country:US

Info

Phone Num:206-244-8844

Emergency Phone Num:206-244-8844

Preparer's Name:NORMA HABEEK

CAGE:6F266

=== Contractor Identification ===

Company Name:FARWEST PAINT MANUFACTURING CO

Address:4522 SOUTH 133RD ST

Box:City:TUKWILA

State:WA

ZIP:98168

Country:US

Phone:206-244-8844

CAGE:6F266

=====
===== Composition/Information on Ingredients =====

Ingred Name:ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW2975000

Fraction by Wt: 1.94%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:C 50 PPM,VAPO

R; 9394
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:TEXANOL OR PROPIONIC ACID,2-METHYL,MONOESTER WITH
2,2,4-TRIMETHYL-1,3-PENTANEDIOL

CAS:25265-77-4

RTECS #:UF6000000

Fraction by Wt: 0.86%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM (92/93)

Ingred Name:VOLATILE ORGANIC COMPOUND: 77 GRAMS/LITERS (LESS WATER)

RTECS #:9999999VO

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Sk

in:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: PROLONGED INHALATION IN A
CONFINED SPACES MAY CAUSE MUCOUS MEMBRANE IRRITATION, CNS EFFECTS.
CONTACT WITH SKIN AND EYES MAY CAUSE IRRITATION. INCIDENTAL
INGESTION IS NOT LIKELY TO CAUSE INJURY; HOWEVER INGESTION OF
LARGE AMOUNTS COULD CAUSE SERIOUS INJURY. CHRONIC: NONE SPECIFIED
BY MANUFACTURER.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF
0.1%

OR GREATER IS NOT LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALED: DIZZINESS, HEADACHE, SHORTNESS OF
BREATH. EYES: REDNESS, TEARING, DISCOMMFORT. SKIN: REDNESS,
DISCOMFORT.

Medical Cond Aggravated by Exposure:NONE, WHEN USED IN ACCORDANCE WITH
SAFE HANDLING INSTRUCTIONS.

=====
===== First Aid Measures =====

First Aid:INHALED-REMOVE TO FRESH AIR. IF RESPIRATORY SYMPTOMS DEVELOP,
GET MEDICAL ATTENTION. EYES

-FLUSH WITH WATER FOR 15 MINUTES, HOLD LIDS OPEN. GET EMERGENCY MEDICAL TREATMENT. SKIN-RINSE WITH WATER, THEN WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHES. INGESTED-OBTAIN EMERGENCY MEDICAL TREATMENT IMMEDIATELY. TARGET ORGANS: SKIN,EYES,LUNG.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:NONFLAMMABLE
Extinguishing Media:FOAM, DRY CHEMICAL, WATER OR WATER FOG.
Fire Fighting Procedures:FIREFIGHTERS AND OTHERS EXPOSED TO PRODUCTS OF COMBUSTION SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:WILL NOT BURN, CLOSED CONTAINERS MAY BURST IF EXPOSED TO EXTREME HETA. WATER MAY BE USED TO COOL & PROTECT EXPOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. ABSORB WITH INERT MATERIAL & PLACE IN A CONTAINER FOR LATER DISPOSAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID TEMPERATURES BELOW 40F. KEEP FROM FREEZING. STORE CONTAINERS WITH LIDS TIGHTLY CLOSED & APPROPRIATELY LABELLED.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BY VENTILATION; USE NIOSH/MSHA APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE OR SCBA, AS REQUIRED. USE RESPIRATORY PROTECTION IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS & 29 CFR 1910.134.
Ventilation:LOCAL EXHAUST PREFERABLE. GENERAL EXHAUST ACCEPTABLE IF EXPOSURE MAINTAINED BELOW TLV/PEL.
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES W/SIDESHIELDS
Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER.
Work Hygienic Practices:KEEP WORK AREA CLEAN & FREE FROM SPILLS/LEAKS. WASH HANDS AFTER USE & BEFORE EATING, DRINKING, SMOKING.
Supplemental Safety and Health
NOTE

: THIS PRODUCT CONTAINS NO MERCURY IN REPORTABLE QUANTITIES AS
DEFINED BY OSHA OR EPA.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:23.8 MM HG

Vapor Density:>1

Spec Gravity:1.32

pH:9.0

Viscosity:70-90 KU

Evaporation Rate & Reference: