

RESEARCH SOLVENTS AND CHEMICALS INC -- SODIUM HYDROXIDE, AQUEOUS SOLUTION --
6810-01-051-3050

===== Product Identification =====

Product ID:SODIUM HYDROXIDE, AQUEOUS SOLUTION

MSDS Date:09/01/1994

FSC:6810

NIIN:01-051-3050

MSDS Number: B TSRJ

=== Responsible Party ===

Company Name:RESEARCH SOLVENTS AND CHEMICALS INC

Address:8100 N PADGETT SWITCH RD

City:IRVINGTON

State:AL

ZIP:36544

Country:US

Info P

Phone Num:205-957-6000

Emergency Phone Num:205-957-6000

CAGE:0R2T4

=== Contractor Identification ===

Company Name:RESEARCH SOLVENTS AND CHEMICALS INC

Address:8100 N PADGETT SWITCH RD

Box:City:IRVINGTON

State:AL

ZIP:36544

Country:US

Phone:205-957-6000

CAGE:0R2T4

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM HYDROXIDE (SARA III)

CAS:1310-73-2

RTECS #:WB4900000

Fraction by Wt: 49.5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9

394
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:(10% SOL)ORAL LD50 (RAT) IS 500 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE-MAY CAUSE TISSUE INJURY AND LOSS
OF VISION. SKIN-CORROSIVE TO ALL TISSUE. INHALATION-INHALATION OF
CONCENTRATED MIST MAY CAUSE DAMAGE TO RESPIRATORY TRACT; MIST IS A
ST
RONG RESPIRATORY IRRITANT. I NGESTION-MODERATELY TOXIC BY
INGESTION.
Explanation of Carcinogenicity:NO
Effects of Overexposure:INGESTION-INGESTION MAY CAUSE VOMITING,
PROSTATION OR COLLAPSE.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE-HOLD EYELIDS OPEN AND FLUSH WITH PLENTY OF WATER; GET
MEDICAL ATTENTION. SKIN-FLUSH AFFECTED AREA WITH WATER FOR AT LEAST
15 MINUTES. DO NOT
USE SOAP. INHALATION-MOVE TO FRESH AIR; IF
BREATHING HA S STOPPED, GIVE ARTFICIAL RESPIRATION; IF BREATHING IS
DIFFICULT GIVE OXYGEN; GET MEDICAL ATTENTION. INGESTION-IF
SWALLOWED & VICTIM IS CONSCIOUS, HAVE VICTIM DRINK WATER OR MILK;
DO NOT INDUCE VOMIT.

===== Fire Fighting Measures =====

Flash Point:NONE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:USE WATER, CARBON DIOXIDE OR FOAM.
Fire Fighting Procedures:WEAR RUBBER OVERCLOTHI
NG, INCLUDING GLOVES.
Unusual Fire/Explosion Hazard:NOT FLAMMABLE. MAY CAUSE FIRE ON CONTACT
WITH COMBUSTIBLES. FLAMMABLE GAS MAY BE PRODUCRED ON CONTACT WITH
METALS.

===== Accidental Release Measures =====

Spill Release Procedures:SHOULD A SPILL OR RELEASE OCCUR INTO THE AIR,
WATER OR ONTO LAND, NOTIFICATION TO THE NATIONAL RESPONSE SENTER
(800-424-8801) WILL BE REQUIRED IF THE SPILL EXCEEDS THE
ESTABLISHED REPORATBLE QUANTITY VALUE FOR THE SUB

STANCE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE OF CONTAINER. SEPERATE FROM OXIDE, METALS, EXPLOSIVE, ORGANIC PEROXIDE AND EASILY IGNITABLE MATERIALS.

Other Precautions:WEAR MONOGOGGLES OR FULL FACE SHIELD, MECHNAICAL FILTER RESPIRATOR, RUBBER GLOVES, APRONS AND BOOTS. DO NOT STORE IN ALUMINUM, TIN, LEAD OR ZINC.

=====
===== Exposur
e Controls/Personal Protection =====

Respiratory Protection:WHERE THE EXPOSURE GUIDELINES MAY BE GREATLY EXCEEDED, USE A NIOSH APPROVED RESPIRATOR SELF-CONTAINED BREATHING APPARATUS FOR CAUSTIC MIST.

Ventilation:USE ONLY WITH ADEQUATE VENTILATION. LOCAL EXHAUST VENTILATION MAY BE NECESSARY FOR SOME OPERATIONS.

Protective Gloves:USE RUBBER GLOVES.

Eye Protection:CHEMICAL SAFETY MONOGOGGLES/FACE SHIELD.

Other Protective Equipment:USE RUBBER OVERCLOTHING INCLUDING BOOTS.

Work

Hygienic Practices:WASH HANDS AFTER USING.

Supplemental Safety and Health

NONE

=====
===== Physical/Chemical Properties =====

HCC:B1

Boiling Pt:=142.2C, 288.F

Vapor Pres:NONE

Vapor Density:NONE

Spec Gravity:1.5

Evaporation Rate & Reference:NONE

Solubility in Water:SOLUBLE

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

Percent Volatiles by Volume:0.0

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AT

TACKS METALS; COMBINATION WITH WATER WILL RELEASE HEAT AND MAY STEAM AND SPLATTER.

Stability Condition to Avoid: GENERALLY CONSIDERED TO BE STABLE.

Hazardous Decomposition Products: NONE

===== Disposal Considerations =====

Waste Disposal Methods: SODIUM HYDROXIDE SOLUTION, AS COMMERCIALY PRODUCED IS A CHARACTERISTIC HAZARDOUS WASTE. DISPOSAL OF THIS PRODUCT MUST BE IN ACCORDANCE WITH THE APPROPRIATE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaime

r (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.