View NSN Online: https://aerobasegroup.ae/nsn/6810-01-353-4876

GREAT WESTERN CHEMICAL CO -- HYDROGEN PEROXIDE 50% -- 6810-01-353-4876

Product ID: HYDROGEN PEROXIDE 50% MSDS Date:05/20/1991 FSC:6810 NIIN:01-353-4876 MSDS Number: BTTDJ === Responsible Party === Company Name: GREAT WESTERN CHEMICAL CO Address:808 SW 15TH AVE City:PORTLAND State:OR ZIP:97205 Country:5S Info Phone Num:503-228-2600 Emergency Phone Num:503-228-2600/8 00-424-9300(CHEMTREC) Preparer's Name: ED DOHENY CAGE:GREA1 === Contractor Identification === Company Name: GREAT WESTERN CHEMICAL CO Address:808 S W 15 AVE City:PORTLAND State:OR ZIP:97205 Country:US Phone:503-228-2600 CAGE:GREA1 Ingred Name: HYDROGEN PEROXIDE (SARA III) CAS:7722-84-1 RTECS #:MX0900000 Fraction by Wt: 50% MIN Other REC Limits:NONE RECOMMENDED **OSHA PEL:1 PPM** 

ACGIH TLV:1 PPM; 9394

====== Hazards

LD50 LC50 Mixture:NOT ESTABLISHED ON THIS PRODUCT. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:HARMFUL IF INHALED OR SWALLOWED. CAUSES SEVERE EYE & SKIN IRRITATION OR BURNS. CHRONIC:REPEATED EXPOUSRE MAY LEAD TO DERMATITIS WITH DESTRUCTION OF TISSUES, OTHERWISE SAME AS FOR OVEREXPOSURE. Explanation of Carcinogenicity:PER MSDS MATL NOT MFG T O HAVE KNOWN CARCINOGEN OR REPRODUCTIVE TOXIN.EXTREMELY SM AMTS MAY BE PRESENT FROM GEN EVIR SOUR Effects of Overexposure:CAUSES SEVERE EYE & SKIN IRRIT OR BURBS. HARMFUL IF SWALLOWED OR INHALED. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MFG.

First Aid:EYE:IMMED FLUSH W/PLENTY OF CLEAN RUNNING WATER @ LEAST 15MINS LIFTING EYELIDS.CALL DR IMMED. SKIN:IMMED FLUSH W/PLENTY OF CLEAN RUNNING WATER @

LEAST 15MIN WHILE REMOVING CONTAMIN

CLOTH/SHOES.IF IRRI T OCCURS GET MED ATTN. INGEST:DO NOT INDUCE VOMIT.IMMED DRINK LG QUANTIY OF MILK OR WATER.CALL DR.INHAL:IMMED REMOVE TO FRESH AIR.NOT BREATH GIVE ART RESP(MOUTH-TO-MOUTH).BREATH DIFFI GIVE OXY.CALL DR

Extinguishing Media:WATER, FOAM, CARBON DIOXIDE, AND DRY CHEMICALS. Fire Fighting Procedures:WHEN FIRE FIGHTING WEAR FULL PROTECTIVE EQUIPMENT, INCLUDI NG SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:MAY PRODUCE HAZ FUMES/HAZ DECOMP PRODUCTS.STRONG OXIDIZER!CONTACT W/FLAMM/COMBUST VAPORS & ORG MATLS MAY INITIATE FIRE OR POSSIBLY AN EXPLOSION.SUPPORT COMUBST.

Spill Release Procedures:REMOVE IGNI SOURCES.CONTAIN SPILL.SM:DILUTE W/WATER.THEN ADD DRY MATL TO CONTAIN.WEAR RECOMMENDED PROTECTIVE EQPMT & EXPLOSION-PROOF EQPMT TO REMOVE BULK OF LI

## Q.DILUTE REMAINDER W/WATER.THEN ADD DRY M ATL TO ABOSRB.PICKUP & CONTAINERIZE.FLUSH W/WATER. Neutralizing Agent:WATER.

Handling and Storage Precautions: STORE IN COOL, WELL-VENTILATED AREA AWAY FROM HEAT & OXIDIZABLE ORGANIC MATERIALS, TIGHTLY CLOSED WHEN NOT IN USE.KEEP OUT OF REACH OF CHILDREN. Other Precautions: WHEN EMPTY RINSE WELL CONTAINER W/WATER BEFORE DISPOSAL, RETURN TO MFG OR ANY OTHER INDUSTRIAL U SE.DON'T ALLOW MATL TO STAND IN OPEN CONTAINER AS WATER EVAPORATION CAN OCCUR & MAY CONCEN PEROXIDE CONTE NT TO PT BECOMES SHOCK SENSIT & EXPLODE. Respiratory Protection: IF THE OSHA-PEL IS EXCEEDED A NIOSH-APPROVED RESPIRATOR WITH SUPPLIED AIR OR A SCBA IS REQUIRED. Ventilation:LOCAL EXHAUST REQUIRED.MECHANICAL(GEN) AS A SUPPLEMENT TO THE LOCAL EXHAUST SYSTEM. Protective Gloves: RUBBER OR SYNTHETIC RUBBER. Eye P rotection: CHEMICAL GOGGLES & FULL FACE SHIELD. Other Protective Equipment: RUBBER OR PVC SLIKER SUITE, RUBBER BOOTS, EYEWASH, SAFETY SHOWER. Work Hygienic Practices: WASH HANDS AFTER HANDLING. AVOID EYE/SKIN/CLOTH CONTACT.WASH CONTAM CLOTH/SHOE PRIOR TO REUSE. Supplemental Safety and Health FOOD GRADE PRODUCTS ARE NOT FOR REPACKAGING. FOOD GRADE HYDROGEN PEROXIDE IS APPROVED BY FDA & USDA FOR CERTAIN INDUSTRIAL

APPLICATIONS. IT IS NOT APPROVED FOR ANY THERAPEUTIC PURPOSE.

=======

HCC:D1 Boiling Pt:B.P. Text:237F,114C Melt/Freeze Pt:M.P/F.P Text:-62F,-52C Spec Gravity:1.195 @58F pH:3-5 Solubility in Water:COMPLETE. Appearance and Odor:CLEAR, COLORLESS LIQUID WITH A SLIGHTLY PUNGENT, IRRITATING ODOR.

Stability Indicator/Materials to Avoid:YES ORGANICS OR OTHER FLAMM & COMBUSTIBLE MATL, CATALYTIC METALS, REDUCING AGENTS, & OTHER OXIDIZE RS. Stability Condition to Avoid:HOT STORAGE. Hazardous Decomposition Products:DECOMPOSITION PRODUCES HEAT, STEAM, & LARGE VOLUMES OF OXYGEN.

Waste Disposal Methods:PRODUCT IF DISPOSED AS SHIPPED MEETS EPA CRITERIA OF HAZ WASTE AS SPECIFIED IN 40CFR261 ON BASIS OF IGNITABILITY.DISPOSE OF PRODUCT IN LICENSED HAZ WASTE DISPOSAL FACILITY IAW ALL APPLICABLE LAWS.COLL ECT RINSATES FROM SPILLS FOR DISPOSAL OR SEW ER,APP

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.