

BRISTOL-MYERS SQUIBB, PHARMACEUTICAL GRP -- KINEVAC 5 UG/VIAL -- 6505-01-183-4861
===== Product Identification =====

Product ID:KINEVAC 5 UG/VIAL

MSDS Date:03/04/1993

FSC:6505

NIIN:01-183-4861

MSDS Number: BTVRX

=== Responsible Party ===

Company Name:BRISTOL-MYERS SQUIBB, PHARMACEUTICAL GRP

Address:5 GORDIS RD BLDG 124

Box:191

City:NEW BRUNSWICK

State:NJ

ZIP:08903

Country:US

Info Phone Num:800-3

32-2056/908-519-2385

Emergency Phone Num:201-519-2885/609-921-4081

CAGE:BRIST

=== Contractor Identification ===

Company Name:BRISTOL-MYERS SQUIBB PHARMACEUTICAL GROUP

Box:191

City:NEW BRUNSWICK

State:NJ

ZIP:08903

Country:US

Phone:908-519-2385

CAGE:BRIST

Company Name:E R SQUIBB MEDATOPE DIV

Address:5 GORDIS RD BLDG 124

Box:191

City:NEW BRUNSWICK

State:NJ

ZIP:08903

Country:US

Phone:609-921-4081

CAGE:4T649

===== Composition/Information on Ingredients =====

Ingred Name:SINCALIDE

CAS:25126-32-3

Fraction by Wt: 0.01%

Ingred Name:SODIUM CHLORIDE

CAS:7647-14-5

RTECS #:VZ4725000

Fraction by Wt: 99.99%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:IF PRODUCT BECOMES AEROSOLIZED & INHALED, IT MAY PRODUCE EFFECTS SEEN AFTER INJECTION. SODIUM CHLORIDE MAY CAUSE MILD SKIN IRRITATION & MODERATE EYE IRRITATION

KINEVAC CONTAINS SINCALIDE, A DRUG THAT IS USED TO STIMULATE/EVACUATE THE GALLBLADDER.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, NAUSEA, ABDOMINAL PAIN, DISCOMFORT, URGE TO DEFECATE, DIZZINESS, FLUSHING

Medical Cond Aggravated by Exposure:INJECTION OF THERAPEUTIC DOSES OF KINEVAC MAY CAUSE SMALL GALLBLADDER STONES TO BE EVACUATED, LEADING TO BLOCKAGE OF THE BILE DUCT.

=====
===== First Aid Measures =====

First

Aid:EYES: FLUSH W/LARGE AMOUNTS OF WATER FOR 15-20 MINS. SKIN: WASH W/SOAP & WATER FOR 15-20 MINS. INHALATION: REMOVE TO FRESH AIR. IF DIFFICULTY IN BREATHING ADMINISTER OXYGEN. IF NOT BREATHING, ATTEMPT CPR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Extinguishing Media:WATER

Fire Fighting Procedures:EVACUATE AREA. USE A SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING . USE WATER TO KEEP FIRE-E

XPOSED CONTAINERS COOL. (SEE SUPP)

Unusual Fire/Explosion Hazard:FINE DUST SUSPENDED IN AIR IN SUFFICIENT CONCENTRATION & IN THE PRESENCE OF AN IGNITION SOURCE MAY POSE A POTENTIAL EXPLOSION HAZARD.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING & A NIOSH-APPROVED DUST/MIST RESPIRATOR. SPILLED POWDER MAY BE WETTED TO MINIMIZE DUST GENERATION. SWEEP MATERIAL ONTO PAPER & PLACE INTO AN APPROPRIATE FIBER DRUM FOR DISPOSAL. VENTILATE & DECONTAMINATE AREA AFTER CLEAN-UP.

===== Handling and Storage =====

Handling and Storage Precautions:SHOULD BE STORED AT ROOM TEMPERATURE, 59-86F. AVOID INHALATION OF THE POWDER. CHEMICAL SAFETY GOGGLES & LATEX GLOVES SHOULD BE USED WHEN HANDLING.

Other Precautions:AVOID SKIN & EYE CONTACT W/POWDER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH-APPROVED DUST/MIST RESPIRATOR.

Protective Gloves:LATEX

Eye Protection:CHEMICAL SAFETY GOGGLES

Other Protective Equipment:GOWN

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

SPEC. FIRE PROC CONT'D: FIGHT FIRE FROM MAXIMUM SAFE DISTANCE/USE AN UNMANNED MONITOR. MOVE CONTAINERS OF CHEMICALS FROM FIRE AREA W/O RISK. DIVERT RUNOFF TO A SAFE AREA.

===== Physical/Chemical Properties =====

Solubility in Water:COMPLETE

Appearance and Odor:

VIALS CONTAINING WHITE POWDER.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:HIGH TEMPERATURES, TEMPS >86F & TEMPS