

AM MULTIGRAPHICS, AM INTL. -- OFFSET MASTERS;ELECTROSTATIC  
MASTERS,P/N:VARIES,TY:SEE SUPPL -- 3610-01-093-8902

=====  
Product Identification  
=====

Product ID:OFFSET MASTERS;ELECTROSTATIC MASTERS,P/N:VARIES,TY:SEE SUPPL

MSDS Date:05/01/1992

FSC:3610

NIIN:01-093-8902

MSDS Number: BVBKY

=== Responsible Party ===

Company Name:AM MULTIGRAPHICS, AM INTL.

Address:1800 WEST CENTRAL ROAD

City:MT. PROSPECT

S

tate:IL

ZIP:60056

Country:US

Info Phone Num:708-870-5175

Emergency Phone Num:708-870-5121/708-394-1900

CAGE:0FTL5

=== Contractor Identification ===

Company Name:AM INTL, AM MULTIGRAPHICS

Address:1800 W CENTRAL AVE

Box:City:MT. PROSPECT

State:IL

ZIP:60056-2293

Country:US

Phone:708-870-5121 (DAY)/398-1900 (NIGHT)

CAGE:0S108

Company Name:AM MULTIGRAPHICS

Address:1800 WEST CENTRAL ROAD

City:MT. PROSPECT

State:IL

ZIP:60056

Country:US

Phone:708-5121/ EVEN 708-398-1900

CAGE:0FTL5

=====  
Compos

=====  
Information on Ingredients

Ingredient Name:ZINC OXIDE  
CAS:1314-13-2  
RTECS #:ZH4810000  
Fraction by Wt: 10-12%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10MG/M3 TDUST; 9394

Ingredient Name:ACRYLIC RESIN  
Fraction by Wt: 1-2%  
Other REC Limits:NONE RECOMMENDED

Ingredient Name:PAPER  
Fraction by Wt: 80-90%  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reproductive Effects:None  
Routes of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE/SKIN/INHAL/INGEST:N/A.  
Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY:INGRED NOT  
FOUND IN NTP, OSHA, OR IARC.  
Effects of Overexposure:N/A.  
Medical Conditions Aggravated by Exposure:NONE. TARGET ORGANS:NONE KNOWN.

=====  
First Aid Measures

First Aid:N/A.

=====  
Fire Fighting Measures

Flash Point:NONE  
Extinguishing Media  
:WATER.  
Fire Fighting Procedures:ROUTINE FOR PAPER FIRES.  
Unusual Fire/Explosion Hazard:NOT APPLICABLE.

=====  
Accidental Release Measures

Spill Release Procedures:STANDARD FOR PAPER DISPOSAL.  
Neutralizing Agent:NONE SPECIFIED BY MFG.

=====  
Handling and Storage

Handling and Storage Precautions:STORE IN COOL, DRY PLACE.  
Other Precautions:FOR COMMERCIAL/INDUSTRIAL USE ONLY. KEEP FROM REACH  
OF CHILDREN.

=====

Exposure Controls/Personal Protection =====

Respiratory Protection:NONE.

Ventilation:N/A.

Protective Gloves:NONE.

Eye Protection:NONE.

Other Protective Equipment:N/A.

Work Hygienic Practices:NONE SPECIFIED BY MFG.

Supplemental Safety and Health

TYPES:MULTILITH SERIES 8-2004, 8-2007; 805 ELECTROSTATIC MASTERS; EL  
1000 ELECTROSTATIC MASTERS; 2400 LONG RUN ELECTSTATIC MASTERS;  
25TPM ELECTROSTATIC MASTERS;ECONOSTAT ELECTROSTATIC  
MASTERS;PRESIDENT IAL SERIES SHORT RUN & LONG RU  
N; 10K SERIES; 3E  
SERIES; 2500VR ELECTROSTATIC MASTERS.

===== Physical/Chemical Properties =====

HCC:N1

Evaporation Rate & Reference:N.A

Solubility in Water:INSOLUBLE.

Appearance and Odor:PINK PAPER/ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:WHEN BURNED CARBON MONOXIDE, CARBON  
DIOXIDE, AND OTHER COMBUST  
ION BY-PRODUCTS RELATED TO BURNING PAPER.

===== Disposal Considerations =====

Waste Disposal Methods:STANDARD FOR PAPER DISPOSAL. ENVIRONMENTAL  
DATA:(40CFR 372:SARA SEC313)ZINC COMPOUNDS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate

and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.