

KYOCERA CORP -- TONER (TK-6) FOR KYOCRA LASER PRINTER -- 6850-01-372-9148

=====  
Product Identification  
=====

Product ID:TONER (TK-6) FOR KYOCRA LASER PRINTER

MSDS Date:03/14/1990

FSC:6850

NIIN:01-372-9148

MSDS Number: BVBSR

=== Responsible Party ===

Company Name:KYOCERA CORP

Address:1321 HARBOR BAY PARKWAY

City:ALAMEDA

State:CA

ZIP:94501

Country:US

Info Phone Num:415-748-6680

Emergency Phone Num:

415-748-6680

CAGE:0CVX8

=== Contractor Identification ===

Company Name:KYOCERA CORP

Address:1321 HARBOR BAY PARKWAY

Box:City:ALAMEDA

State:CA

ZIP:94501

Country:US

Phone:415-748-6680

CAGE:0CVX8

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYESTER RESIN

CAS:99546-37-9

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:PROPENE POLYMERS; (POLYPROPYLENE WAX)

CAS:9003-07-4

RTECS #:UD1842000

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF58

00000  
OSHA PEL:3.5 MG/M3  
ACGIH TLV:3.5 MG/M3

Ingred Name:SILICA (SIO\*2)  
CAS:68611-44-9  
OSHA PEL:N/K  
ACGIH TLV:N/K

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE AND CHRONIC: NONE SPECIFIED BY  
MANUFACTURER.  
Explanation of Carcinogenicity:NOT RELEVANT.  
Effects of Overexposure  
:NONE.  
Medical Cond Aggravated by Exposure:NOT APPLICABLE.

===== First Aid Measures =====

First Aid:INGEST: CALL MD IMMEDIATELY . INHAL: REMOVE TO FRESH AIR.  
SUPPORT BREATHING (GIVE OXYGEN/ARTIFICIAL RESPIRATION) . EYES:  
IMMEDIATELY FLUSH W/POTABLE WATER FOR A MINIMUM OF 15 MINUTES, SEEK  
ASSISTANCE FROM MD . SKIN: FLUSHW/COPIOUS AMOUNTS OF WATER. CALL  
MD .

===== Fire Fighting Measures =====

Extinguishing  
Media:MEDIA SUITABLE FOR SURROUNDING FIRE .  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL  
PROTECTIVE EQUIPMENT .  
Unusual Fire/Explosion Hazard:NOT APPLICABLE.

===== Accidental Release Measures =====

Spill Release Procedures:NO SPECIAL PRECAUTION.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NO SPECIAL STORAGE REQUIREMENTS FOR  
SAFETY

REASONS.

Other Precautions:NO OTHER SPECIAL PRECAUTIONS FOR SAFETY REASON IS NECESSARY.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . NONE REQUIRED UNDER NORMAL USE.

Ventilation:NONE.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPROVED SAFETY GLASSES .

Other Protective Equipment:NONE.

Work Hygienic Practices:NONE.

Supplemental Safety and Health

NONE SPECI

FIED BY MANUFACTURER.

=====  
===== Physical/Chemical Properties =====

Melt/Freeze Pt:M.P/F.P Text:284F,140C

Spec Gravity:1.5 (H\*2O=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK POWDER; ALMOST NO ODOR.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, NO\*X.

=====  
===== Disposal Cons

iderations =====

Waste Disposal Methods:WASTE MATERIAL MAY BE DUMPED OR INCINERATED UNDER THE CONDITIONS WHICH MEET ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use.

Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.