

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- RTV 109 COMPONENT B -- 8040-00-142-9823
===== Product Identification =====

Product ID:RTV 109 COMPONENT B

MSDS Date:05/03/1991

FSC:8040

NIIN:00-142-9823

Kit Part:Y

MSDS Number: BVFKB

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

Address:260 HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

Info Phone

Num:518-237-3330/FAX 518-233-3795

Emergency Phone Num:518-237-3330

Preparer's Name:DA POLSINELLI

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

===== Composition/Information on Ingredients =====

Ingred Name:TRADE SECRET COMPONENT

Fraction by Wt: 10-30%

Other REC Limits:NONE RECOMMENDED

Ingred N

ame:TRADE SECRET COMPONENT

Fraction by Wt: 10-15%

Other REC Limits:10 MG/M3

Ingred Name:POLYDIMETHYLSILOXANE

CAS:70131-67-8

Fraction by Wt: 60-80%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT IS 40,000 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:UNCURED PRODUCT MAY IRRITATE EYES, SKIN, LIPS,

MOUTH, AND RESPIRATORY SYSTEM. INGESTION:UNKNOWN.

CHRONIC AND TARGET ORGANS EFFECTS ARE UNKOWN.

Effects of Overexposure:MILD IRRITATION TO EYES, SKIN, NOSE, THROAT, AND RESPIRATORY SYSTEM.

Medical Cond Aggravated by Exposure:UNCURED PRODUCT MAY AGGRAVATE RESPIRATORY AND DERMAL AILMENTS.

=====
===== First Aid Measures =====

First Aid:EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, SEE DOCTOR. SKIN:REMO

VE COMPLETELY

WITH A DRY CLOTH OR PAPER TOWEL BEFORE WASHING WITH DETERGENT AND WATER. INHALATION:REMOVE VICTIM TO FRESH AIR.INGESTION:DO NOT INDUCE VOMITING, DRINK 1-2 GLASSES OF WATER OR MILK AND SEEK MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER

SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL. WASH WALKING SURFACES WITH DETERGENT AND WATER TO REDUCE SLIPPING HAZARD. WEAR APPROPRIATE PROTECTIVE EQUIPMENT DURING CLEANUP.

Neutralizin

g Agent:NONE NOTED.

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE IN WELL VENTILATED AREA. WEAR PROTECTIVE EQUIPMENT. DO NOT BREATHE VAPORS. AVOID CONTACT WITH SKIN AND EYES.

Other Precautions:REMOVE CONTACT LENSES BEFORE USING SEALANT. DO NOT HANDLE LENSES UNTIL ALL SEALANT HAS BEEN CLEANED FROM THE FINGERTIPS, & NAILS. RESIDUAL SEALANT MAY REMAIN ON FINGER FOR SEVERAL DAYS,TRANSFER TO LENS AND CAUSE SEVERE EYE IRRITATION.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF VENTILATION KEEPS EXPOSURE LIMITS BELOW TLV.

Ventilation:USE MECHANICAL (GENERAL) VENTILATION.

Protective Gloves:CLOTH GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:EYE WASH STATION.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. REMOVE AND LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

KIT HAS TWO COMPONENTS; A A

ND B; SAME NSN. THIS IS COMPONENT B., FOR

COMPONENT A, SEE PART #B, SAME NSN.

=====
===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.06

Evaporation Rate & Reference: