View NSN Online: https://aerobasegroup.ae/nsn/6750-00-965-4954

EASTMAN KODAK COMPANY -- 188 8742 VNF-1/RVNP COLOR DEVELOPER,PART A-1

6750-00-965-4954

Product ID:188 8742 VNF-1/RVNP COLOR DEVELOPER, PART A-1

MSDS Date: 05/25/1994

FSC:6750

NIIN:00-965-4954

MSDS Number: BVFSK === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US

Info Phone Num:716-477 -3194 FOR MSDS: 242-2424

Emergency Phone Num:716-722-5151

Preparer's Name: UNKNOWN.

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 60 - 65%

Other REC Limits: NONE RECOMMENDED

Ingred Name

:PHOSPHONIC ACID,(1-HYDROXYETHYLIDENE)DI-/SUBSTITUTED PHOSPHONATE CAS:2809-21-4 RTECS #:SZ8562100 Fraction by Wt: 35 - 40% Other REC Limits:NONE RECOMMENDED
======================================
LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYES. ACUTE-INHALATION:EXPECTED TO BE A LOW HAZARD FOR RECOMMEN DED HANDLING. EYES:MAY CAUSE TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION:EXPECTED TO BE A LO W INGESTION HAZARD. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure:EYES IRRITATION
======================================
First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES:IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. SKIN:FLUSH WITH PLENTY OF WATER. INHALATI ON:REMOVE TO FRESH AIR. INGESTION:DRIN K 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION.
======================================
Flash Point:NONE Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, ALCOHOL FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCT. Unusual Fire/Explosion Haz ard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:FLUSH MATERIAL TO SEWER WITH LARGE AMOUNT OF WATER IF REGULATIONS ALLOW OR ABSORB SPILL WITH VERMICULITE. PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINA TION. Neutralizing Agent:NOT RELEVENT
============ Handling and Storage =============
Handling and Storage Precautions:KEEP CONTAINER CLOSED. KEEP AWAY FROM

OXIDIZERS. Other Precautions:WASH THOROUGHLY AFTER HANDLING. AVOID EYE CONTACT. KEEP OUT OF REACH OF CHILDREN. USE WITH ADEQUATE VENTILATION.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE SHOULD BE NEEDED. Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. TYPICALLY, 10 ROOM VOLUMES PER HR IS CONSIDERED GOOD GENERAL VENTILATION. Protective Gloves:RUBBER/LATEX IF REPEATED CONTACT Eye Protection:SAFETY GLASSES WITH SIDE SHIELD/GOG GLES
Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.
Supplemental Safety and Health KEY1:C4. PART A-1 OF THE KIT. FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI B, SAME NSN.
========= Physical/Chemical Properties ==========
HCC:F8 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. T ext:>212F,>100C Vapor Pres:18 @ 68F Vapor Density:O.6 Spec Gravity:1.40 pH:10.2 Solubility in Water:COMPLETE Appearance and Odor:LIGHT YELLOW LIQUID - AMMONIA ODOR Percent Volatiles by Volume:60
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:EXCESSIVE HEAT Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,

====== Disposal C

onsiderations ==========

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.