

LOCTITE CORPORATION -- SEALANT GRADE H

=====  
MSDS Safety Information  
=====

FSC: 8030  
NIIN: 00-081-2325  
MSDS Date: 07/22/1992  
MSDS Num: BVFVV  
Product ID: SEALANT GRADE H  
MFN: 02  
Responsible Party  
Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 705-NORTH MOUNTAIN ROAD  
City: NEWINGTON CT 06111-14  
11  
Info Phone Number: 203-278-1280 TELEX: 275207  
Emergency Phone Number: 203-278-1280  
Preparer's Name: STEPHEN REPETTO  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT 06067-3910  
Phone: 860-571-5100

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: SEALING COMPOUND  
Type/Grade/Class: GRADE H  
Unit of Issue: BT  
Quantitative Expression: 00000000050CC  
UI Container Qty: 0

=====  
Ingredients  
=====

Cas: 25852-47-5  
Name: POLYGLYCOL DIMETHACRYLATE  
% Wt: 55-60  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Na

me: POLYGLYCOL DIOCTATES  
% Wt: 35-40  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 80-15-9  
RTECS #: MX2450000  
Name: 1-METHYL-1-PHENYLETHYL HYDROPEROXIDE (CUMENE HYDROPEROXIDE) (SARA III)  
% Wt: 3-5  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED  
EPA Rpt Qty: 10 LBS  
DOT Rpt Qty: 10 LBS

-----  
Cas: 102-82-9  
RTECS #: YA0350000  
Name: TRIBUTYLAMINE  
% Wt: 1-3  
Oth  
er REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: ORAL LD50 (RAT) IS >5,000 MG/KG  
Route Of Entry Inds - Inhalation: NO  
Skin: NO  
Ingestion: NO  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO  
Effects of Exposure: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.  
Explanation Of Carcinogenicity: NOT CARCINOGENIC.  
Signs And Symptoms Of Overexposure: NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated By Exposure: NONE KNOWN.  
First Aid: INGESTION-DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION-DOES NOT APPLY. SKIN-FLUSH WITH WATER. EYE-FLUSH WITH WATER.

=====  
Handling and Disposal  
=====

Spill Release Procedures: SOAK UP IN AN INERT ABSORBENT.

STORE IN A PARTLY

FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

Neutralizing Agent: NONE

Waste Disposal Methods: UNCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE BELOW 110F TO PRESERVE SHELF LIFE.

AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

Other Precautions: NONE

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: TCC

Flash Point Text

t: >200F,>93C

Lower Limits: 0.8

Upper Limits: 6.4

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fire Fighting Procedures: IRRITATING ORGANIC VAPORS.

Unusual Fire/Explosion Hazard: NONE

=====  
Control Measures  
=====

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.

Ventilation: NOT NORMALLY NECESSARY.

Protective Gloves: RUBBER OR PLASTIC GLOVES.

Eye Protection: SAFETY GLASSES  
OR GOGGLES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: NONE

=====  
Physical/Chemical Properties  
=====

HCC: N1

B.P. Text: >300F,>149C

Vapor Pres: <5 MM

Spec Gravity: 1.026

Solubility in Water: SLIGHT

Appearance and Odor: BROWN LIQUID, MILD ODOR.

Percent Volatiles by Volume: 11.9

=====

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Stability Condition To Avoid: NONE  
Materials To Avoid: NONE  
Hazardous Decomposition Products: NONE  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NONE  
=====

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: 05972  
Trans ID NO: 46521  
Product ID: SEALANT GRADE H  
MSDS Prepared Date: 07/22/1992  
Review Date: 10/06/1994  
MFN: 2  
Net Unit Weight: UNKNOWN  
AF MMAC Code: NR  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: BT  
Container QTY: 0  
=====

=====  
Detail DOT Information  
=====

=====  
DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

Detail IMO Information

=====  
IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

Detail IATA Information

=====  
IATA PSN  
Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

Detail AFI Information

=====  
AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

HAZCOM Label

=====  
Product ID: SEALANT GRADE H  
Cage: 05972  
Company Name: LOCTITE CORPO  
RATION  
Street: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT  
Zipcode: 06067-3910  
Health Emergency Phone: 203-278-1280  
Label Required IND: Y  
Date Of Label Review: 10/06/1994  
Status Code: C  
Label Date: 10/06/1994  
Origination Code: F  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: CAUTION  
Health Hazard: None  
Contact Hazard: Slight  
Fire Hazard: Slight  
Reactivity Hazard: None  
Hazard And Precautions: STORE BELOW 110F TO PRESERVE SHELF LIFE. AVOID  
PROLONGED SKIN CONTACT. KEEP AWAY FROM

EYES. IN CASE OF SPILL: SOAK UP IN AN  
INERT ABSORBENT. STORE IN A PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.  
FIRST AID: INGESTION-DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN  
MEDICAL ATTENTION. INHALATION-DOES NOT APPLY. SKIN-FLUSH WITH WATER.  
EYE-FLUSH WITH WATER.

=====  
Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should seek  
competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity to a corresponding Department  
of Defense or other government situation.