

JET-LUBE INC -- NIKAL NUCLEAR -- 8030-01-286-9536

=====
Product Identification
=====

Product ID:NIKAL NUCLEAR
MSDS Date:02/20/1992
FSC:8030
NIIN:01-286-9536
MSDS Number: BVGRG
=== Responsible Party ===
Company Name:JET-LUBE INC
Address:4849 HOMESTEAD RD
Box:21258
City:HOUSTON
State:TX
ZIP:77026
Country:US
Info Phone Num:713-674-7617
Emergency Phone Num:713-674-7617
CAGE:07431
=== Contractor Ident
ification ===
Company Name:JET-LUBE INC
Address:4849 HOMESTEAD RD
Box:21258
City:HOUSTON
State:TX
ZIP:77026
Country:US
Phone:713-674-7617
CAGE:07431

=====
Composition/Information on Ingredients
=====

Ingred Name:NICKEL (SARA III)
CAS:7440-02-0
RTECS #:QR5950000
Fraction by Wt: 30%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3; 9394

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:

YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:REPEATED SKIN CONTACT FOR PERSONS
HYPERSENTITUVE TO PETROLEUM PRODUCTS CAN CAUSE REDNESS AND
IRRITATION TO SKIN.

Explanation of Carcinogenicity:NICKEL IS CONSIDERED CARCINOGENIC BY NTP
AND IARC.

Effects of Overexposure:REDNESS AND IRRITATION OF SKIN.

=====
First Aid Measures =====

First Aid:INHALATION-CLEAR AIR PASSAGE. CALL PHYSICIAN. INGESTION-IF
INGESTED, CALL PHYSICIAN. EYES-WASH WITH COPIOUS QUANTITIES OF
WATER. SKIN-REMOVE BY WIPING, OR WATERLESS HAND CLEANER, FOLLOWED
BY WASHING.

=====
Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:400F,204C
Autoignition Temp:Autoignition Temp Text:>260C
Lower Limits:0.9
Upper Limits:7.0
Extinguishing Media:USE FOAM, DRY CHEMICAL, WATER SPRAY (FOG), CARBON
DIOXIDE OR VAPORIZING LIQUID-TYPE EXTINGUISHING AGENT.
Fire Fighting Procedures
:USE SUPPLIED-AIR BREATHING EQUIPMENT FOR
ENCLOSED OR CONFINED SPACES.
Unusual Fire/Explosion Hazard:NONE.

=====
Accidental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS, WIPE UP WITH RAGS, PICK-UP
RESIDUE WITH DIATOMECEOUS EARTH TO AVOID WALKING HAZARD.

=====
Handling and Storage =====

Handling and Storage Precautions:NORMAL PRECAUTIONS AS WITH ANY
PETROLEUM PRODUCT.
Other Precautions:NONE

=====

=== Exposure Controls/Personal Protection =====

Other Protective Equipment: PERSONS WITH HYPERSENSITIVE SKIN SHOULD USE GLOVES.

Work Hygienic Practices: WASH HANDS BEFORE EATING.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres:5

Spec Gravity:1.10

Evaporation Rate & Reference: