

ALLIED ENTERPRISES INC -- IMPACT, ORGANIC SOLVENT CLEANER -- 7930-00-931-4369

=====
Product Identification
=====

Product ID:IMPACT, ORGANIC SOLVENT CLEANER

MSDS Date:02/01/1989

FSC:7930

NIIN:00-931-4369

MSDS Number: BVNFT

=== Responsible Party ===

Company Name:ALLIED ENTERPRISES INC

Address:614 W 45TH ST

City:NORFOLK

State:VA

ZIP:23508

Country:US

Info Phone Num:804-489-8282

Emergency Phone Num:80

4-535-5053

CAGE:58396

=== Contractor Identification ===

Company Name:ALLIED ENTERPRISES, INC.

Address:814 W. 45TH STREET

Box:6159

City:NORFOLK

State:VA

ZIP:23508-2008

Country:US

Phone:757-489-8282

CAGE:58396

=====
Composition/Information on Ingredients
=====

Ingred Name:CYCLOHEXENE,1-METHYL-4-(1-METHYLETHENYL)-, (R)-;
(D-LIMONENE)

CAS:5989-27-5

RTECS #:GW6360000

OSHA PEL:N/K

ACGIH TLV:N/K

=====
Hazards Identification
=====

LD50 LC50 M

ixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE/CHRONIC: CAN CAUSE SLIGHT TO MODERATE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT. CAN CAUSE NAUSEA, VOMITING, AND DIARRHEA IF SWALLOWED. OVEREXPOSURE BY INHAL MAY CAUSE DIZZINESS, HEADACHE, NAUSEA, AND EVEN LOSS OF CONSCIOUSNESS.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Conditions Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHAL:MOVE TO FRESH AIR.IF BREATHING HAS STOPPED, ADMINISTER ARTIFICIAL RESPIRATION. CALL A PHYSICIAN. INGEST: DO NOT INDUCE VOMITING. CONSULT A PHYSICIAN IMMEDIATELY. EYE: FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES, LIFTING LIDS OCCASIONALLY AND REMOVING ANY CONTACT LENSES. SEEK MEDICAL ATTENTION. SKIN: FLUSH WITH PLENTY OF WATER WHILE REMOVING CONTAMINATED CLOTHING & SHOES. WASH WITH PLENTY OF SOAP & WATER FOR @ LEAST 15 MIN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TOC

Flash Point:144F,62C

Extinguishing Media:WATER FOG, CO₂, DRY CHEMICAL.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . DRUMS MAY BUILD PRESSURE AND RUPTURE UNDER EXTREME HEAT.

Unusual Fire/Explosion Hazard:CONCENTRATED VAPORS CAN BE IGNITED BY EXTREME HEAT/ANY IGNITION SOURCE. DO NOT CUT/WELD NEAR DRUM.

=====
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN LARGE SPILL AND PUMP TO RECOVER. SMALL SPILLS CAN BE MOPPED UP. DO NOT USE CLAY-TYPE ABSORBENT MATERIALS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN. WASH HANDS

ANDS

AFTER USING PROD. COMBUST MATLS.

Other Precautions:DO NOT CONSUME FOOD/BEVERAGE WHILE USING PROD. DO NOT MIX CHEM UNLESS SPECIFICALLY DIRECTED TO. DO NOT SMOKE WHILE USING PROD. DO NOT SMOKE IN WORK AREA. PLEASE READ & FOLLOW ALL LBL DIREC & ANY OTHER SFTY INFO PROVIDED TO YOU (SUPDAT)

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WITH ADEQUATE VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EX POSURE OF CONCERN

Ventilation:USE ADEQUATE VENTILATION.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS .

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH HANDS THORO AFTER EACH USE.

Supplemental Safety and Health

OTHER PREC: BEFORE USING PRODUCT.

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres:1

Vapor Density:4.7

Spec Gravity:0.85

Evaporation Rate &

amp; Reference: