View NSN Online: https://aerobasegroup.com/nsn/8030-01-028-4336

Product ID:PR-1428 B-1/2, BASE MSDS Date:01/05/1994 FSC:8030 NIIN:01-028-4336 Kit Part:Y MSDS Number: BVNGD === Responsible Party === Company Name: COURTAULDS AEROSPACE, INC Address:5430 SAN FERNANDO ROAD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Info Phone Num:818-240-2060 / 818-549-7825 Emergency Phone Num:800-228-5635/800-424-9300 CHEMTREC Preparer's Name:SEROJE HARTOONIANI CAGE:83574 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574 Ingred Name: TITANIUM DIOXIDE (LISTED AS REQ'D BY 29CFR 1910:1200, FULLY ENCAPSULATED, NOT HAZARDOUS UNDE R NORMAL CIRCUMSTANCES) CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 5.091% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name: CALCIUM CARBONATE (LIMESTONE) (LISTED AS REQ'D BY 29 CFR 1910:1200, FULLY ENCAPSULATED, NOT HAZARDOUS WITH NORMAL USE) CAS:1317-65-3 RTECS #: EV9580000 Fraction by Wt: 26.740% Other REC Limits:NONE RECOMMENDED OSHA PEL:15.0 MG/M3 ACGIH TLV:10.0 MG/M3 Ingred Name: POLYSULFIDE POLYMER (NON HAZARDOUS INGREDIENT) CAS:68611-50-7

Other R

EC Limits:NONE RECOMMENDED

Ingred Name:BARIUM COMPOUND (NON HAZARDOUS INGREDIENT) CAS:1103-38-4 Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC: 0 G/L (COMBINED PART A AND B) RTECS #:9999999VO Other REC Limits:NONE RECOMMENDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: TEMPORARY DISCOMFORT. SKIN: TEMPORARY DISCOMFORT. INHALATION: NOT KNOWN. INGESTION: NOT KNOWN.

=====

First Aid:EYES: FLUSH WITH WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT, CO NSULT A PHYSICIAN. INGESTION: DRINK LARGE AMOUNT OF WATER; INDUCE VOMITING; CONSULT A PHYSICIAN.

Flash Point Method:SCC Flash Point:217F,1 03C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. Unusual Fire/Explosion Hazard:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE SOLVENT.

Handling and Storage Precautions:W

ASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID INGESTION.

Respiratory Protection:NONE REQUIRED Ventilation:GENERAL VENTILATION Protective Gloves:RUBBER OR PLASTIC GLOVES Eye Protection:SAFETY GLASSES Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. Supplemental Safety and Health

Boiling Pt:B.P. Text:350F,177C Vapor Density:> AIR Spec Gravity:1.54 Viscosity:9800P #7@2RPM Solubility in Water:SLIGHT Appearance and Odor:REDDISH THIXOTROPIC PASTE Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NOT KNOWN Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE, TRACES OF HYDROGEN SULFIDE.

====== Disposal Consideration

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utiliz

ing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.