

COURTAULDS AEROSPACE INC -- 0870C27 PRO-SEAL 870 C-48 BASE COMPOUND --  
8030-00-028-8495

=====  
===== Product Identification =====

Product ID:0870C27 PRO-SEAL 870 C-48 BASE COMPOUND

MSDS Date:11/18/1993

FSC:8030

NIIN:00-028-8495

Kit Part:Y

MSDS Number: BVTLM

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

In

fo Phone Num:818-240-2060

Emergency Phone Num:818-240-2060

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====  
===== Composition/Information on Ingredients =====

Ingred Name:TITANIUM DIOXIDE, TIO2 (SUSPECTED ANIMAL CARCINOGEN BY  
IARC-GROUP 3) \*94-3\*

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt

: 10%  
OSHA PEL:10 MG/CUM  
ACGIH TLV:10 MG/CUM (DUST)

Ingred Name:CALCIUM CARBONATE, DOMOLITE, LIMESTONE, WHITING  
CAS:1317-65-3  
RTECS #:EV9580000  
Fraction by Wt: 10%  
OSHA PEL:15 MG/CUM  
ACGIH TLV:10 MG/CUM (DUST)

Ingred Name:TOLUENE (IARC - GROUP 3) \*94-3\*  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 15%  
Other REC Limits:375 MG/CUM  
OSHA PEL:100 PPM  
ACGIH TLV:50 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:THIOL TERMINATED POLYETHER, POLYDITHIOETER (OR LIQ.  
POLYSULFIDE POLYMER  
) \*94-3\*  
CAS:68611-50-7

Ingred Name:CATALYST AMORPHOUS SILICA \*94-3\*  
CAS:67762-90-7

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TOLUENE: EYES: MAY CAUSE BURNING.  
SKIN: PROLONGED EXPOSURE MAY CAUSE DERMATITIS. INHALATION: MAY  
CAUSE LIVER & KIDNEY DAMAGE.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:TOLU  
ENE: BURNING, TEARING, REDDENING, DRYING,  
CRACKING, DIZZINESS, DROWSINESS, FATIGUE, NAUSEA, DISTURBANCE IN  
MEMORY/THINKING ABILITY/EMOTIONS/COORDINATION.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/LUKE WARM WATER FOR 15 MINS. SKIN: WASH W/SOAP  
& WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION  
IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point Method:SCC  
Flash Point:6

3F

Lower Limits:1.2

Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG

Fire Fighting Procedures:WEAR AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPS MAY CAUSE PRESSURE BUILD UP IN CLOSED CONTAINER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. COVER W/ABSORBENT. SCOOP INTO CONTAINERS. CLEAN UP RESIDUE W/SUITABLE SOLVENT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. DON'T STORE >120F.

Other Precautions:GROUNDING/BONDING PROCEDURE SHOULD BE FOLLOWED WHEN TRANSFERRING THIS MATERIAL. EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS. DON'T CUT/PUNCTURE/WELD ON/NEAR DRUM. VAPORS ARE >AIR & MAY COLLECT IN LOW/CON FINED AREAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR ORGANIC VAPOR CARTRIDGE/AIR SUPPLIED

RESPIRATOR WHEN AIRBORNE LEVEL OF HAZARDOUS INGREDIENTS EXCEED TLV.

Ventilation:GENERAL TO MAINTAIN VAPORS 1

Spec Gravity:1.43

Appearance and Odor:BEIGE SEMI-LIQUID

Percent Volatiles by Volume:21.1

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPS

Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE,  
TRACES OF HYDROGEN SULFIDE.

===

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL  
REGULATIONS. HAZARDOUS WASTE. EPA D-001

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person  
utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.