

FIBER-RESIN CORP -- FR-1072-B -- 8030-00-753-5005

===== Product Identification =====

Product ID:FR-1072-B

MSDS Date:01/02/1991

FSC:8030

NIIN:00-753-5005

Kit Part:Y

MSDS Number: BVWZL

=== Responsible Party ===

Company Name:FIBER-RESIN CORP

Address:170 W PROVIDENCIA AVE

Box:4187

City:BURBANK

State:CA

ZIP:91503

Country:US

Info Phone Num:213-849-4608

Emergency Phone Num:213-849-4608

CAGE:26348

=== Co

ntractor Identification ===

Company Name:FIBER RESIN CORPORATION, H.B. FULLER COMPANY SUBSIDIARY

Address:20701 NORDHOFF ST

Box:City:CHATSWORTH

State:CA

ZIP:91311

Country:US

Phone:818-882-3022

CAGE:26348

===== Composition/Information on Ingredients =====

Ingred Name:MANGANESE COMPOUND (UNSPECIFIED)

CAS:18718-07-5

Fraction by Wt: >10%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES

Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES- DIRECT CONTACT MAY CAUSE IRRITATION. SKIN- PROLONGED OR REPEATED CONTACT MAY CAUSE MODERATE IRRITATION. INHALATION- NOT A NORMAL ROUTE OF EXPOSURE. CHRONIC: NO ANTICIPATED CHRONIC EFFECTS.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NO KNOWN EFFECTS ON OTHER ILLNESSES.

=====
===== First Aid Measures =====
=====

First Aid:EYE: IMMEDIATELY FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE LIFTING EYELID. GET MEDICAL ATTENTION IMMEDIATELY. SKIN: WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:SCC

Flash Point:>200F,>93C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/E

xplosion Hazard:NONE KNOWN.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:WEAR RUBBER GLOVES AND WIPE UP WITH ABSORBENT MATERIAL. RESIDUE MAY BE REMOVE WITH CHLORINATED SOLVENT.

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions:STORE IN A COOL, DRY LOCATION. SHELF LIFE = 9 MO.

Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====
=====

Respiratory Protect

ion:NONE NORMALLY REQUIRED.
Ventilation:STANDARD INDUSTRIAL VENTILATION.
Protective Gloves:RUBBER GLOVES.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:EMERGENCY EYEWASH FOUNTAINS.
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER HANDLING THIS MATERIAL.
Supplemental Safety and Health
KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1
Spec Gravity:14.7 LB/GL
Viscosity:700-1200 P
Appearance and Odor:BLACK, MOBILE PASTE

===== Stab
ility and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:LOW MOLECULAR WEIGHT HYDROCARBONS,
CARBON MONOXIDE, CARBON DIOXIDE, AND NITROGEN COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS. INCINERATE OR DISPOSE OF IN AN APPROVED
INDUSTRIAL LANDFILL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.