UPJOHN CO THE -- 51710 VANTIN FOR ORAL SUSPENSION -- 6505-01-368-2865

Product ID:51710 VANTIN FOR ORAL SUSPENSION MSDS Date:06/30/1994 FSC:6505 NIIN:01-368-2865 **MSDS Number: BWLBC** === Responsible Party === Company Name: UPJOHN CO THE Address:7171 PORTAGE RD City:KALAMAZOO State:MI ZIP:49001-0199 Country:US Info Phone Num:616-323-7555 Emergency Phone Num:616-323-75 55(D)/616-323-5122(24 HR) CAGE:GO374 === Contractor Identification === **Company Name: PHARMACIA & UPJOHN** Address:7171 PORTAGE RD Box:City:KALAMAZOO State:MI ZIP:49001-0199 Country:US Phone:616-833-5122/616-833-7555 CAGE:93703 Company Name: UPJOHN CO THE Address:7171 PORTAGE RD City:KALAMAZOO State:MI ZIP:49001-0199 Country:US Phone:616-323-7555 CAGE:GO374

Ingred Name:SUCROSE CAS:57-50-1 RTECS #:WN6500000 Fraction by Wt: 59% ACGI H TLV:10 MG/CUM

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 34-35%

Ingred Name:NON HAZARDOUS INGREDIENTS Fraction by Wt: 8000 MG/KG (SEE SUP) Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CEFPODOXIME PROXETIL-SENSITIZATION, ALLERGIC REACTIONS, MILD-LIFE THREATENING PSEUDOMEMBRANOUS COLITIS. Explanation of Carcinogenicity:NONE Effects of Overexposure:CEFPODOXIME PROXETIL-DIA RRHEA, NAUSEA, VOMITING, ABDOMINAL CRAMPING. Medical Cond Aggravated by Exposure:RENAL INSUFFICIENCY, KNOWN ALLERGY TO CEFPODOXIME PROXETIL/CEPHALOSPORIN GROUP OF ANTIBIOTICS,

CONCURRENT USE OF HIGH DOSES OF ANTACIDS/PROBENECID/SOME NEPHROTOXIC DRUGS.

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Flash Point:NON-FLAMMABLE Extinguishing Media:WATER, CO2, DRY CHEMICAL. Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS & FULL BODY PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: PROVIDE VENTILATION/PERSONAL PROTECTIVE EQUIPMENT. KEEP PRODUCT OUT OF DRAINS & PREVENT ENTRY TO SURFACE/GROUNDWATER & SOIL. SM

ALL: ABSORB W/PAPER TOWELS/APPROPRIATE MEDIA. LARGE: VACUUM/SCOOP UP & PL ACE IN A SUITABLE CONTAINER.
======================================
 Handling and Storage Precautions:STORE IN A COOL, DRY PLACE & PROTECT FROM LIGHT. STORE CONSTITUTED PRODUCT IN REFRIGERATOR AT 36-46F FOR UP TO TWO WEEKS. Other Precautions:AVOID CONTACT W/SKIN, EYES & CLOTHING. KEEP OUT OF REACH OF CHILDREN.
======================================
Respiratory Protection:NONE REQUIRED Ventilation:LOCAL EXHAUST Protective Gloves:NONE REQUIRED Eye Protection:NONE REQUIRED Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health APPEARANCE CONT'D: CONSTITUTED- 60ML OF SUSPENSION IN BOTTLE. ORAL LD50 INFORMATION IS FOR CEFPODOXIME PROXETIL. HUMAN DRUG USED IN TREATMENT OF BACTERIAL INFECTIONS.
Solubility in Water:COMPLETE Appearance and Odor:UNCONSTITUTED-POWDER (100/200 MG CONCENTRATION). (SEE SUPP)
======================================
Stability Indicator/Materials to Avoid:YES NONE
Stability Condition to Avoid:LIGHT & HEAT. Hazardous Decomposition Products:CO, CO2, NITROGEN & SULFUR OXIDES.
======================================
Waste Disposal Methods: DISPOSE OF BY INCINERATION IAW/INTERNATIONAL,

FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.