

THETFORD CORP -- AQUA-KEM DRI -- 6840-01-393-7045

=====
Product Identification
=====

Product ID:AQUA-KEM DRI
MSDS Date:05/30/1996
FSC:6840
NIIN:01-393-7045
MSDS Number: BWMWW
=== Responsible Party ===
Company Name:THETFORD CORP
Address:7101 JACKSON RD
Box:1285
City:ANN ARBOR
State:MI
ZIP:48106
Country:US
Info Phone Num:313-769-6000
Emergency Phone Num:313-769-6000/800-424-9300(CHEMTREC)
CAGE:6143

1
=== Contractor Identification ===
Company Name:GOURMET INQUE LTD
Address:191 STANLEY ST
Box:City:ELK GROVE VILLAGE
State:IL
ZIP:60007-1555
Country:US
Phone:847-296-6192/FAX: 800-542-1042
CAGE:0TNN7
Company Name:THETFORD CORP
Address:7101 JACKSON ROAD
Box:City:ANN ARBOR
State:MI
ZIP:48106
Phone:(734) 769-6000
CAGE:61431

=====
Composition/Information on Ingredients
=====

Ingred Name:PARAFORMALDEHYDE (CERCLA)
CAS:30525-89-4
RTECS #:RV0540000
Other REC Limits:NONE RECOMMENDED
E

PA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:CAN PRODUCE EYE DAMAGE AND SKIN
SENSITIZATION.MUTAGENIC ACITIVITY IN BACTERIAL & MAMMALIAN CELL
CULTURES TEST SYMPTOMS-BUT NOT MUTEGENIC IN WHOLE ANIMAL
SYSTEMS.NOT TERATOGENIC.H
IGH INHAL EXPO MAY CAU SE BRONCHOPNEUMONIA
AND EDEMA.
Explanation of Carcinogenicity:PER MSDS:NTP-REASON ANTIC;IARC-PROBABLY
CARC;OSHA-POT CARC.CARC POT BASED ON ANIMAL EVIDENCE.HUMAN NO INCR
RISK OF CANC.
Effects of Overexposure:INHAL PRODUCES IRRIT TO UPPER RESP TRACT & EYE
IRRIT.MAY INCLUDE DISCOMFORT SUCH AS NAUSEA,HEADACHE,WEAKNESS.SKIN
CONTACT PRODUCES IRRIT W/DISCOMFORT OR RASH.EYE CONTACT CAUSES
IRRIT OR SEVERE BURNS.
Medical Cond Aggravated by Exposure:PERSONS HA
VING PRE-EXISTING
DISEASES OF LUNGS,EYES, OR SKIN MAY HAVE INCREASES SUSCEPTIBILITY
TO HAZARDS OF EXCESSIVE EXPOSURE.

=====
First Aid Measures
=====

First Aid:FLUSH CONTACTED AREA W/LG AMTS OF WATER.IRRIGATE EYES FOR MIN
OF 15MINS.IF SWALLOWED,INDUCE VOMTING BY GIVING 2 GLASSES OF WATER
& STICKING FINGER DOWN THE THROAT.FOR EYE CONTACT OR INGESTION CALL
PHY SICIAN.

=====
Fire Fighting Measures
=====

F
lash Point Method:TCC
Flash Point:140F,60C
Autoignition Temp:Autoignition Temp Text:NP
Lower Limits:7.00
Upper Limits:73.00
Extinguishing Media:WATER, DRY CHEMICAL, CAROBN DIOXIDE OR FOAM.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:VENTI AREA WELL BY OPENING ALL
DOORS/WINDOWS.USE FAN IF AVAI.WEAR VAP MASK W/ORG VAP OR
FORMALDEHYDE CARTRI

DGE.SWEEPUP SPILL MATL.NEUTRALIZE REMAINING ODOR
W/AMMONIA,COLD WATER MIX.MOP AREA W/LG AMTS OF WATER.WORK FOR
SHORT PER OF TIME(15MINS PERS).

Neutralizing Agent:NEUTRALIZE REMAINING ODOR W/AMMONIA,COLD WATER
MIXTURE.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 110F.DO NOT GET ON
SKIN/EYES.DO NOT INHAL VAPORS/DUST.

Other Precautions:DO NOT GET IN EYES/SKIN.DO NOT INHAL VAPORS.WASH
THOROUGHLY AFTER
HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR VAPOR MASK W/ORGANIC VAPOR CARTRIDGE OR
FORMALDEHYDE CARTRIDGE FOR SMALL SPILLS.SELF-CONTAINED BREATHING
APPARATUS FOR LARGER SPILLS.

Ventilation:LOC EXHAU:MAINTAIN ADEQUATE VENTILATION.MECH(GEN):NOT
RECOMMENDED.SPECIAL:NOT NECESSARY.OTHER:NA.

Protective Gloves:RECOMMENDED

Eye Protection:RECOMMENDED

Other Protective Equipment:PROTECTIVE CLOTHING TO AVOID SKIN
CONTACT.EYEWAS

H STATION AND SAFETY SHOWER.

Work Hygienic Practices:AVOID UNNECESSARY & PROLONGED EXPOSURE.AVOID
BREATHING VAPORS.

Supplemental Safety and Health

PH OF 10% SOLUTION:9-10.

===== Physical/Chemical Properties =====

HCC:T5

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:248F,120C

Decomp Temp:Decomp Text:NP

Vapor Pres: