

BRULIN AND CO INC -- SAFETY STRIP HT -- 6850-01-394-0168

=====  
Product Identification  
=====

Product ID:SAFETY STRIP HT

MSDS Date:02/16/1993

FSC:6850

NIIN:01-394-0168

MSDS Number: BWNTF

=== Responsible Party ===

Company Name:BRULIN AND CO INC

Address:2920 DR ANDREW J BROWN AVE

Box:270

City:INDIANAPOLIS

State:IN

ZIP:46205-0270

Country:US

Info Phone Num:317-923-3211 OR 800-428-7149

Emergency Phone N

um:317-923-3211

CAGE:94058

=== Contractor Identification ===

Company Name:BRULIN AND CO INC

Address:2920 DR ANDREW J BROWN AVE

Box:270

City:INDIANAPOLIS

State:IN

ZIP:46205-0270

Country:US

Phone:317-923-3211

CAGE:94058

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NO HAZ CHEMICAL SUBSTANCES @ 1.0% OR ORE LISTED AND NON  
CARCINOGENS @ 0.1% OR MORE LISTED.

RTECS #:9999999ZZ

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE:DIRECT CONTACT MAY CAUSE MODERATE IRRIT. INGEST:MAY CAUSE GASTROINTESTINAL IRRIT & IRRIT OF MOUTH & THROAT. INHAL:EXCESSVIE EXPOSURE TO SPRAY MISTS MAY CAUSE RESPIRATORY IRRIT. SKIN:PROLONGED/REPEATED CONTACT MAY CAUSE MILD IRRIT.

Explanation of Carcinogenicity:PER  
MSDS:CARCINOGENICITY:NTP/IARC/OSHA:NO.

Effects  
of Overexposure:IRRITATION OF EYES/GASTROINTESTINAL TRACT/MOUTH/THORAT/RESPIRATORY TRACT/SKIN.  
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/LARGE QUANTITIES OF WATER FOR 15MINS LIFTING UPPER/LOWER LIDS OCCASIONALLY. GET MED ATTN. INHAL:REMOVE TO FRESH AIR. SKIN:WASH W/MILD SOAP & WATER. REMOE CONTAMIN CLOTHING. INGEST:IF CONSCIOUS DILUTE BY GIVING WATER. GIVE MILK OF MAGNESIA IF AVAILABLE. KEEP WARM,QUIET, & CALL PHYSICIAN OR LOCAL POISON CONTROL IMMED.

===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:PER MFG NOT APPLICABLE. HOWEVER USE APPROPRIATE EXTINGUISHING MEDIA FOR SURROUNDING FIRE.  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB ON SOLID ABSORBENT & SHOVEL INTO CONTAINER FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BETWEEN 40 AND 120F.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE  
Ventilation:MECHANICAL (GENERAL) VENTILATION IS SUFFICIENT.  
Protective Gloves:BUTYL RUBBER WHEN HANDLING CONCENTRATE.  
Eye Protection:RECOMMENDED. SAF GLASSES/GOGGLES  
Other Protective Equipment:NONE  
Work Hygienic P

ractices:AVOID BREATHING SPRAY MIST. WASH HANDS AFTER HANDLING. LAUNDRY CONTAMIN CLOTHING PRIOR TO REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:30.0F,-1.1C

Vapor Pres:17@68F

Vapor Density:0.6

Spec Gravity:1.049

Evaporation Rate & Reference:1.0, WATER=1

Solubility in Water:COMPLETE

Appearance and Odor:BLUEGREEN LIQUID, MILD CITRUS ODOR.

===== Stab  
ility and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS, OXIDIZERS.

Hazardous Decomposition Products:CARBON MONOXIDE UPON THERMAL DECOMPOSITION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE ACCORDING TO LOCAL, STATE AND FEDERAL LAWS & 40 CFR.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.