

INLAND PACKAGING -- INNERBOND I2510 FLUID,100 CST AND 500 CST -- 9150-01-056-7346
===== Product Identification =====

Product ID:INNERBOND I2510 FLUID,100 CST AND 500 CST

MSDS Date:03/01/1992

FSC:9150

NIIN:01-056-7346

MSDS Number: BWPFC

=== Responsible Party ===

Company Name:INLAND PACKAGING

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Info Phone Num:502-73

7-6757

Emergency Phone Num:502-737-6757

CAGE:66172

=== Contractor Identification ===

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

===== Composition/Information on Ingredients =====

Ingred Name:PHENYLMETHYLPOLYSILOXANE

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:Y

ES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION AS A FOREIGN BODY.SKIN:NON-IRRITATING.INGEST:THIS ITEM HAS A LOW ORDER OF ORAL TOXICITY.INHAL:UNLIKELY ROUTE OF EXPOSURE.

Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Effects of Overexposure:EYES:IRRITATION.

Medical Cond Aggravated by Exposure:UNLIKELY TO AGGRIVATE EXISTING MEDICAL CONDITI
ONS UNDER NORMAL CONDITIONS OF USE.

=====
===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:UNLIKELY TO BE NEEDED.CALL DOCTOR IF IT OCCURS.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:527F,275C

Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,FOAM.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire/Explosion Hazard:FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP WITH VERMICULITE;PLACE IN A STEEL DRUM.WASH SPILL AREA TO REMOVE SLIPPERINESS.

Neutralizing Agent:NOT APPLICABLE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM INCOMPATIBLE MATERIALS.

Other Precautions:FOLLOW LABEL DIRECTIONS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE.

Ventilation:USE GENERAL DILUTION VENTILATION.

Protective Gloves:IMPERVIOUS,AS NEEDED.

Eye Protection:CHEMICAL SPLASH GOGGLES,AS NEEDED.

Other Pro

Protective Equipment:PROVIDE A LOCAL EYE WASH STATION.
Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS
PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:V6
Spec Gravity:0.99
Viscosity:100-500CPS
Solubility in Water:INSOLUBILITY
Appearance and Odor:LIQUID(VISCOUS);CLEAR;CHARACTERISTIC ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
MINERAL ACIDS,STRONG BASES.
Stability Condition to Avoid:HEAT,STATIC ELECTRICITY.
Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE,SILICA

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense.
The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.