

HALOCARBON PRODUCTS CORPORATION -- P/N MIL G47219A, NSN# 9150-00-754-2760 CAGE CODE 07644 -- 9150-00-754-2760

===== Product Identification =====

Product ID:P/N MIL G47219A, NSN# 9150-00-754-2760 CAGE CODE 07644

MSDS Date:02/25/1992

FSC:9150

NIIN:00-754-2760

MSDS Number: BWPSH

=== Responsible Party ===

Company Name:HALOCARBON PRODUCTS CORPORATION

Address:887 KINDERKAMACK ROAD

Box:661

City:RIVER ED

GE

State:NJ

ZIP:07661

Country:US

Info Phone Num:201-262-8899

Emergency Phone Num:803-278-3504

Preparer's Name:DR. ARTHUR J. ELLIOTT

CAGE:07644

=== Contractor Identification ===

Company Name:HALOCARBON PRODUCTS CORPORATION

Address:887 KINDERKAMACK RD

Box:City:RIVER EDGE

State:NJ

ZIP:07661

Country:US

Phone:201-262-8899

CAGE:07644

===== Composition/Information on Ingredients =====

Ingred Name:CHLOROTRIFLUOROETHYLENE TELOMER

CAS:9002-83-9

Fraction by Wt: 93%

Other REC Limits:NONE

RECOMMENDED

Ingred Name:SILICA GEL
CAS:112945-52-5
RTECS #:VV7310000
Fraction by Wt: 7%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:6 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HALOCARBON OILS ARE NOT IRRITATING TO THE SKIN BUT SIMPLE SKIN PROTECTION SHOULD BE USED TO PREVENT REPEATED EXPOSURE AND THE POSSIBILITY OF SENSITIZATION. ALL MUTAGENIC STUDIES WERE NEGATIVE. AMORPHOUS SILICA, UNLIKE CRYSTALLINE SILICA, IS CONSIDERED BIOLOGICALLY BENIGN.
Explanation of Carcinogenicity:MANUFACTURER GAVE NO COMMENTS OTHER THAN THE ABOVE REFERENCES TO THE THREE LISTINGS.
Effects of Overexposure:FROM ANIMAL STUDIES, SIGNS OF FLUORIDE POISONING MAY BE EXPECTED. THESE INCLUDE NAUSEA, SHORTNESS OF BREATH AND LOSS OF APPETITIE.
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
First Aid Measures
=====

First Aid:INHALATION: N/A. SKIN: WASH WITH SOAP & WATER. NO SKIN EFFECTS EXPECTED. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. ORAL: DILUTE BY DRINKING LARGE QUANTITIES OF WATER. IF VOMITING OCCURS ADMINISTER MORE WATER.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:NON-FLAMMABLE. USE AGENT SUITABLE FOR SURROUNDING FIRE.
Fire Fighting Proce

dures:WEAR SELF-CONTAINED BREATHING APPARATUS IF
THERE IS DANGER OF LEAKAGE IN FIRE.

Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION PRODUCTS ARE ACIDIC
AND TOXIC.

===== Accidental Release Measures =====

Spill Release Procedures:SPILL, LEAK, OR RELEASE: SPILLS MAY BE WIPED
WITH ABSORBENT MATERIAL.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:
MFR GAVE NO INFORMATION ON MSDS.
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Protective Gloves:IMPERVIOUS GLOVES.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:NONE NORMALLY REQUIRED.
Work Hygienic Practices:WASH AFTER USE.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:V7
NRC/State Lic Num:NONE
Boiling Pt:B.P. Text:>500F,>260C
Decomp Temp:Decomp Text:>500F,>260C
Vapor Pre
s: