

EASTMAN KODAK COMPANY -- 111 5492;COLOREDGE YELLOW TONER;KAN 471137 --
6850-01-387-5779

=====
===== Product Identification =====

Product ID:111 5492;COLOREDGE YELLOW TONER;KAN 471137

MSDS Date:02/08/1995

FSC:6850

NIIN:01-387-5779

MSDS Number: BWRZW

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-515

1

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====
===== Composition/Information on Ingredients =====

Ingred Name:POLYESTER

CAS:120611-31-6

Fraction by Wt: 95-99%

Other REC Limits:NONE RECOMMENDED

Ingred Name:AZO DYE (YELLOW)

Fraction by Wt: 1-5%

Other REC Limits:NONE RE

COMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION.SKIN:LOW
HAZARD EXPECTED FOR NORMAL HANDLING.INGEST:EXPECTED TO BE A LOW
HAZARD.INHAL:OVEREXPOSURE TO CARBON BLACK MAY CAUSE RESPIRATORY
IRRITATION.
Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%
WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.
Effects of Overexposure:EYES:TRANSIENT IRRITATION.
Medical Condition Aggravated by Exposure:PERSONS WITH PRE-EXISTING
RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.IF
SYMPTOMS OCCUR,GET MEDICAL ATTENTION.EYES:FLUSH WITH WATER FOR 15
MINUTES.GET MEDICAL ATTENTION.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN
OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT INDUCE
VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS,GIVE
1-2 GLASSES OF WATER.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:WATER SPRAY,DRY CHEMICAL,CARBON DIOXIDE.
Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE EQUIPMENT.
Unusual Fire/Explosion Hazard:**COMBUSTIBLE SOLID** THE FINELY
DISPERSED DUST FROM THIS PRODUCT IS A FIRE OR EXPLOSION HAZARD IN
THE PRESENCE OF SOURCES OF IGNITION.DECOMP PRODS MAY BE TOXIC

=====
===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA.USE PROPER PROTECTIVE AND
RESPIRATORY EQUIPMENT.SWEEP;DO NOT CREATE DUST;PLACE IN A FIBER
CARTON FOR DISPOSAL.USING A VACUUM CLEANER MAY PRESENT A FIRE OR
EXPLOSION HAZARD.
Neutralizing Agent:NOT APPLICABLE.

=====
===== Handling and Storage =====

=====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM OXIDIZERS.

Other Precautions:FOLLOW LABEL DIRECTIONS.AVOID BREATHING VAPORS.AVOID SKIN AND EYE CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE.

Ventilation:USE GENERAL DILUTION VENTILATION.MFR RECOMMENDS 4-6 AIR CHANGES/HOUR.

Protective Gloves:IMPERVIOUS

Eye Protection:

CHEMICAL GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING,AS NEEDED.PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:140F,60C

Vapor Pres:NEGLIGIBLE

Vapor Density:NEGLIGIBLE

Solubility in

Water:NEGLIGIBLE

Appearance and Odor:POWDER;YELLOW;SLIGHT ODOR

Percent Volatiles by Volume:NEGLIG

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS.

Stability Condition to Avoid:DUSTY CONDITIONS WITH SOURCES OF IGNITION.

Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STAT

E AND
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.