

MULTIGRAPHICS -- ELECTROSTATIC 867 CLEANING FLUID, MASTER IMAGER -- 6850-01-395-4115

===== Product Identification =====

Product ID:ELECTROSTATIC 867 CLEANING FLUID, MASTER IMAGER

MSDS Date:05/01/1992

FSC:6850

NIIN:01-395-4115

MSDS Number: BWZTS

=== Responsible Party ===

Company Name:MULTIGRAPHICS

Address:1800 W CENTRAL ROAD

City:MT.PROSPECT

State:IL

ZIP:60056-2293

Country:US

Info Phone Num:312-870

-5121/708-870-5087

Emergency Phone Num:312-870-5121 (DAY) 398-1900 (NIGHT)

CAGE:09177

=== Contractor Identification ===

Company Name:AM MULTIGRAPHICS DIV OF AM INTL INC

Address:431 LAKEVIEW CT

Box:City:MOUNT PROSPECT

State:IL

ZIP:60056-6048

Country:US

Phone:847-375-1700

CAGE:09177

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards

Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE-IRRITANT TO EYE. SKIN-PROLONGED
CONTACT WILL CAUSE DEFATTING, DRYING AND/OR CRACKING. POSSIBLE
DERMATITIS..
Explanation of Carcinogenicity:NOT FOUND TO BE CARCINOGENIC.
Effects of Overexposure:INHALATION-INHALATION OF LARGE QUANTITIES OF
VAPORS MAY CAUSE DIZZINESS, HEADACHE, CNS DEPRESSION. INGESTION
-MAY
CAUSE HEADACHE, NAUSEA, VOMITING, CNS DEPRESSION.
Medical Cond Aggravated by Exposure:NONE.

===== First Aid Measures =====

First Aid:EYES-IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, CALL A
PHYSICIAN. SKIN-IMMEDIATELY FLUSH WITH WATER. IF IRRITATION
DEVELOPS, CALL A PHYSICIAN. INHALATION-IMMEDIATELY REMOVE VICTIM TO
FRESH AIR. CALL A PHYSICIAN. INGESTION-DO NOT INDUCE VOMITING.
IMMEDIATELY DRINK WATER TO DILUTE. CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:140F,60C
Lower Limits:0.6
Upper Limits:7.0
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON DIOXIDE.
Fire Fighting Procedures:WATER SPRAY SHOULD BE USED TO COOL FIRE
EXPOSED CONTAINERS AND/OR DISPERSE UNIGNITED VAPORS. USE NIOSH/MSHA
APPROVED POSITIVE PRESSURE SELF-CONTAINED BREATHINGS
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =
=====

Spill Release Procedures:REMOVE ANY IGNITION SOURCES. PICK UP WITH
INERT ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, WELL VENTILATED AREA,
AWAY FROM IGNITION SOURCES.
Other Precautions:READ AND FOLLOW LABEL PRECAUTIONS. DO NOT REUSE
CONTAINER. FOR COMMERCIAL/INDUSTRIAL USE ONLY. KEEP FROM REACH OF
CHILDREN.

===== Exposure Controls/Personal Protection =====

espiratory Protection:IN HIGH VAPOR CONCENTRATIONS WEAR NIOSH/MSHA
APPROVED ORGANIC AVPOR RESPIRATOR.
Ventilation:NONE BEYOUND GOOD ROOM VENTILATION REQUIRED.
Protective Gloves:NITRILE FOR CLEANUP.
Eye Protection:OPTIONAL.
Other Protective Equipment:AN EYE WASH STATION IF SPLASHING IS A
POSSIBILITY.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:F4
Boiling Pt:B.P. Text:
365-403F
Vapor Pres:10
Vapor Density:>5
Spec Gravity:0.77
pH:7
Evaporation Rate & Reference:LESS THAN 0.1
Solubility in Water:NEGLIGIBLE
Appearance and Odor:COLORLESS LIQUID, FAINT HYDROCARBON ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS, LIQUID CHLORINE, CONCENTRATED OXYGEN, HYPOCHLORITES.
Stability Condition to Avoid:HIGH HEAT, IGNITION SOURCES.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON
DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS HAZARDOUS WASTE IN A MANNER
APPROVED FOR THIS MATERIAL. DO NOT POUR DOWN A COMMON DRAIN.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims

all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.