

CRAWFORD LABORATORIES, INC. -- FORMULA 84 H2-017 -- 8010-01-285-1329
===== Product Identification =====

Product ID:FORMULA 84 H2-017
MSDS Date:05/01/1993
FSC:8010
NIIN:01-285-1329
MSDS Number: BXCHN
=== Responsible Party ===
Company Name:CRAWFORD LABORATORIES, INC.
Address:4165 SOUTH EMERALD AVENUE
City:CHICAGO
State:IL
ZIP:60609
Country:US
Info Phone Num:312-376-7132
Emergency Phone Num:800-424-9300 CHEMTREC
Preparer's Name:DAVID SCHMETTERER
CAGE:DO165
=== Contractor Identification ===
Company Name:CRAWFORD LABORATIES, INC
Address:4165 SOUTH EMERALD AVENUE
City:CHICAGO
State:IL
ZIP:60609
Phone:800-424-9300 CHEMTREC
CAGE:DO165
Company Name:CRAWFORD LABORATORIES, INC
Address:4165 SOUTH EMERALD AVENUE
Box:City:CHICAGO
State:IL
ZIP:60609
Country:US
Phone:312-376-7132
CAGE:5V430

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL SPIRITS/66 (VAPOR PRES

SURE 3.4 MM HG)
CAS:8032-32-4
RTECS #:OI6180000
Fraction by Wt: 10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:100 PPM

Ingred Name:ZINC MOLYBDATE
CAS:22914-58-5
Fraction by Wt: 5.9%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:ZINC OXIDE (SARA 313) (CERCLA)
CAS:1314-13-2
RTECS #:ZH4810000
Fraction by Wt: 15%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:10 MG/M3

Ingred Name:100 SOLVENT (VAPOR PRESSURE 9 MM HG)
CAS:64742-95-6
Fraction by Wt
: 11%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:50 PPM
ACGIH TLV:50 PPM

Ingred Name:VOC: AIR
Spec Gravity:1.56
Viscosity:90 KU
Evaporation Rate & Reference:0.13 X N-BUTYL ACETATE
Solubility in Water:SLIGHT
Appearance and Odor:YELLOW LIQUID / SOLVENT ODOR
Percent Volatiles by Volume:40.5
Corrosion Rate:NOT CORR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
MAY BE INCOMPATIBLE WITH OXIDIZING AGENTS AND STRONG ALKALIES.
Stabi

lity Condition to Avoid:AVOID HEAT, SPARKS, OPEN FLAMES, &
INCOMPATIBILITIES. ALSO AIRCRAFT TRANSPORT MUST BE IN STRICK
ACCORDANCE W/ REGULATION

Hazardous Decomposition Products:INCOMPLETE COMBUSTION FOR PRODUCTS
LIKE THIS MAY GENERATE HIGHLY POISONOUS CARBON MONOXIDE AND OTHER
TOXIC GASES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH CURRENT
LOCAL, STATE, AND FEDERAL REGULATIONS. CONTACT AN A
PPROVED DISPOSAL
FACILITY. EPA HAZARDOUS WASTE CODE: D001, IGNITABLE.
*** OR SHOES UNTIL C LEANED. IF IRRITATION PERSISTS, GET MEDICAL
AID.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing t
his
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.