View NSN Online: https://aerobasegroup.ae/nsn/6810-00-237-2955

EM DIAGNOSTIC SYSTEMS INC -- MURIATIC ACID, 23 DEG. BE (SEE SUPP DATA) 6810-00-237-2955

Product ID:MURIATIC ACID, 23 DEG. BE (SEE SUPP DATA) MSDS Date:04/27/1993 FSC:6810 NIIN:00-237-2955 MSDS Number: BXDNH === Responsible Party === Company Name: EM DIAGNOSTIC SYSTEMS INC Address:480 DEMOCRAT RD **Box:NONE** City:GIBBSTOWN State:NJ ZIP:08027 Country:US Info Phone N um:609-423-6300 / FAX 609-423-0671 Emergency Phone Num:609-423-6300 CAGE:0GDF9 === Contractor Identification === Company Name: CAROLINA BIOLOGICAL SUPPLY CO Address:2700 YORK RD Box:City:BURLINGTON State:NC ZIP:27215-3387 Country:US Phone:800-227-1150/910-584-0381 CAGE:59896 Company Name: EM SCIENCE, A DIVISION OF EM INDUSTRIES Address:480 DEMOCRAT RD Box:70 City:GIBBSTOWN State:NJ ZIP:08027 Country:US Phone:856-423-6300 CAGE:0GDF9

======= Composition/Information on Ingredients =========

Ingred Name: HYDROCHLORIC ACID; (HYDROGEN CHLORIDE APPROX 30% AQUEOUS SOLUTION) (SARA 302/313) (CERCLA) CAS:7647-01-0 RTECS #:MW4025000 Fraction by Wt: 100% OSHA PEL:5 PPM, C ACGIH TLV:5 PPM. C EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS LD50 LC50 Mixture: PRODUCT'S LD50 (ORAL RBT) = 900 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acut e and Chronic: CAUSES SEVERE BURNS. MAY BE FATAL IF INHALED OR SWALLOWED. VAPOR EXTREMELY IRRITATING. MAY CAUSE DAMAGE TO RESPIRATORY PASSAGES & LUNGS. Explanation of Carcinogenicity: THIS MATERIAL IS NOT LISTEDD AS CANCER CAUSING AGENT. Effects of Overexposure: EYE: SEVERE BURNS, PERMANENT EYE DAMAGE. SKIN:SEVERE BURNS, POSSIBLE DEEP ULCERATION. INHALATION:DAMAGE TO NASAL & RESPIRATORY PASSAGES, PULMONARY EDEMA. INGESTION: BURNS OF MOUTH, THROAT & G/I TRACT. Medical Cond Aggr avated by Exposure: RESPIRATORY CONDITIONS. 

First Aid:\*\*GET MEDICAL ATTENTION FOR ALL CASES OF OVEREXPOSURE.\*\* EYE:FLUSH THOROUGHLY W/WATER FOR 15 MIN. SKIN:FLUSH THOROUGHLY W/LARGE AMOUNTS OF WATER. INHALED:REMOVE FROM EXPOSURE. AID OR RESTORE BREATHING AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE MILK OR WATER TO DRINK IF CONSCIOUS. GET IMMEDIATE MEDICAL ATTENTION.

======= Fire Fighti

ng Measures ========================

Flash Point:NON COMBUSTIBLE

Extinguishing Media:WATER SPRAY.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:CONTACT W/METALS PRODUCES HYDROGEN WHICH MAY FORM EXPLOSIVE MIXTURES W/AIR.

Spill Release Procedures: EVACUIATE ALL UNNECESSARY PERSONNEL. WEAR SUITABLE PROTECTIVE EQUIPMENT. ELIMINAGE IGNITION SOURCES. C ONTAIN

THE RELEASE, ELIMINATE ITS SOURCE, IF W/O RISK. TAKE UP & CONTAINERIZE FOR PROPER DISPOSAL. OBSERVE REGULATIONS IF RQ IS EXCEEDED.

Neutralizing Agent: SPILL-X NEUTRALIZEDRS & ABSORBENT AGENTS.

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, WELL-VENTILATED AREA SEPARATED FROM INCOMPATIBLE MATERIALS.

Other Precautions:DO NOT BREATHE VAPOR. DO NOT GET IN EYES, ON SKIN O R

ON CLOTHING. HANDLE EMPTY CONTAINERS W/CAUTION. ADD ACID CAUTIOUSLY TO WATER WHEN DILUTING - NEVER ADD WATER TO ACID.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection:USE NISOH/MSHA APPROVED AIR SUPPLIED RESPIRATOR IF WORKPLACE EXPOSURE LIMITS ARE EXCEEDED OR IN THE ABSENCE OF PROPER ENVIRONMENTAL CONTROL. OSHA REGS PERMIT OTHER RESPIRATORS. USSE ENGINEERING OR ADM INISTRATIVE CONTROLS TO REDUCE EXPOSURES Ventilation:MATERIAL SHOU

LD BE HANDLED OR TRANSFERRED IN AN APPROVED

FUME HOOD OR W/ADEQUATE VENTILATION.

Protective Gloves: NEOPRENE OR EQUIVALENT GLOVES.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment: EYE WASH & SAFETY EQUIPMENT SHOULD BE READILY AVAILABLE.

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. DO NOT TAKE INTERNALLY.

Supplemental Safety and Health

NOTE:MSDS IS FOR "MURIATIC ACID" NOT ACS PURITY HYDROCHLORIC ACID AS PER TIR. HOWEVER ALL SAFETY PRECAUTIONS APPLY TO BOTH. \*\* PORTIONS COPYRIGHT ARIEL RESEARCH CORP., 1991. SELECTED REGULATORY INFORM ATION WAS DERIVED BY EM INDUSTRIES FROMARIEL'S INTERNATIONAL CHEMICAL REGULATORY MONITORING SYSTEM.

HCC:C1 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:230F,110C Melt/Freeze Pt:M.P/F.P Text:-101F,-74C Vapor Pres:160 MM Vapor Density:1.25 Spec Gravity:1.1885 Evaporation Rate & amp; Reference:2 (BUTYL ACETATE=1) Solubility in Water: MISCIBLE Appearance and Odor:CLEAR COLORLESS LIQUID; ACRID ODOR. Percent Volatiles by Volume:99.9+ Corrosion Rate:UNKNOWNN

Stability Indicator/Materials to Avoid:YES BASES, AMINES, ALKALIES, CONTACT W/METALS PRODUCES HYDROGEN Stability Condition to Avoid:HEAT, CONTACT W/METALS. Hazardous Decomposition Products:TOXIC HYDROGEN CHLORIDE GAS. Conditions to Avoid Polymerization:WILL NOT OCCUR.

====== Disposal Consid

Waste Disposal Methods:EPA NO. = D002. ALWAYS CONTACT A PERMITTED WASTE DISPOSER TO ASSURE DISPOSAL I/A/W FEDERAL, STATE & LOCAL REGULATIONS. SPECIFIED TECHNOLOGY - NEUTRALIZE TO PH 6-9. CONTACT YOUR LOCAL PERMITTED WASTE DISPOSAL SITE (TSD) FOR POSSIBLE TREATMENT SITES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of Am erica in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.