

OLIN CORP -- CPE810004 UNSYMMETRICAL DIMETHYLHYDRAZINE -- 9135-00-687-4293

=====
Product Identification
=====

Product ID:CPE810004 UNSYMMETRICAL DIMETHYLHYDRAZINE

MSDS Date:01/01/1995

FSC:9135

NIIN:00-687-4293

MSDS Number: BXNXN

=== Responsible Party ===

Company Name:OLIN CORP

Address:120 LONG RIDGE RD

Box:1355

City:STAMFORD

State:CT

ZIP:06904-1355

Country:US

Info Phone Num:203-356-3449

Emergency

Phone Num:203-356-3449

CAGE:8X135

=== Contractor Identification ===

Company Name:OLIN CORP

Address:51 CORPORATE WOODS 9393 W 110 ST

City:OVERLAND PARK

State:KS

ZIP:66210

Country:US

Phone:800-432-6546

CAGE:8X135

Company Name:OLIN CORPORATION

Address:501 MERRITT 7

Box:4500

City:NORWALK

State:CT

ZIP:06856-4500

Country:US

Phone:203-750-3000/800-511-MSDS

CAGE:99530

=====
Composition/Information on Ingredients
=====

Ingred Name:1,1-DIMETHYLHYDRAZINE, UDMH
INTENDED C

HANGE (IC)
CAS:57-14-7
RTECS #:MV2450000
Fraction by Wt: 95-99%
Other REC Limits:0.5 PPM
OSHA PEL:0.5 PPM
ACGIH TLV:0.5 PPM
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:DIMETHYLAMINE
CAS:124-40-3
RTECS #:IP8750000
Fraction by Wt: 1-5%
Other REC Limits:10 PPM
OSHA PEL:10 PPM
ACGIH TLV:10 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 0.1-1%

=====
===== Hazards Identification =====

LD50 LC50 Mixtu
re:ORAL LD50 (RAT): 122 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: NOSE/THROAT/UPPER
RESPIRATORY TRACT/LUNG IRRITATION, PULMONARY EDEMA,
LUNG/LIVER/KIDNEY/BLOOD/CNS DAMAGE, HEMOLYSIS OF BLOOD CELLS. SKIN:
SEVERE IRRITATION/BURNS/DERMATITIS. EYES: BURNS/PE RMANENT CORNEAL
DAMAGE. INGESTION: GI TRACT IRRITATION/BURNS. 1,1-DIMETHYLHYDRAZINE
IS CONSIDERED MUTAGENI
C/SENSITIZER.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, INFLAMMATION, BRONCHITIS, VOMITING,
DIARRHEA, NAUSEA, DIZZINESS, CYANOSIS, CONVULSIONS, ALLERGIC
REACTION, RASH, SWELLING, REDNESS, DISCHARGE, TEMPORARY BLINDNESS,
ABDOMINAL PAIN, BLEEDING , TISSUE ULCERATION.
Medical Cond Aggravated by Exposure:LIVER/KIDNEY/BLOOD/CARDIOVASCULAR
DISEASE & ASTHMA.

=====
===== First Aid Measures =====

First Aid:EYES/SKIN: IMMEDIAT

ELY FLUSH W/LARGE AMOUNTS OF WATER FOR 15
MINS. INGESTION: IMMEDIATELY DRINK LARGE AMOUNTS OF WATER. INDUCE
VOMITING. DON'T GIVE ANYTHING BY MOUTH IF UNCONSCIOUS/CONVULSIVE.
INHALATION: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEEDED. KEEP
WARM & QUIET. OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:5F
Lower Limits:2
Upper Limits:95
Extinguishing Media:CO2, DRY CHEMICAL, WATER SPRAY.

Fire Fighting Procedures:USE WATER TO COOL CONTAINERS EXPOSED TO FIRE.
WEAR A POSITIVE PRESSURE SELF CONTAINED BREATHING APPARATUS & FULL
PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:AUTO-IGNITION TEMP: 482F. ABSORPTION OF
1,1-DIMETHYLHYDRAZINE BY RAGS/COTTON WASTE/SAWDUST/SIMILAR ORGANIC
MATERIALS WILL RESULT IN SPONTANEOUS COMBUSTION.

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE AREA/REMOVE IGNITION SOURCES/STOP
SOURCE. AIR: SUPPRESS VAPORS W/WATER FOG. CONTAIN LIQUID FOR
TREATMENT/NEUTRALIZATION. WATER: SAFELY DIVERT WATER FLOW AROUND
AREA. REMOVE W/VACUUM SYSTEM/PUMPING DEVICE FOR
TREATMENT/DISPOSAL. (SEE SUPP)

Neutralizing Agent:5% CALCIUM HYPOCHLORITE AQUEOUS SOLUTION.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA AWAY
FROM IGNITION SOURCES. DON'T STORE >124F, EXPOSE TO DIRECT LIGHT.
MAINT

AIN INERT ATMOSPHERE OVER SOLUTION ALWAYS.

Other Precautions:DON'T CONTAMINATE. CONTAINERS & HANDLING EQUIPMENT
SHOULD BE ELECTRICALLY GROUNDED. RETEST MATERIAL >5 YEARS OLD
BEFORE USE. AVOID CONTACT W/SKIN/EYES/CLOTHING. PACKAGE ONLY IN
STAINLESS STEEL/ALUMINUM/TEFLON/POLYETHYLENE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR A NIOSH/MSHA APPROVED FULL FACE
POSITIVE-PRESSURE SUPPLIED AIR RESPIRATOR IF ANY EXPOSURE OCCURS.

Ven

tilation:LOCAL EXHAUST TO MAINTAIN LEVELS