

GENDERM CORP -- ZOSTRIX CREAM -- 6505-01-297-4289

=====
Product Identification
=====

Product ID:ZOSTRIX CREAM
MSDS Date:07/01/1992
FSC:6505
NIIN:01-297-4289
MSDS Number: BXPCQ
=== Responsible Party ===
Company Name:GENDERM CORP
Address:600 KNIGHTBRIDGE PKWY
City:LINCOLNSHIRE
State:IL
ZIP:60069-5000
Country:US
Info Phone Num:708-634-7373
Emergency Phone Num:708-634-7373
CAGE:77491
=== Contractor Id
entification ===
Company Name:GENDERM CORP
Address:600 KNIGHTBRIDGE PKY
Box:City:LINCOLNSHIRE
State:IL
ZIP:60069-3657
Country:US
Phone:708-634-7373
CAGE:77491

=====
Composition/Information on Ingredients
=====

Ingred Name:CAPSAICIN *95-1*
CAS:404-86-4
RTECS #:RA8530000
Fraction by Wt: 0.025%

Ingred Name:SORBITOL
CAS:50-70-4
RTECS #:LZ4290000

Ingred Name:ISOPROPYL MYRISTATE
CAS:110-27-0
RTECS #:XB8600000

Ingred Name:CETYL ALCOHOL
CAS:36653-82-4
RTECS #:MM0225000

Ing

red Name:MINERAL OIL; PETROLATUM-LIQUID; WHITE MINERAL OIL, PARAFFIN OIL

CAS:8012-95-1

RTECS #:PY8030000

Other REC Limits:10 MG/CUM STEL

OSHA PEL:5 MG/CUM

ACGIH TLV:5 MG/CUM

Ingred Name:ARLACEL 165

CAS:84750-06-1

Ingred Name:BENZYL ALCOHOL

CAS:100-51-6

RTECS #:DN3150000

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:ORAL LD50(MUS): 47,200 UG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:N

O

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: CONTACT W/PRODUCT MAY

RESULT IN TISSUE INJURY/TEMPORARY ANESTHESIA. SENSITIZATION IN

PREVIOUSLY EXPOSED INDIVIDUALS HAS BEEN REPORTED. INHALATION:

VAPORS MAY CAUSE RESPIRATORY IRRITATION. THE USE OF ALCOHOL MAY

ENHANCE THE TOXICEFFECTS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:REDNESS, PAIN, IRRITATION, COUGHING, LABORED

BREATHING, ABDOMINAL PAIN, VOMITING, B

URNING SENSATION, WHEEZING,

LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA

=====
===== First Aid Measures =====
=====

First Aid:EYES/SKIN: FLUSH IMMEDIATELY W/COLD WATER. INGESTION: GIVE

1-2 GLASSES OF WATER TO DRINK. DON'T INDUCE VOMITING. IF VOMITING

OCCURS, KEEP HEAD BELOW HIPS TO REDUCE RISK OF ASPIRATION. NEVER

GIVE ANYTHING BY MOUTH IF UNCONSCIOUS/CONVULSING.INHALATION: MOVE

TO FRESH AIR. IF NOT BREATHING, CLEAR AIRWAY & BEGIN CPR. KEEP W

ARM

& AT REST. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Flash Point:>200F

Extinguishing Media:WATER FOG, FOAM, HALOGENATED AGENTS, CO2, DRY
CHEMICAL, WATER SPRAY

Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS. WEAR
IMPERVIOUS PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

=====
Accidental Release Measures
=====

Spill Release

Procedures:SWEEP UP/MIX MATERIAL W/MOIST ABSORBENT &
SHOVEL INTO WASTE CONTAINER. WASH DOWN AREA W/HOT WATER &
DETERGENT, FLUSH TO A WASTE WATER TREATMENT FACILITY. SMALL: USE
ADEQUATE VENTILATION WEAR PROTECTIVE CLOTHING TO PREVENT SKIN &
EYE CONTACT. (SUPP)

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AT/BELOW CONTROLLED ROOM
TEMPERATURE, 86F.

Other Precautions:MINIMIZE BREATHING VAPOR/MIST. AVOID
PROLONGED/REPEATED CONTACT W/SKIN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:REQUIRED

Ventilation:REQUIRED

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:IMPERVIOUS CLOTHING, APRON, EYE WASH
STATION, A SOURCE OF CLEAN WATER IN THE WORK AREA FOR FLUSHING EYES
& SKIN.

Work Hygienic Practices:REMOVE/LAUNDER/DRY CLEAN CONTAMINATED CLOTHING
BEFORE REUSE. WASH BEFORE EATING, DRINKING, SMOKING/USING TOILET

FACILITY

Supplemental Safety and Health

PH:(10% AQUEOUS SOLUTION):4.2-5.5. SPILL PROC CONT'D: WEAR RUBBER BOOTS & HEAVY RUBBER GLOVES, DISPOSABLE COVERALLS & DISPOSE OF WHEN DONE. PERCENT VOLATILE INFORMATION IS FOR SORBITOL.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>212F

Vapor Pres:1

Spec Gravity:0.8-1.4

pH:(SUPP)

Solubility in Water:INSOLUBLE

Appearance and Odor:SMOOTH WHITE CREAM W/NO ODOR

Percent Volatiles by Volume:30

=====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS, MINERAL ACIDS

Stability Condition to Avoid:FLAME, HEAT, TEMPS >86F.

Hazardous Decomposition Products:CO, CO2, NITROGEN OXIDES

===== Disposal Considerations =====

Waste Disposal Methods:DISSOLVE/MIX THE MATERIAL W/A COMBUSTIBLE SOLVENT & BURN IN A CHEMICAL INCINERATOR EQUIPPED W/AN AFTERBURNER & SCRUBBER. MAY BE LANDFILLED. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATION S.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.