View NSN Online: https://aerobasegroup.com/nsn/8010-01-134-0415

## NYCOTE LABORATORIES -- NYCOTE 7-11 -- 8010-01-134-0415

Product ID:NYCOTE 7-11 MSDS Date:01/12/1987

FSC:8010

NIIN:01-134-0415

MSDS Number: BXQGM === Responsible Party ===

Company Name: NYCOTE LABORATORIES Address: 12750 RAYMER ST BLDG A-3

City:N HOLLYWOOD

State:CA ZIP:91605 Country:US

Info Phone Num:818-764-2710

Emergency Phone Num:818-785-5462

CAGE:05803 === Contr

actor Identification ===

Company Name: NYCOTE LABORATORIES

Address:12750 RAYMER ST Box:City:NORTH HOLLYWOOD

State:CA

ZIP:91605-4207 Country:US CAGE:05803

======= Composition/Information on Ingredients ========

Ingred Name: ETHYL ALCOHOL; (DENATURED ETHANOL ALCOHOL), (ANHYDROL 190)

CAS:64-17-5

RTECS #:KQ6300000

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: TOLUENE (SARA 313) (CERCLA)

CAS:108-88-3

RTECS #:XS5250000 OSHA PEL:200 PPM; Z-2 ACGIH TLV:S, 50 PPM EPA Rpt Qty:1000 LBS

**DOT Rpt Qty** 

:1000 LBS Ingred Name:PHENOL; (CARBOLIC ACID) (SARA 302/313) (CERCLA) CAS:108-95-2 RTECS #:SJ3327000 OSHA PEL:S, 5 PPM ACGIH TLV:S, 5 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name: PROPANE, 2-NITRO-; (2-NITROPROPANE) (NIPAR S-20) CAS:79-46-9 RTECS #:TZ5250000 OSHA PEL:N/K ACGIH TLV:25 PPM (MFR) EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS ========== Hazards Identification =============== LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TOLUENE APPEARS ON THE NAVY LISTING OF OCCUP CHEM REPROD HAZARDS. SEEK CONSULTATION FROM APPROP HLTH PROFESSIONALS CONCERNING LATEST HAZARD LIST INFO & SAFE HNDLG & EXPOS INFO . ACUTE: DIZZINESS. CHRONIC: NONE LISTED BY MANUFACTURER. Explanation of Carcinogenicity: NOT RELEVANT. Effects of Overexposure: SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: NO EVIDENCE OF ADVERSE **EFFECTS FROM** AVAILABLE INFORMATION. First Aid:INGEST:GIVE 2 GLASSES OF WATER, INDUCE VOMITING. SKIN:FLUSH WITH ALCOHOL, THEN WATER. INHAL: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR @ LEAST 15 MINUTES, CONSULT PHYSICIAN. ============ Fire Fighting Measures =========================

Flash Point Method:CC Flash Point:70.0F,21.1C

Extinguishing Media: EXTINGUISHER FOR CLASS "B" & "C" FIRES.

Fire Fighting P

======== Accidental Release Measures ==========
Spill Release Procedures:CLEAN WITH RAGS AND/OR ABSORBENT MATERIAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
========== Handling and Storage ===========
Handling and Storage Precautions:KEEP CONTAINERS CLOSED AND AWAY FROM FLAME. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
Other Precautions. None Specified by MANUFACTURER.
====== Expo sure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED CHEMICAL CARTRIDGE ORGANIC SOLVENT TYPE RESPIRATOR.  Ventilation:LOCAL EXHAUST.  Protective Gloves:NEOPRENE GLOVES.  Eye Protection:ANSI APPRVD CHEM WORK GOGGLES.  Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  Supplemental Safety and Health  NONE SPECIFIED BY MANUFACTURER.
====== Physical/Chemical Properties ======= =====
Boiling Pt:B.P. Text:144F,62C Evaporation Rate & Stability and Reactivity Data ==================================
======================================
Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.
======== Disposal Considerations ==========

rocedures:NOT APPLICABLE. WEAR NIOSH/MSHA APPROVED SCBA

& FULL PROTECTIVE EQUIPMENT.

Waste Disposal Methods:COVERED TRASH BARRELS, PROFESSIONAL WASTE REMOVAL COMPANY FOR LIQUID NYCOTE. DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for it s use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.