

MET-L-CHEK COMPANY -- E-57 EMULSIFIER -- 6850-01-268-6708

===== Product Identification =====

Product ID:E-57 EMULSIFIER  
MSDS Date:01/01/1995  
FSC:6850  
NIIN:01-268-6708  
MSDS Number: BXTKG  
=== Responsible Party ===  
Company Name:MET-L-CHEK COMPANY  
Address:1639 EUCLID ST  
City:SANTA MONICA  
State:CA  
ZIP:90404-3770  
Country:US  
Info Phone Num:310-450-1111  
Emergency Phone Num:310-450-1111  
CAGE:98733  
=== Cont  
ractor Identification ===  
Company Name:MET-L-CHEK COMPANY  
Address:1639 EUCLID ST  
Box:00000  
City:SANTA MONICA  
State:CA  
ZIP:90404  
Country:US  
Phone:310-450-1111/FAX 310452-4046  
CAGE:98733

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM HYDROCARBON  
CAS:64741-96-4  
RTECS #:PY8040000  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carc

inogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONTACT-PRESUMED NONIRRITATING.  
SKIN CONTACT-SLIGHTLY IRRITATING. INHALATION-VAPORS OR OIL MIST MAY  
CAUSE MILD IRRITATION OF UPPER RESPIRATORY TRACT. INGESTION-MAY  
RESULT IN VOMITING. ASPIRATION MUST BE AVOIDED.

Explanation of Carcinogenicity:NA

Effects of Overexposure:SKIN CONTACT-IRRITATION. INGESTION-POSSIBLE  
VOMITING.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND RESPIRATORY  
DISORDERS  
MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

===== First Aid Measures =====

First Aid:EYE CONTACT-FLUSH WITH WATER. SKIN CONTACT-FLUSH WITH WATER,  
WASH WITH SOAP AND WATER. INHALATION-REMOVE TO FRESH AIR, PROVIDE  
OXYGEN IF BREATHING IS DIFFICULT. INGESTION-DO NOT INDUCE VOMITING.  
GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:>200F,>93C

Autoignition Temp:Autoi

gnition Temp Text:NA

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:USE WATER FOG, DRY CHEMICAL OR CARBON DIOXIDE. DO  
NOT USE DIRECT STREAM OF WATER.

Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. DO  
NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNKER GEAR, INCLUDING A  
POSITIVE PRESSURE NIOSH APPROVED SCBA.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH AN ABSORBENT S  
UCH AS CLAY, SAND

OR OTHER SUITABLE MATERIAL. DISPOSE OF IN ACCORDANCE WITH FEDERAL  
AND STATE REGULATIONS FOR OIL RESIDUE.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, OPEN FLAMES AND  
OXIDIZING MATERIALS.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE EXCEEDS TLV, USE NIOSH APPROVED  
RESPIRATOR TO PREVENT OVEREXPOSURE.

Vent

ilation:LOCAL EXHAUST AND MECHANICAL VENTILATION TO MAINTAIN TLV.  
Protective Gloves:CHEMICAL RESISTANT TO MINIMIZE CONTACT.  
Eye Protection:NO SPECIAL PROTECTION REQUIRED.  
Other Protective Equipment:AS REQUIRED TO MINIMIZE SKIN CONTACT.  
Work Hygienic Practices:MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER  
BEFORE EATING, DRINKING, SMOKING OR USING TOILET.  
Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:>40  
0F,>204C  
Melt/Freeze Pt:M.P/F.P Text:NA  
Decomp Temp:Decomp Text:NA  
Vapor Pres:NA  
Vapor Density:NA  
Spec Gravity:0.92  
pH:NA  
Viscosity:NA  
Evaporation Rate & Reference:NA  
Solubility in Water:EMULSIFIABLE  
Appearance and Odor:INK OILY LIQUID. SLIGHT HYDROCARBON ODOR.  
Percent Volatiles by Volume:NA  
Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
OXIDIZING MATERIALS.  
Stability Condition to Avoid:HEAT, OPEN FLAMES AND  
OXIDIZING MATERIALS.  
Hazardous Decomposition Products:CAN PRODUCE CARBON MONOXIDE AND OTHER  
UNIDENTIFIED ORGANIC COMPOUNDS.  
Conditions to Avoid Polymerization:HEAT, OPEN FLAMES AND OXIDIZING  
MATERIALS.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE IN APPROPRIATE DISPOSAL FACILITY IN  
COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by e

lements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.