View NSN Online: https://aerobasegroup.ae/nsn/5960-01-046-4482

VARIAN ASSOCIATE INC;CROSSED FIELD & RECEIVER PROT -- ELECTRON TUBE,MAGNETRON VMX 1090 -- 5960-01-046-4482

============= Product Identification ========================

Product ID:ELECTRON TUBE, MAGNETRON VMX 1090

MSDS Date:08/18/1995

FSC:5960

NIIN:01-046-4482

MSDS Number: BXTMX === Responsible Party ===

Company Name: VARIAN ASSOCIATE INC; CROSSED FIELD & RECEIVER PROT

Address:150 SOHIER RD

City:BEVERLY

State:MA

ZIP:01915-5595

Country:US

Info Phone Num:508-922-6000 EXT.285

Emergency Phone Num:508-922-6000 EXT.285

Preparer's Name: FRANK E. TROJAN

CAGE:88236

=== Contractor Identification ===

Company Name: COMMUNICATIONS AND POWER INDUSTRIES INC

Address:150 SOHIER RD

City:BEVERLY

State:MA

ZIP:01915-5595 Country:US

Phone:978-922-6000 EXT.285

CAGE:88236

====== Composition/Information on Ingredients ========

Ingred Name:MAGNETIZED MATERIAL
Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL, RAT) NOT RELEVANT Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NOT RELEVANT. NO HEALTH HAZARD. THIS DEVICE IS AN ELECTRON TUBE WHICH CONTAINS A PERMANENT MAGNETIC FIELD WHICH DOES NOT EXCEED THE LIMITS SPECIFIED IN 49 CFR 173.21(D).

**Explanation of Carcinogenicity:NONE** 

Effects of Overexposure:NONE Medical Cond Aggravated by

Exposure:NONE
======================================
First Aid:NONE REQUIRED UNLESS TUBE IS BROKEN OR IN FIRE. GET MEDICAL ATTENTION. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:NOT LIKELY TO OCCUR.
======================================
Flash Point:NONE Extinguishing Media:BLANKET FIRES WITH DRY NITROGEN OR ARGO N OR SMOTHER WITH DRY CHEMICAL. DO NOT USE WATER OR HALON AGENTS ON FIRE. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:ELECTRON TUBE MAY BURST FORMING TOXIC FUMES.
======== Accidental Release Measures ==========
Spill Release Procedures:IF BROKEN, SWEEP UP CAREFULLY AND TRANSFER INTO A SEALABLE WASTE CONTAINER. MINIMIZE GENERATION OF DUST. Neutralizing Agent:NOT RELEVAN T
============ Handling and Storage =============
Handling and Storage Precautions:STORE MICROWAVE TUBES IN SAFE PLACE. KEEP OUT OF REACH OF CHILDREN. PROTECT TUBES AGAINST PHYSICAL DAMAGE.
Other Precautions:DO NOT CRUSH, GRIND, CUT, FILE, SAW OR OTHERWISE CREATE DUST FROM MAGNETIC MATERIAL USED AS A PART OF MICROWAVE TUBES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:ADEQUA

TE
Protective Gloves:NONE NORMALLY REQUIRED.
Eye Protection:NONE NORMALLY REQUIRED.
Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING
Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.
Supplemental Safety and Health
MICROWAVE TUBES WITH MAGNETIC MATERIAL HAVING A MAGNETIC FIELD IN EXCESS OF 0.00525 GAUSS MEASURED AT 15 FEET (4.6 METERS) FROM ANY SURFACE OF THE PACKAGE MUST NOT BE SHIPPED ON AIRCRAFT.

THE

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. RECYCLING OF MAGNETS USED IN MICROWAVE TUBES IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants

this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.