View NSN Online: https://aerobasegroup.ae/nsn/6850-01-318-3904

CANON INC -- F41-6921-000, CLC-500/550 TONER RED (MAGENT -- 6850-01-318-3904

============= Product Identification ===============

Product ID:F41-6921-000, CLC-500/550 TONER RED (MAGENT

MSDS Date:01/01/1987

FSC:6850

NIIN:01-318-3904

MSDS Number: BXVRQ === Responsible Party === Company Name: CANON INC

Address:1128 MITA 3 CHOME MINATO KU

City:TOKYO Country:JA

Info Phone Num:03-758-2111 Emergency Phone Num:NONE

CAGE:S45

46

=== Contractor Identification === Company Name:CANON INC

Address:11 28 MITA 3 CHOME MINATO KU

Box:City:TOKYO

Country:JA

Phone:03-758-2111

CAGE:S4546

======= Composition/Information on Ingredients ========

Ingred Name:BISPHENOL A PROPYLENE OXIDE FUMARATE

CAS:39382-25-7

Fraction by Wt: 85-95%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SALICYLIC ACID CHROMIUM (III) CHELATE

CAS:72869-85-3 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: MAGENTA PIGMENT

Fracti

on by Wt: 1-5% Other REC Limits: NONE RECOMMENDED ========= Hazards Identification =============== LD50 LC50 Mixture:LD50 (ORAL RAT) = >5000 MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE-INHALATION: TONER IS FINELY DIVIDED SOLID. DO NOT BREATHE DUST. EYE:NO SPECIFIC HAZARD KNOWN TO CANON. HOWEVER, ANY MATERIAL CONTACTING EYE MAY BE IRRITATING. SKIN:LOW HAZARD FOR INDUSTRIAL HANDL ING. CHRONIC-NO DATA AVAILABLE FOR CHRONIC EFFECTS OF OVEREXPOSURE. Explanation of Carcinogenicity: IN ADDITION TO THE ABOVE, PRODUCT IS NEGATIVE W/REGARD TO:ACGIH CANCER, CALIFORNIA CANCER & REPRODUCTIVE EFFECTS. Effects of Overexposure: EYE IRRITATION. Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS. First Aid:IF ANY SYMPTOMS OCCUR, GET IMMEDIATE MEDICAL ATTENTION. INH ALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. EYE: FLUSH W/PLENTY OF WATER FOR 15 MIN. SKIN:FLUSH W/WATER 15 MIN. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INGESTION: DRINK 1-2 GLASSES OF WATER. GET IMMEDIATE MEDICAL ATTENTION. Spill Release Procedures: SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON. Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS. ===== Handling and Storage ==== Handling and Storage Precautions: AVOID BREATHING DUST. USE W/ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. Other Precautions: MFR GAVE NO INFORMATION ON MSDS.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE SHOULD BE NEEDED.

Ventilation: USE GOOD GENERAL VENTILATION (10 CHANGES/HR). MATCH VENTILATION RATES TO CONDITIONS.

Protective Gloves:IMPERVIOUS GLOVES Eye Protection:MINIMIZE EYE CONTACT

Other Protective Equi

pment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER. PROTECTIVE CLOTHING APPROPRIATE FOR THE RISK OF EXPOSURE. Work Hygienic Practices:FOLLOW GOOD INDUSTRIAL HYGIENE PRACTICE INCLUDING PREVENTING EYE CONTACT, MINIMIZING SKIN CONTACT & INHALATION. Supplemental Safety and Health NONE
======================================
HCC:N1
========= Stability and Reactivity Data ===========
Hazardous Decomposition Products: AS WITH ANY OTHER ORGANIC MATERIAL DECOMPOSITION WILL PRODUCE CO2 AND CO.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

======= Disposal Considerations ===========

Waste Disposal Methods: INCINERATE OR LANDFILL, CAN BE INCINERATED WHEN IN COMPLIANCEWITH LOCAL REGULATIONS. DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE, OR LOCAL LAWS. EMPTY RECEPTACLE MAY BE RECYCLE D.

Disclaimer (provided with this information by the compiling agencies): This informati

on is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.