

MILES INC/AGRICULTURE DIVURAL CHEMICAL DIV (MOBAY) -- REFILL KIT M229 PART C --  
6665-00-859-2214

===== Product Identification =====

Product ID:REFILL KIT M229 PART C

MSDS Date:05/15/1983

FSC:6665

NIIN:00-859-2214

Kit Part:Y

MSDS Number: BXWCS

=== Responsible Party ===

Company Name:MILES INC/AGRICULTURE DIVURAL CHEMICAL DIV (MOBAY)

Address:8400 HAWTHORNE RD

City:KANSAS CITY

State:MO

ZIP:64120

Count

ry:US

Info Phone Num:816-242-2582/2367

Emergency Phone Num:816-242-2582/800-424-9300(CHEMTREC)

Preparer's Name:LARRY R. THOMPSON

CAGE:MO120

=== Contractor Identification ===

Company Name:BAYER CORPORATION, AGRICULTURAL DIVISION

Address:HAWTHORNE ROAD

Box:4913

City:KANSAS CITY

State:MO

ZIP:64120-0001

Country:US

Phone:800-842-8020

CAGE:32766

Company Name:BENDIX ENVIRONMENTAL SYSTEMS

Box:City:BALTIMORE

State:MD

Country:US

CAGE:59678

Company Name:ENVIRONMENTAL TECHNOLOGIES GROUP INC

Address:1400 TAY

LOR AVE  
Box:9840  
City:BALTIMORE  
State:MD  
ZIP:21284-9840  
Country:US  
Phone:301-321-5200  
CAGE:23667  
Company Name:MILES INC/AGRICULTURE DIVURAL CHEMICAL DIV (MOBAY)  
Address:8400 HAWTHORNE RD  
Box:City:KANSAS CITY  
State:MO  
ZIP:64120  
Country:US  
Phone:816-242-2582/2367  
CAGE:MO120

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIETHYL PHTHALATE (SARA 313) (CERCLA)  
CAS:84-66-2  
RTECS #:TI1050000  
Fraction by Wt: 100%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:5 MG/M3  
ACGIH  
TLV:5 MG/M3; 9495  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 9000 MG/KG  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: MAY CAUSE IRRITATION OF  
RESPIRATORY SYSTEM.(NO OTHER SYSTEM HAS BEEN EVALUATED).  
CHRONIC:NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity:NO INGREDIENT  
OF A CONCENTRATION OF 0.1%  
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  
Effects of Overexposure:INHALATION: SNEEZING, COUGHING, WHEEZING,  
SHORTNESS OF BREATH, ITCHINF OF NOSE, SORE THROAT.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:INHALATION: REMOVE PERSON TO FRESH AIR. RESUSCITATE IF  
NEEDED. EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. SKIN:  
REMOVE CON

TAMINATED CLOTHING. WASH WITH SOAP AND WATER. INGESTION:  
GET IMMEDIATE MEDICAL HELP. IF ANY SYMPTOMS PERSIST; GET MEDICAL  
ATTENTION.

===== Fire Fighting Measures =====

Flash Point:325F,163C

Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND  
FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILLED MATERIAL AND RECOVER IF  
POSSIBLE. ABSORB IN INERT MATERIAL AND PLACE IN A CONTAINER FOR  
LATER DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protect

ion:NONE NORMALLY REQUIRED. IF MATERIAL HEATED; USE

NIOSH/MSHA APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE.

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,

DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

MSDS ENTERED FOR PRIME MFR-KIT MADE BY CAGE 23667. HCC= N1.

HCC IN MSDS

FOR PART B, ETHYL ALCOHOL. MSDS FOR PART C OF A 3 PART REFILL KIT.

PART C MADE BY MOBAY; CAGE #32766. PART A IS POTASSIUM HYDROXIDE

(MARATHON BTRY), PART B IS ETHYL ALCOHOL (SHELL).

===== Physical/Chemical Properties =====

HCC:V5

Boiling Pt:B.P. Text:568F,298C

Melt/Freeze Pt:M.P/F.P Text:-42F,-41C

Vapor Pres:14 @ 163C

Vapor Density:7.66

Spec Gravity:1.12

Solubility in Water:SLIGHT

Appearance and Odor:COLORLESS, ODORLESS LIQUID

Percent Volati

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS. MFR. SAYS DISPOSE IN EPA APPROVED LANDFILL OR  
INCINERATE IN APPRO  
VED INCINERATOR.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their

particular situation.